



Ancra International	2-5	Kimberly-Clark	64-65
AP Exhaust	6	Kleen-flo	66
ArmorAll	7-8	LEDvance	67
Bayco	9-11	Lucas	68-69
Bernzomatic	12	M2 Professional	70-71
Breeze Clamps	13	Milton	72-73
Bussmann	14-15	NLS	74-79
Car Freshener	16	Noco Lubricants (Mobil1)	80
Carlson	17	Norton	81-83
Cliplight	18-19	Perfect Equipment	84-85
Continental	20-25	Permatex	86-89
CPS / Uview	26-27	Phillips & Temro	90-91
CRC	28-31	Pico	92-95
Dayco	32-34	Plasti-Kote	96-97
Bestbuy Tools of the Trade	35	Prestone	98
Dorman	36-37	Bestbuy Pro	99
Eppco	38	PTC	100
EZ Red	38	RapidFix	101
Fiamm	39	Rayovac	102
FloPerm	39	Rislone	103-106
FMSI	41	Rust Check	107
FRAM	42	Schumacher	108-109
GPI	43	Seafoam	110
Grote	44-49	Stanley Engineered Fastening	111
Groupe BBH	50-51	Strongarm	112-113
Hopkins	52-53	Sylvania	114
H Paulin	54	Torin Jacks	115-116
Irving Blending & Packaging	55-58	Triple C Rubber & Plastics	117
Irwin Tools	59-61	WD-40	118-120
JB Weld	62-63	Western States	121-123

Flatbed Accessories Accessoires pour Remorque Plateforme



Winch Bars | Barre de treuil

42313-10 - Standard Winch Bar
Peinte Standard / Weight: 5.0 lbs./2.27 kg.

42313-12 - Standard Combination Box End
Combinaison, extrémité femelle / Weight: 6.5 lbs./2.95 kg.

3-Bar Winch | 3 Bar Treuil

48101-143
Bottom Mount 3 Bar, Weld-On
Décalage extérieur standard
Weight: 11.3 lbs./5.13 kg WLL: 6,000 lbs./2,730 kg.

48101-103
Side Mount 3 Bar, Weld-On
Décalage extérieur standard
Weight: 9.5 lbs./4.3 kg WLL: 6,000 lbs./2,730 kg.

49584-10
12" Long Plastic. Extends approx. 3" to protect the load. Suitable for webbing up to 4" in width.
Plastique, 30,5 cm (12po) - Pour les sangles atteignant 10,16 cm (4 po) Weight: .47 lb./21 kg.

Web Winches | Treuils a Sangle

Lighter 7mm heat treated frame / Cadre de 7 mm en acier trempé
Also Available in Ratcheting Models / Aussi disponible

43565-127
Web Storable Bottom Mount C Track Slider
Coulissant à piste C entreposable
Weight: 8.3 lbs./3.8 kg. WLL: 6,000 lbs./2,730 kg.

43565-157
Standard Bottom Mount C Track Slider
Coulissant à piste C entreposable standard
Weight: 7.5 lbs./3.4 kg. WLL: 6,000 lbs./2,730 kg.

49207-127
Storable Double L Track Slider
Coulissant à piste à double L entreposable
Weight: 6.8 lbs./3.09 kg. WLL: 5,500 lbs./2,500 kg.

49207-137
Standard Double L Track Slider
Coulissant à piste à double L standard
Weight: 6.5 lbs./2.95 kg. WLL: 5,500 lbs./2,500 kg.

43986-10
High Density Polymer Suitable for webbing up to 4.525" wide and extends approx. 3.5" to protect the load.
Haute densité Polymère - Pour les sangles atteignant 10,16 cm (4 po) Weight: .06 lb./03 kg.

Winch Straps | Courroies de Treuils WLL: 5,400 lbs. / 2,450 kg.

**Good
Bon**



41660-10-30 - 3-in. x 30-ft. Winch Strap w/ Flat Hook / avec crochet plat
41660-14-30 - 3-in. x 30-ft. Winch Strap w/ Chain Anchor / avec chaîne et crochet
43795-10-30 - 4-in. x 30-ft. Winch Strap w/ Flat Hook / avec crochet plat
43795-11-30 - 4-in. x 30-ft. Winch Strap w/ Delta Ring / avec anneau Delta
43795-15-30 - 4-in. x 30-ft. Winch Strap w/ Chain Anchor / avec chaîne et crochet

**Better
Très bon**



41660-80-30 - 3-in. x 30-ft. ANCRA BLUE Strap w/Flat Hook / avec crochet plat
41660-83-30 - 3-in. x 30-ft. ANCRA BLUE Strap w/ Chain Anchor / avec chaîne et crochet
43795-80-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Flat Hook / avec crochet plat
43795-81-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Delta Ring / avec anneau Delta
43795-85-30 - 4-in. x 30-ft. ANCRA BLUE Strap w/ Chain Anchor / avec chaîne et crochet

**Best
Excellent**



41660-90-30 - 3-in. x 30-ft. ANCRA X-TREME Strap w/ Flat Hook / avec crochet plat
41660-93-30 - 3-in. x 30-ft. ANCRA X-TREME Strap w/ Chain Anchor / avec chaîne et crochet
43795-90-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/ Flat Hook / avec crochet plat
43795-91-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/ Delta Ring / avec anneau Delta
43795-95-30 - 4-in. x 30-ft. ANCRA X-TREME Strap w/Chain Anchor / avec chaîne et crochet



520 Beards Lane, Suite A, Unit #1, Woodstock, Ontario N4S 7W3 • 1-866-962-0055 ext. 212 • www.ancracargo.com

Flatbed Accessories Accessoires pour Remorque Plateforme



Ratchet Straps | Courroie à Cliquet

Also available in 3 and 4 inch materials.
Aussi disponible en largeur 3 et 4 pouce.

We also offer the following products in Ancra Blue and Ancra X-Treme.
Nous offrons les produits suivant dans les matériaux Ancra Blue et Ancra X-Treme.



45982-11
2-in. x 30-ft. Ratchet Strap w/ Flat Hooks.
Courroie à Cliquet compris crochets plats WLL: 3,333 lbs./1,515 kg.

556
2-in. x 27-ft. Ratchet Strap w/ Flat Hook.
Sangle à cliquet avec crochet plat. WLL: 3,333 lbs./1,515 kg.

556-WHK
2-in. x 27-ft. Ratchet Strap w/ Double J-Hooks.
Sangle à cliquet avec double crochet en J. WLL: 3,333 lbs./1,515 kg.



45982-43
2-in. x 30-ft. Ratchet Strap w/ Wire Hooks.
Courroie à Cliquet compris crochets en fil métallique WLL: 3,333 lbs./1,515 kg.

Eye to Eye Polyester Lifting Slings Eye to Eye Polyester élingues

20-EE1-9801X3 - 1" x 3'
20-EE2-9802X3 - 2" x 3'
20-EE2-9803X10 - 3" x 10'



Please see catalog for more!
S'il vous plaît voir le catalogue de plus!

Safety Products Produits de sécurité

49893-12
18" x 18" PVC Coated Red Flag w/ Grommets.
Drapeau rouge 18" x 18" PVC avec oeillets.

49893-14
18" x 18" PVC Coated Orange Flag w/ Grommets.
Drapeau orange 18" x 18" PVC avec oeillets.

50430-10
Magnetic Flag Holder
Aimant pour drapeau

49895-10
12" x 96" Canada "D" Banner
Bannière Canada "D"

X-Treme Guard Corner Protectors | Coins Protectors

Constructed of High Density Polyethylene for strength and durability.

Fabriqués en polyéthylène haute densité pour assurer leur robustesse et leur durabilité.

50089-12
8" x 1'. Weight: .8 lbs. / .36 kg.

50089-24
8" x 2'. Weight: 1.7 lbs. / .78 kg.

50089-36
8" x 3'. Weight: 2.7 lbs. / 1.23 kg.

50089-48
8" x 4'. Weight: 3.6 lbs. / 1.63 kg.

Natural Rubber Tarp Ties Caoutchouc Naturel Tarp Ties



NATURAL RUBBER

An alternative for cold weather.

Une alternative pour le temps froid.

52210C - Length: 10"
52215C - Length: 15"
52221C - Length: 21"
52231C - Length: 31"
52241C - Length: 41"



520 Beards Lane, Suite A, Unit #1, Woodstock, Ontario N4S 7W3 • 1-866-962-0055 ext. 212 • www.ancracargo.com

Flatbed Accessories Accessoires pour Remorque Plateforme



Transport Chain Chaîne de transport

Bulk Chain
Chaîne vrac



45880-10
5/16" x 400' Wt: 408 lbs.
45880-11
3/8" x 200' Wt: 296 lbs.
45880-13
1/2" x 100' Wt: 521 lbs.
45880-12
1/4" x 400' Wt: 262 lbs.

Clevis Hooks
crochets de chape



45946-10
5/16" Wt: .85 lbs.
45946-11
3/8" Wt: 1.10 lbs.
45946-13
1/2" Wt: .2.10 lbs.
45946-12
1/4" Wt: .40 lbs.

Chain w/ Clevis
Chaîne à manille



45881-10-16T
5/16" x 16' WLL: 4,700 lbs.
45881-10-20T
5/16" x 20' WLL: 4,700 lbs.
45881-10-25T
5/16" x 25' WLL: 4,700 lbs.
45881-11-16T
3/8" x 16' WLL: 6,600 lbs.
45881-11-20T
3/8" x 20' WLL: 6,600 lbs.
45881-11-25T
3/8" x 25' WLL: 6,600 lbs.
45881-13-20T
1/2" x 20' WLL: 11,300 lbs.
45881-13-25T
1/2" x 25' WLL: 11,300 lbs.

Grade 70 Transport Chain meets NACM Standards.
Chaîne de transport de calibre 70 - répond aux normes NACM



Also available in a pail.
Aussi disponible dans un contenant de plastique.

Chain Corner Protectors Protèges - Coins chaîne

49377-10
Steel / Acier. Weight: 1.10 lbs. / .50 kg.



49377-11
Rubber Coated, Extends 4" to protect load.
Acier enrobé de caoutchouc - prolonge de 10 cm (4 po) pour protéger le chargement. Weight: 1.9 lbs. / .86 kg.



49756-10
Steel. For use with chain and straps.
Acier. À utiliser avec une chaîne et des sangles.
Weight: 1.26 lbs. / .57 kg.



Load Binders | Tendeurs à chaîne

Drop forged steel meeting FMCSA and DOT specifications.
In three popular models.
Acier estampé répondant aux normes FMCSA et DOT.
En trois modèles populaires.

Lever Load Binders | Tendeurs à chaîne à levier

45943-10
Accepts 5/16"-3/8" Chain (Accepte chaîne)
WLL: 5,400 lbs.Wt. 9.0 lbs.
45943-10HD
Accepts 5/16"-3/8" Chain (Accepte chaîne)
WLL: 6,600 lbs.Wt. 9.4 lbs.
45943-11
Accepts 3/8"-1/2" Chain (Accepte chaîne)
WLL: 9,200 lbs.Wt. 11.9 lbs.
45943-13
Accepts 1/2"-5/8" Chain (Accepte chaîne)
WLL: 13,000 lbs.Wt. 20.8 lbs.



45943-12
Accepts 1/4"-5/16" Chain (Accepte chaîne)
WLL: 2,600 lbs.Wt. 3.5 lbs.

Recoilless Lever Load Binders | Tendeur à chaîne à levier sans recul

45943-14
Accepts 5/16"-3/8" Chain (Accepte chaîne)
WLL: 5,400 lbs.Wt. 9.0 lbs.




Lever Binder Locking Clip | Dispositif de verrouillage de tendeur à levier
50117-10
Securely holds binder handle. Weight: .40 lbs. / 0.18 kg.
Fixe en place la poignée du tendeur



Ratchet Load Binders | Tendeurs à chaîne à cliquet

45943-20
Accepts 5/16"-3/8" Chain (Accepte chaîne)
WLL: 5,400 lbs.Wt. 10.4 lbs.
45943-20HD
Accepts 5/16"-3/8" Chain (Accepte chaîne)
WLL: 6,600 lbs.Wt. 10.5 lbs.
45943-21
Accepts 3/8"-1/2" Chain (Accepte chaîne)
WLL: 9,200 lbs.Wt. 11.8 lbs.
45943-23
Accepts 1/2"-5/8" Chain (Accepte chaîne)
WLL: 13,000 lbs.Wt. 15.7 lbs.
45943-22
Accepts 1/4"-5/16" Chain (Accepte chaîne)
WLL: 2,600 lbs.Wt. 3.5 lbs.



Cargo Control Products Produits d'arrimage



Recovery Straps Courroie de Recouvrement

Heavy Duty Nylon Webbing | Heavy Duty Matériel de Nylon

Easy Storage Band | Facile Stockage Bande

900-230
2" x 30' Vehicle Recovery Strap
Courroie de Recouvrement
MVW: 9,000 lbs. / 4,082 kgs.
Break-Strength 18,000 lbs / 8,165 kgs



900-330
3" x 30' Vehicle Recovery Strap
Courroie de Recouvrement
MVW: 12,000 lbs. / 5,443 kgs.
Break-Strength 24,000 lbs / 10,866 kgs



900-430
4" x 30' Vehicle Recovery Strap
Courroie de Recouvrement
MVW: 18,000 lbs. / 8,165 kgs.
Break-Strength 36,000 lbs / 16,329 kgs



900-630
6" x 30' Vehicle Recovery Strap
Courroie de Recouvrement
MVW: 24,000 lbs. / 10,886 kgs.
Break-Strength 48,000 lbs / 21,772 kgs



50434-10
Triangle Warning Kit, 3 Triangles per Kit
Ensemble de 3 triangles de sécurité



50437-10PK
LED Flashlight
Lampe de poche LED



Ratchet Tie Downs | Courroie à Cliquet



95002
1" x 10' Ratchet Strap with S-Hooks, 2 pack
Ensemble, de 2 courroies à cliquet
1" x 10' avec crochets type S



95005
1" x 10' Ratchet Strap with S-Hooks, 4 pack
Ensemble, de 4 courroies à cliquet
1" x 10' avec crochets type S



SL91
1" x 15' Ratchet Strap with S-Hooks, 4 pack
Ensemble, de 4 courroies à cliquet
1" x 15' avec crochets type S



50532-12
Lime Green Reflective Safety Vest
5 Point. CSAZ96/ANSI Class 2
Veste de sécurité vert lime réfléchissantes
avec 5 points d'attache. CSAZ96/ANSI Class 2



50532-12
Orange Reflective Safety Vest
5 Point. CSAZ96/ANSI Class 2
Veste de sécurité orange réfléchissantes
avec 5 points d'attache. CSAZ96/ANSI Class 2



50435-XL & 50435-L
Selective work gloves.
Size Extra Large (50435-XL) or Large (50435-L)
Gant de travail réfléchissantes.
(50435-XL) Extra Large
(50435-L) Large

FLEX COUPLING

WITHOUT NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8810	8810IB	4"	4"	1.77"
8811	8811IB	6"	6"	1.77"
8812	8812IB	8"	8"	1.77"
8813	8813IB	10"	10"	1.77"
8814	8814IB	4"	4"	2.02"
8815	8815IB	6"	6"	2.02"
8816	8816IB	8"	8"	2.02"
8817	8817IB	10"	10"	2.02"
8818	8818IB	4"	4"	2.27"
8819	8819IB	6"	6"	2.27"
8820	8820IB	8"	8"	2.27"
8821	8821IB	10"	10"	2.27"
8822	8822IB	4"	4"	2.52"
8823	8823IB	6"	6"	2.52"
8824	8824IB	8"	8"	2.52"
8825	8825IB	10"	10"	2.52"
8826	8826IB	4"	4"	3.02"
8827	8827IB	6"	6"	3.02"
8828	8828IB	8"	8"	3.02"
8829	8829IB	10"	10"	3.02"



#8817

WITH NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAID	FLEX LENGTH	OVERALL LENGTH	INLET DIAMETER
8835	8835IB	4"	8"	1.75"
8836	8836IB	6"	10"	1.75"
8837	8837IB	8"	12"	1.75"
8838	8838IB	10"	14"	1.75"
8839	8839IB	4"	8"	2.00"
8840	8840IB	6"	10"	2.00"
8841	8841IB	8"	12"	2.00"
8842	8842IB	10"	14"	2.00"
8843	8843IB	4"	8"	2.25"
8844	8844IB	6"	10"	2.25"
8845	8845IB	8"	12"	2.25"
8846	8846IB	10"	14"	2.25"
8847	8847IB	4"	8"	2.50"
8848	8848IB	6"	10"	2.50"
8849	8849IB	8"	12"	2.50"
8850	8850IB	10"	14"	2.50"
8851	8851IB	4"	8"	3.00"
8852	8852IB	6"	10"	3.00"
8853	8853IB	8"	12"	3.00"
8854	8854IB	10"	14"	3.00"

HANGERS

339816
339816S
339818S
339819S
339820S
339830



#339818S

HANGER - UNIVERSAL WIRE

339896
339897
339898
339899



#339896

UNIVERSAL CONVERTERS

INLET/I.D.
602204
602205
602206
602207

EPA OBDII BY DESIGN

INLET/I.D.
608204
608205
608206
608214
608215
608216

CLAMPS

H200	EXTRA HEAVY DUTY 2"
H212	EXTRA HEAVY DUTY 2 1/2"
H214	EXTRA HEAVY DUTY 2 1/4"
H234P	HEAVY DUTY 2 3/4"
H238	EXTRA HEAVY DUTY 2 3/8"
H258	EXTRA HEAVY DUTY 2 5/8"
H300	EXTRA HEAVY DUTY 3"
H312	EXTRA HEAVY DUTY 3 1/2"
H312P	HEAVY DUTY 3 1/2"
H314	EXTRA HEAVY DUTY 3 1/4"
H400	EXTRA HEAVY DUTY 4"
H400P	HEAVY DUTY 4"
H412	EXTRA HEAVY DUTY 4 1/2"
H412P	HEAVY DUTY 4 1/2"
H500	EXTRA HEAVY DUTY 5"
H500P	HEAVY DUTY 5"
H600	EXTRA HEAVY DUTY 6"
M112	DGM 1 1/2" U-BOLT
M134	DGM 1 3/4" U-BOLT
M158	DGM 1 5/8" U-BOLT
M178	DGM 1 7/8" U-BOLT
M200	DGM 2" U-BOLT
M212	DGM 2 1/2" U-BOLT
M214	DGM 2 1/4" U-BOLT
M218	DGM 2 1/8" U-BOLT
M238	DGM 2 3/8" U-BOLT
M258	DGM 2 5/8" U-BOLT
M300	DGM 3" U-BOLT
U112	STANDARD 1 1/2"
U114	STANDARD 1 1/4"
U118	STANDARD 1 1/8"
U134	STANDARD 1 3/4"
U158	STANDARD 1 5/8"
U178	STANDARD 1 7/8"
U200	STANDARD 2"
U212	STANDARD 2 1/2"
U214	STANDARD 2 1/4"



#H212

SELECT+PLUS TECHSERIES

Neck Size	Body Dia.	Body	Overall
608704	2"	4" Rd	10"
608705	2 1/4"	4" Rd	10"
608706	2 1/2"	4" Rd	10"
608714	2"	4" Rd	10"
608715	2 1/4"	4" Rd	10"
608716	2 1/2"	4" Rd	10"
608734	2"	4" Rd	12"
608735	2 1/4"	4" Rd	12"
608736	2 1/2"	4" Rd	12"
608744	2"	4" Rd	12"
608745	2 1/4"	4" Rd	12"
608746	2 1/2"	4" Rd	12"



PROTECTANT



118 mL #10125	300 mL #11300	473 mL #78021	946 mL #78024	1.89 L #18000G	Matte Finish 473 mL #18209	Ultra Shine 473 mL #32062
---------------	---------------	---------------	---------------	----------------	----------------------------	---------------------------

NEW FORMULA

NON-GREASY FORMULA

CLEANS, SHINES & PROTECTS

FIGHTS FADING, AGING AND CRACKING

WASH

ODOUR ELIMINATION

WAX



Premium Wash & Wax +Protect 1.42 L #17486	Car Wash 1.89 L #17485	Car Wash 715 mL #17740	Smoke X Air Freshener 99 g #19036	Spray Wax 473 mL #17985	Spray Detailer 473 mL #17984	Liquid Wax 473 mL #17983	Paste Wax 311 g #17982
---	------------------------	------------------------	-----------------------------------	-------------------------	------------------------------	--------------------------	------------------------

CLEANERS

TIRE & RIM



Multi-Purpose Cleaner 473 mL #11068	Bug Remover 473 mL #17259	Leather Care Gel 532 mL #10882	Premium Leather Care 473 mL #18981	Quicksilver Tire & Rim Cleaner 710 mL #17654	Extreme Rim Cleaner 710 mL #40340	Extreme Tire Shine Gel 530 mL #11504	Extreme Tire Shine 650 mL #78026
-------------------------------------	---------------------------	--------------------------------	------------------------------------	--	-----------------------------------	--------------------------------------	----------------------------------





www.armorall.ca

www.bernzomatic.com



WIPES



Original
Protectant
30ct
#10859



Protectant
Wipes
20ct
#18254



Glass
Wipes
30ct
#10850



Glass &
GPS
20ct
#18269




Orange
Cleaning
Wipes
25ct
#10925

Matte Finish
Protectant
25ct
#18253



Leather
Wipes
30ct
#10856



Cleaning
Wipes
20ct
#18255



Degreaser
Wipes
30ct
#18286



Cleaning
Wipes
30ct
#10869

4 Pack Wipes
115ct
#10881

GREAT VALUE



CLEAN. SHINE. PROTECT.



WWW.ARMORALL.CA | FACEBOOK.COM/ARMORALLCANADA



MULTI-USE TORCH HEAD TS3500T

- Trigger-start ignition easily ignites the flame
- Versatile webbed flame completes a variety of household projects, including small diameter soldering, thawing, melting and heat application



SELF-IGNITING BASIC TORCH HEAD WT2301

- Precise flame control for delicate soldering jobs
- Attached to any standard propane gas cylinder
- Features a self-ignite start



BUTANE TORCH HEAD ST2200T

- Three interchangeable settings: fine solder, hot air blower and pencil flame
- Trigger ignition easily ignites and extinguishes flame
- Pinpoint flame for detailed work
- Continuous flame lock keeps torch lit
- Adjustable flame control easily sizes flame for different applications
- CPSC approved child resistant ignition
- Limited 3-Year Warranty



PLUMBING SOLDER

Perfect for creating water-tight seals in copper pipes, and for general plumbing repairs.

SSW300 - 3 oz.
SSW800 - 8 oz.



TRIGGER START TORCH HEAD TS4000T

- Auto start/stop ignition easily ignites and extinguishes flame
- Swirl flame provides a hot, efficient flame for large diameter soldering, brazing and heat treating



LAWN & GARDEN TORCH JT850

- Trigger-start ignition easily ignites the flame
- Large outdoor flame for burning weeds and lighting fires
- 36-inch reach for easy access with less bending or crouching



ROSIN CORE SOLDER

Ideal for electrical applications such as wiring speakers, small motors and appliances, and for general electronic repairs. The rosin-core base eliminates the need for flux.

SRC300 - 3 oz.
SRC800 - 8 oz.
LRC464 - 4 oz.



METAL WORK SOLDER

- Acid-core base eliminates the need for flux
- Melting temperature of 430° F / 221.1° C
- Ideal for use on gutters, auto radiators, tin repairs and sheet metal

SAC300 - 3 oz.
SAC800 - 8 oz.



Mini



5/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
3504	5.6 - 16 mm
3505	7.9 - 17.6 mm
3506	11 - 20 mm
3508	13 - 23 mm
300 Series SS Hex Screw	
3706	11 - 20 mm
3708	13 - 23 mm

Liner



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
9206H	11 - 20 mm
9210H	14 - 27 mm
300 Series SS Hex Screw	
9406H	11 - 20 mm
9408H	13 - 23 mm
9410H	14 - 27 mm
9412H	17 - 32 mm
9416H	21 - 38 mm
9420H	21 - 44 mm
9424H	27 - 51 mm
9428H	33 - 57 mm
9440H	52 - 76 mm
9448H	65 - 89 mm
9452H	71 - 95 mm
9456H	78 -102 mm
9460H	84 -108 mm

Power-Seal®



1/2 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
62006	11 - 20 mm
62008	13 - 23 mm
62010	14 - 27 mm
62012	17 - 32 mm
62016	21 - 38 mm
62020	21 - 44 mm
62024	27 - 51 mm
62028	33 - 57 mm
62032	40 - 64 mm
62036	52 - 76 mm
62040	46 - 70 mm
62044	59 - 83 mm
62048	65 - 89 mm
62052	71 - 95 mm
62056	78 - 102 mm
62060	84 - 108 mm
62064	48 - 127 mm
62072	91 - 114 mm
62080	64 - 140 mm
62088	79 - 152 mm
62096	92 - 165 mm
62104	105 -178 mm

9/16 in, 300 Series SS Band

62128	143- 216 mm
62152	181- 254 mm
62188	238 -311 mm

1/2 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
64008	13 - 23 mm
64010	14 - 27 mm
64012	17 - 32 mm
64016	21 - 38 mm
64020	21 - 44 mm
64024	27 - 51 mm

Hi-Torque™



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
410 SS Hex Screw	
HTM 250	45 - 67 mm
HTM 300	57 - 79 mm
HP 2	32 - 67 mm
HP 3	54 - 105 mm
HP 4	102 -156 mm

Constant-Torque®



9/16 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
CT 9424	27 - 51 mm

5/8 in band All Stainless Steel

Breeze #	Range [mm]
CT 200	32 - 54 mm
CT 250	45 - 67 mm
CT 300	57 - 79 mm
CT 350	70 - 90 mm
CT 400	83 - 105 mm
CT 450	95 - 118 mm
CT 500	108 -130 mm
CT 600	133 -156 mm

Make-A-Clamp

9/16 in, 300 Series SS Band
8 6" bands /3 Adj. Fast/ 1 splice

Breeze #	Range [mm]
Carbon Plated Hex Screw	
4000	Variable

T-Bolt



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Bolt	
TB 150	38.1 - 42.9 mm
TB 163	41.3 - 47.6 mm
TB 175	44.5 - 50.8 mm
TB 200	50.8 - 58.7 mm
TB 225	57.2 - 65.1 mm
TB 238	60.3 - 68.3 mm
TB 250	63.5 - 71.4 mm
TB 275	69.9 - 77.8 mm
TB 288	73.0 - 81.0 mm
TB 300	76.2 - 84.1 mm
TB 325	82.6 - 90.5 mm
TB 350	88.9 - 90.5 mm
TB 375	95.3 - 103.2 mm
TB 400	101.6 - 109.5 mm
TB 425	108.0 - 115.9 mm
TB 575	146.1 - 154.0 mm
TB 625	158.8 - 166.7 mm

T-Bolt w HD Spring



3/4 in, 300 Series SS Band

Breeze #	Range [mm]
Carbon Plated Hex Screw	
B9224-0406	103.2 - 111.1 mm

Merchandisers

Breeze #	Description
6210	ASSORTMENT
6200	EMPTY RACK

V-Band



3/4 or 7/8 in, 300 Series SS Band

Breeze #	Range [mm]
Nominal Diameter for each	
VT10288	73.152 mm
VT10321	81.534 mm
VT10350	88.9 mm
VT10382	97.028 mm
VT10388	98.552 mm
VT10406	103.124 mm
VT10413	104.902 mm
VT10419	106.426 mm
VT10425	107.95 mm
VT10450	114.3 mm
VT10450-A	114.3 mm
VT10461	117.094 mm
VT10469	119.126 mm
VT10475	120.65 mm
VT10475-A	120.65 mm
VT10481	122.17 mm
VT10491	124.714 mm
VT10494	125.476 mm
VT10510	129.54 mm
VT10525	133.35 mm
VT10530	135.15 mm
VT10565	143.51 mm
VT10581	147.574 mm

Fuel Injection Clamp



Carbon Plated Band

Breeze #	Range [mm]
FI 4	10.0 - 13.0 mm
FI 5	12.5 - 15.5 mm
FI 6	13.5 - 16.5 mm

Breeze® is a a brand of the NORMA Group

Bussmann series battery terminal and multi-pole automotive fuses offer service technicians and DIYers a convenient, alternative source to new car dealerships and online websites.

Battery terminal fuses

Bussmann series battery terminal fuses The new Bussmann™ series battery terminal fuses (BTF) are original equipment equivalents to those installed in popular Chrysler®, Ford®, Lexus, Lincoln, Mercury, Mitsubishi, Nissan®, Scion, Subaru, Suzuki and Toyota® vehicles.



OEM cross reference data

Bussmann series catalog no.	Volts	Fuse circuit amp rating(s)	OEM part no.	Vehicle make
BTF-1P-80	32 Vdc	80	82211AG150	Subaru
			3673-950J00	Suzuki
BTF-1P-100	32 Vdc	100	MN164187	Mitsubishi
			3673-952J00	Suzuki
BTF-1P-120	32 Vdc	120	MN164188	Mitsubishi
			3673-966J00	Suzuki
BTF-1P-140	32 Vdc	140	82620-33040	Lexus, Scion, Toyota
			24380-JA70A	Nissan
BTF-2P-180120	32 Vdc	180, 120	68164797-AA	Chrysler
BTF-2P-200100	32 Vdc	200, 100	BR3Z-14526-AA	Ford
			AE5Z-14526-BA	Ford, Lincoln, Mercury
BTF-2P-250125	32 Vdc	250, 125	AL3Z-14526-AA	Ford
BTF-3P-1206080	32 Vdc	120, 60, 80	82620-52080A	Scion, Toyota
BTF-3P-1208080	32 Vdc	120, 80, 80	82620-52060A	Scion, Toyota

Multi-pole automotive fuses

The Bussmann™ series multi-pole fuses (MPF) are original equipment equivalents to those installed in popular Nissan®, Infiniti®, Toyota® and Lexus vehicles.



OEM cross reference data

Bussmann series catalog no.	Fuse circuit amp ratings	Color code	OEM part no.	Vehicle make
32 Vdc fuses				
MPF-433X	40, 30, 30	Pink	24370-C9902	Nissan, Infiniti
MPF-444X	40, 40, 40	Green	24370-C9900	Nissan, Infiniti
MPF-533X	50, 30, 30	Red	24370-C9906	Nissan, Infiniti
MPF-534X	50, 30, 40	Blue	24370-C9907	Nissan, Infiniti
MPF-633X	60, 30, 30	Yellow	24370-C9904	Nissan
58 Vdc fuses				
MPF2-324X	30, 20, 40	Yellow	24370-C991C	Nissan
MPF2-433X	40, 30, 30	Pink	24370-C991A	Nissan
			90982-08308	Toyota, Lexus
MPF2-444X	40, 40, 40	Green	24370-C991B	Nissan, Infiniti
			90982-08299	Toyota, Lexus
MPF2-533X	50, 30, 30	Red	24370-C992A	Nissan, Infiniti
			90982-08300	Toyota, Lexus
MPF2-534X	50, 30, 40	Blue	24370-C992B	Nissan, Infiniti
			90982-08301	Toyota, Lexus
MPF2-535X	50, 30, 50	Black	24370-C992C	Nissan, Infiniti
			90982-08302	Toyota, Lexus
MPF2-555X	50, 50, 50	Maroon	90982-08303	Lexus



Bussmann Fuse Caddies and Trays
Save Time. Save Space.



#FUSE-CADDY1

With convenient folding handle and security latch, this five-tray capacity caddy contains 275 fuses in popular ratings.

CDY10TRY-ATC
CDY10TRY-ATM
CDY10TRY-ATM-LP
CDY10TRY-MAX
CDY5TRY-FMX

Fuse Caddy Features and Benefits

- Comprehensive mix of fuses ensure that you have the right fuses on hand
- Clear trays allow you to quickly see the type of fuse you need
- Compact design makes is easy to store
- Security latch and convenient handle keep fuses secure and portable
- Tray labels provide quick identification of the tray's contents



FUSE BLOCKS

PART NO

BP/FB4-ATC
BP/FB6-ATC
BP/FB8-ATC
BP/FB10-ATC
BP/FB4-ATM
BP/FB6-ATM
BP/FB8-ATM
BP/FB10-ATM
BP/FB4-ATR
BP/FB6-ATR
BP/FB8-ATR
BP/FB10-ATR

DESCRIPTION

ATC 4 TERMINAL FUSE BLOCK
ATC 6 TERMINAL FUSE BLOCK
ATC 8 TERMINAL FUSE BLOCK
ATC 10 TERMINAL FUSE BLOCK
ATM 4 TERMINAL FUSE BLOCK
ATM 6 TERMINAL FUSE BLOCK
ATM 8 TERMINAL FUSE BLOCK
ATM 10 TERMINAL FUSE BLOCK
ATR 4 TERMINAL FUSE BLOCK
ATR 6 TERMINAL FUSE BLOCK
ATR 8 TERMINAL FUSE BLOCK
ATR 10 TERMINAL FUSE BLOCK





www.car-freshner.com



air fresheners



BLACK ICE
U1P-10155

VANILLAROMA
U1P-10605




COPPER CANYON
U1P-17169



KLIP STRIP
U1K-10100
Assorted Fragrances
24 pieces



PLASTIC COUNTER DISPLAY
U1D-10100
Top Selling Fragrances
144 Pieces



**VENT CLIP+
BLACK ICE**
CTK-52431



X-tra Strength



in a Can


*Same quality Little Trees®
fragrances in a new
misting spray!*



VANILLAROMA
UAL-09005



NEW CAR SCENT
UAL-09089



BLACK ICE
U1P-10655



NEW CAR SCENT
U1P-10689



Pump

*Little Trees® fragrances
bottled up for freshness
on the go!*



ROYAL PINE
U1P-15001-BC



**WHAT'S BRAKE
HARDWARE?**




**INTERNATIONAL
BRAKE INDUSTRIES, INC.**

CARLSON
QUALITY BRAKE PARTS



**DRUM
BRAKE
SYSTEM**



**DISC
BRAKE
SYSTEM**



**LESS
BRAKE
NOISE**



**LESS
BRAKE
WEAR**



**HAPPIER
CUSTOMERS**

**IT'S THE MOST
OVERLOOKED
PART OF YOUR
BRAKE SYSTEM**

**WHY REPLACE
BRAKE HARDWARE WITH
EVERY
BRAKE JOB?**

CARLSONMAKESITEASY.COM



- HEMIMINI™**
114301
1000 lumens at 4 hours runtime
500 lumens at 8 hours runtime
- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours – charge anytime
 - Aircraft-grade aluminium chassis
 - 180° swivel hook
 - Mini-USB charger (100-240V)
 - Optional magnetic cover available
 - Replacement parts available



- HEMIPLUS™ 2**
114302
1200 Lumens at 4 hours run time
600 lumens at 8 hours run time
- 4400 mAh smart lithium ion battery, rechargeable in 4 hours – charge anytime
 - Aircraft grade aluminum chassis
 - 360° metal hook
 - Charging port
 - Removable magnetic cover included
 - Replacement parts available



- SPOTLIGHT**
111121
1200 Lumens 3 hours
600 Lumens 5 hours
- 15W COB
 - Aluminum body
 - Magnetic stand included
 - AC & DC chargers included
 - Two adjustable joints on stand for different angles
 - 4000 mAh rechargeable lithium ion battery



- UNDERHOOD LIGHT**
111036
1200 Lumens at 4 hours run time
700 Lumens at 8 hours run time
- 36 LED
 - Rechargeable lithium ion battery
 - Bracket extends up to 78"
 - Independent dual switches
 - Magnets & hooks in handle
 - AC and DC chargers included



- HEMIPLUS™**
114303
1000 lumens at 8 hours run time
- 8800 mAh smart lithium ion battery
 - Rechargeable in 4 hours – charge anytime
 - Aircraft – grade aluminum chassis
 - 360 degree swivel hook
 - Optional 12V charger and magnet



- CLIPSTRIP™**
111112
140 Lumens
- Powerful pocket light
 - Strip array LED technology
 - 180° swivel magnetic clip
 - 3 AAA batteries included
 - Sold as 12 pack counter display



- INCANDESCENT**
101307/101315
- Grounded outlet handle
 - 13 amp circuit breaker
- 101307 – 23 ft | 7 m SJOW 16/3 cable
101315 – 50 ft | 15.3 m SJOW 16/3 cable



- INCANDESCENT**
100307/100310/100315
- Grounded outlet handle
- 100307 – 23 ft | 7 m SJTW 16/3 cable
100310 – 32 ft | 10 m SJTW 16/3 cable
100315 – 50 ft | 15.3 m SJTW 16/3 cable



- CLIGHT FLEX**
111131
120 Lumens
- Flexible head with magnetic base
 - Adjustable lighting
 - 3 x AAA batteries included
 - 8 pack display box



- SPOTLIGHT MINI**
111111
- 600 and 300 Lumens – 5 W COB
 - Magnetic base
 - Adjustable joint for different angles
 - Li-ion rechargeable battery 2600 mAh
 - IP65 Waterproof
 - Micro USB charger cable included
 - Charger sold separately (PN 111111A)



- SUPER SEAL™**
946KIT
- Pro A/C Stop Leak
 - Permanently seals & prevents leaks
 - Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
 - Compatible with all oils & refrigerants
 - Hose included



- PAO 68 OIL & PAO 68 OIL + DYE**
51110/51111
- Universal, high-quality, multi-grade synthetic oil
 - Improves efficiency with quicker pull down times & lower vent temperatures
 - Eliminates carrying different grades or viscosities of A/C lubricants
 - Fill-up or top-up
- 51110 – 34 oz | 1 L
51111 – 34 oz | 1 L + UV Dye



- CLIGHT CURVE**
111133
300 lumens
- 5W cob light
 - Curved shape protects lens
 - Protective rubber bumper
 - Hanging hook
 - Magnetic base
 - 3 AA batteries included



- 33 LED PIVOT**
24_458
160 Lumens
- 28 LED front | 5 LED top
 - 360° swivel hook
 - Magnetic pivoting base
 - 3 AA batteries included



- 900012B – A/C DYE
909012B – MULTI-PURPOSE DYE
990012B – RADIATOR DYE
12 x 1/4 oz | 7.5 ml



- 900008 – A/C DYE
909008 – MULTI-PURPOSE DYE
990008 – RADIATOR DYE
8 oz | 240 ml

Fuel Line, Fuel Injection, Windshield Washer Tubing, and Misc Hose



Part#	Description	Size
65109	WINDSHIELD WIPER AND RADIATOR TUBING	3/32" X 50'
65113	WINDSHIELD WIPER AND RADIATOR TUBING	7/64" X 50' (1/8" NIPPLE)
65111	WINDSHIELD WIPER AND RADIATOR TUBING	5/32" X 50' (3/16" NIPPLE)
65112	WINDSHIELD WIPER AND RADIATOR TUBING	7/32" X 50' (1/4" NIPPLE)
65114	WINDSHIELD WIPER AND RADIATOR TUBING	9/32" X 50' (3/8" NIPPLE)
65125	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	3/16" X 25'
65126	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	1/4" X 25'
65127	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	5/16" X 25'
65128	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	3/8" X 25'
65129	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	7/16" X 25'
65185	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	11/32" X 50'
65116	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	1/2" X 50'
65117	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	5/8" X 50'
65118	FUEL LINE/ PCV / EMISSION CONTROL HOSE (SAE 30R7)	3/4" X 50'
65148	FUEL INJECTION HOSE (SAE 30R9)	1/4" X 18"
65149	FUEL INJECTION HOSE (SAE 30R9)	5/16" X 18"
65150	FUEL INJECTION HOSE (SAE 30R9)	3/8" X 18"
65151	FUEL INJECTION HOSE (SAE 30R9)	1/4" X 25'
65152	FUEL INJECTION HOSE (SAE 30R9)	5/16" X 25'
65153	FUEL INJECTION HOSE (SAE 30R9)	3/8" X 25'
65211	AUTOMATIC TRANSMISSION COOLER HOSE	5/16" X 25'
65213	AUTOMATIC TRANSMISSION COOLER HOSE	3/8" X 25'
65214	AUTOMATIC TRANSMISSION COOLER HOSE	1/2" X 25'
65221	POWER STEERING RETURN HOSE (SAE J189)	3/8" X 25'

CARB
Certified

Sour Gas
Compatible


Biodiesel
Compatible

EZ Coil makes installing molded heater hose easier than ever.

Bend straight hose into any molded shape you need with EZ-Coil. Takes only seconds to shape using hand pressure only. Maintains and holds up to a 90-degree bend and prevents hose from kinking.

Part#	Size
GY12UBP	1/2" E-Z COIL
GY34UBP	3/4" E-Z COIL
GY58UBP	5/8" E-Z COIL

Also great for wire routing!



Garage Exhaust Hose & Accessories

Size	Description
54032	FLT200 2" X 11' GARAGE EXHAUST HOSE
54040	FLT250 2.5" X 11' GARAGE EXHAUST HOSE
54048	FLT300 3.0" X 11' GARAGE EXHAUST HOSE
54064	FLT400 4.0" X 11' GARAGE EXHAUST HOSE
FLT500	FLT500 5.0" X 11' GARAGE EXHAUST HOSE
ACT400	ACT400 4" X 11' HIGH TEMP EXHAUST HOSE FOR DYNO APPLICATIONS
ACT600W11	ACT600W11 6" X 11' HIGH TEMP DIESEL EXHAUST HOSE W/WIRE INSERT
ADF30	ADF30 3" ALUMINIUM DOOR PORT
DSS25	DSS25 2 1/2" SERVICE STATION KIT (7 PCS)
DSS30	DSS30 3" SERVICE STATION KIT (7PCS)
EB30	EB30 3" RUBBER ELBOW
F250	F250 TAILPIPE ADAPTER (FITS 2.5" & 3" HOSE)
F300	F300 TAILPIPE ADAPTER (FITS 2 1/2" HOSE)
F475	F475 OVAL ADAPTER (3" X 6" OVAL)
F575	F575 3 1/2" X 8 1/2" OVAL TAILPIPE ADAPTER
F675-SC	F675-SC TAILPIPE ADAPTER (FITS 3" & 4" HOSE)
OC30	OC30 3" OVERHEAD DUCT CONNECTOR
OC40	OC40 4" OVERHEAD DUCT CONNECTOR
OC50D	OC50D 5" OVERHEAD DAMPER DUCT CONNECTOR



Complete Service Station Kit

Shop Air Hose – Blue Rubber Airline Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion resistant rubber cover over fabric braided construction to provide long lasting service life.



Size	Description
65131	1/4" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65133	3/8" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65134	1/2" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS
65135	1/4" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65137	3/8" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65138	1/2" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS

Shop Air Hose – F5 Blue Low Temperature TPE Airline Assembly

F5 is the highest rating for a tornado. F5 Air Hose is designed for general shop air supply service up to 300 PSI. Light weight and flexible hose with high abrasion resistant, non-marking Low Temperature TPE cover.



65176	1/4" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65177	1/4" X 50' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65178	3/8" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65179	3/8" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65182	1/2" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/2-14 NPT COUPLINGS

Shop Air Hose – Red Rubber Flexsteel Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion and oil resistant rubber cover over steel braided construction to provide long lasting service life. Great for abusive applications including resisting spark burn through in welding shops.



Part#	Description
65143	1/4" X 25' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65144	3/8" X 25' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65145	1/4" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65146	3/8" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS

Blue Neptune 3000 PSI Pressure Washer Hose

For pressure washer equipment. Rated to temperatures of -20°F to 200°F (-29°C to 93°C). Blue non-marking cover with braided steel reinforcement for service up to 3000psi. Assembled with steel fittings and bend restrictors to improve service life.



Part#	Description
65253	1/4" X 25' WITH 1/4"-18 NPT MALE X MALE SWIVEL FITTINGS
65254	1/4" X 50' WITH 1/4"-18 NPT MALE X MALE SWIVEL FITTINGS
65256	3/8" X 25' WITH 3/8"-18 NPT MALE X MALE SWIVEL FITTINGS
65257	3/8" X 50' WITH 3/8"-18 NPT MALE X MALE SWIVEL FITTINGS
65258	3/8" X 100' WITH 3/8"-18 NPT MALE X MALE SWIVEL FITTINGS

Garden Hose

Three options for home and shop water supply:



YardMaster GREEN



Heavy Duty SHOP



Heavy Duty + HOT WATER

Part#	Description
20530139	1/2" X 25' YARDMASTER TPE GREEN GARDEN HOSE W/ HEX BRASS FITTINGS
20530170	1/2" X 50' YARDMASTER TPE GREEN GARDEN HOSE W/ HEX BRASS FITTINGS
20583057	5/8" X 50' YARDMASTER TPE GREEN GARDEN HOSE W/ HEX BRASS FITTINGS
20530174	5/8" X 75' YARDMASTER TPE GREEN GARDEN HOSE W/ HEX BRASS FITTINGS
20530175	5/8" X 100' YARDMASTER TPE GREEN GARDEN HOSE W/ HEX BRASS FITTINGS
65171	5/8" X 25' HEAVY WALL BLACK RUBBER SHOP HOSE W/ HEX BRASS FITTINGS
65170	5/8" X 50' HEAVY WALL BLACK RUBBER SHOP HOSE W/ HEX BRASS FITTINGS
20582672	5/8" X 50' PREMIUM HOT WATER RED SHOP HOSE W/ HEX BRASS FITTINGS

Gas Pump Hose - Fuel Dispensing hose assembly

Part#	Description
20352464	AGGAS W/SS WIRE BLK 50WP 3/4 X 8' MM
20352465	AGGAS W/SS WIRE BLK 50WP 3/4 X 10 MM
20352436	PACER W/SS WIRE BLK 50WP 1 X 15' MM
20352418	PACER W/SS WIRE BLK 50WP 1 X 17' MM
20352419	PACER W/SS WIRE BLK 50WP 1 X 20' MM

A multi-use type hose for dispensing gasoline, grease, kerosene, and petroleum oils from farm and barrel type pumps. It is for agricultural, construction and industrial service where UL approval is not required. Temperature range -40C to 60C.



Air Conditioning Hose & Fittings

Galaxy SLE 4890 SAE J2064 A/C Hose

Recommended for R134a, most refrigerants blends and compressor lubricants in automotive and heavy-duty truck air conditioning systems where significant reduction in permeation and moisture ingress is desired. Reduced OD hose designed to work exclusively with Cool Clips fittings.




Part#		Size
20306580	G4890-06x50	5/16" X 50 FT
20309633	G4890-08x50	13/32" X 50 FT
20306583	G4890-10x50	1/2" X 50 FT
20306584	G4890-12x50	5/8" X 50 FT

GC Cool Clip A/C fittings for use on Galaxy SLE 4980 A/C Hose

Part#	Description
GC-OTF90-0606	O-Ring Tube, Female, Swivel, Long Pilot, 90 Elbow
GC-OTF-0808	O-Ring Tube, Female, Swivel, Long Pilot
GC-OTF90-0808	O-Ring Tube, Female, Swivel, Long Pilot, 90 Elbow
GC-OTF-1210	O-Ring Tube, Female, Swivel, Long Pilot
GC-OTF134V90-1210	O-Ring Tube, Female, Swivel, R134a Valve, 90 Elbow
GC-OTF90-1210	O-Ring Tube, Female, Swivel, Long Pilot, 90 Elbow
GC-OTF134V90-0808	O-Ring Tube, Female, Swivel, R134a Valve, 90 Elbow
GC-OTF134V-0808	O-Ring Tube, Female, Swivel, R134a Valve
GC-OTF134V-1210	O-Ring Tube, Female, Swivel, R134a Valve
GC-OTF90-1212	O-Ring Tube, Female, Swivel, Long Pilot, 90 Elbow
GC-HM134V-0808	Hose Mender, R134a Valve
GC-OTM-1210	O-Ring Tube, Male, Swivel
GC-HM134V-1212	Hose Mender, R134a Valve
GC-OTF-0606	O-Ring Tube, Female, Swivel, Long Pilot
GC-FTM-0808	Flareless Tube, Male
GC-OTF90-1010	O-Ring Tube, Female, Swivel, Long Pilot, 90 Elbow
GC-OTF45-0606	O-Ring Tube, Female, Swivel, Long Pilot, 45 Elbow
GC-SFFX-0808	SAE 45 Flare, Female, Swivel
GC-OTF45-0808	O-Ring Tube, Female, Swivel, Long Pilot, 45 Elbow
GC-OTM90-0606	O-Ring Tube, Male, Swivel, 90 Elbow
GC-OTF-1010	O-Ring Tube, Female, Swivel, Long Pilot
GC-FTM-0606	Flareless Tube, Male
GC-OTF134V90-1010	O-Ring Tube, Female, Swivel, R134a Valve, 90 Elbow
GC-OTM90-1210	O-Ring Tube, Male, Swivel, 90 Elbow
GC-OTF134V90-0606	O-Ring Tube, Female, Swivel, R134a Valve, 90 Elbow
GC-PLIERS-0001	Cool Clip Assembly Pliers

Cool Clip fittings are assembled on bulk hose with the use of special Cool Clip pliers. This system allows for easy, portable assemblies made in your shop.

Part Number Sizing Example:
GC-****-1234
12 = hose size
34 = thread size



Insta-Grip Push on Hose & Fittings

Insta-Grip Black 300 PSI Air & Multi-Purpose Hose

For use with push-on fittings at working pressures of 300 PSI. For low-pressure hydraulic and pneumatic systems such as shop air systems, general industrial, maintenance applications. Non-conductive, minimum electrical resistance, greater than one (1) megohm per inch of hose length at 1000 volts DC. MSHA approved covers. Available in 50 foot boxes and 500 foot reels.



20302828	Instagrip 300 1/4 X 50 Ft Black
20302902	Instagrip 300 3/8 X 50 Ft Black
20302903	Instagrip 300 1/2 X 50 Ft Black
20413818	Instagrip 300 5/8 X 50 Ft Black
20413817	Instagrip 300 3/4 X 50 Ft Black
20022636	Instagrip 300 1/4 Black 500 Ft Reels
20022644	Instagrip 300 3/8 Black 500 Ft Reels
20022648	Instagrip 300 1/2 Black 500 Ft Reels
20022651	Instagrip 300 5/8 Black 500 Ft Reels
20022653	Instagrip 300 3/4 Black 500 Ft Reels

Push Barb fittings designed to work with Insta-Grip Hose

Push barb fittings are designed to insert into Insta-Grip hose. Do not use clamp. The large barb coupled with the braided reinforcement works together to hold the fitting securely in place.

PB-HM-0404	Hose Mender
PB-HM-0505	Hose Mender
PB-HM-0606	Hose Mender
PB-HM-0808	Hose Mender
PB-HM-1010	Hose Mender
PB-HM-1212	Hose Mender
PB-NPF-0402	Female NPT thread
PB-NPF-0404	Female NPT thread
PB-NPF-0504	Female NPT thread
PB-NPF-0604	Female NPT thread
PB-NPF-0606	Female NPT thread
PB-NPF-0806	Female NPT thread
PB-NPF-0808	Female NPT thread
PB-NPM-0402	Male NPT thread
PB-NPM-0404	Male NPT thread
PB-NPM-0406	Male NPT thread
PB-NPM-0504	Male NPT thread
PB-NPM-0602	Male NPT thread
PB-NPM-0604	Male NPT thread
PB-NPM-0606	Male NPT thread
PB-NPM-0608	Male NPT thread
PB-NPM-0804	Male NPT thread
PB-NPM-0806	Male NPT thread

PB-NPM-0808	Male NPT thread
PB-NPM-0812	Male NPT thread
PB-NPM-1006	Male NPT thread
PB-NPM-1008	Male NPT thread
PB-NPM-1012	Male NPT thread
PB-NPM-1208	Male NPT thread
PB-NPM-1212	Male NPT thread
PB-NPM90-0402	90 degree Male NPT thread
PB-NPM90-0404	90 degree Male NPT thread
PB-NPM90-0602	90 degree Male NPT thread
PB-NPM90-0604	90 degree Male NPT thread
PB-NPM90-0606	90 degree Male NPT thread
PB-NPM90-0806	90 degree Male NPT thread
PB-NPM90-0808	90 degree Male NPT thread
PB-NPM90-1008	90 degree Male NPT thread
PB-NPM90-1012	90 degree Male NPT thread
PB-NPM90-1212	90 degree Male NPT thread
PB-NPMX-0404	Male Swivel NPT thread
PB-NPMX-0604	Male Swivel NPT thread
PB-NPMX-0606	Male Swivel NPT thread
PB-NPMX-0806	Male Swivel NPT thread
PB-NPMX-0808	Male Swivel NPT thread
PB-NPMX-1212	Male Swivel NPT thread



Part Number Sizing Ex:
PB-****-1234
12 = hose size
34 = thread size

LEAKGUARD A/C SEALER



LEAKGUARD™ ONESHOT™ AC SUPPLEMENT WITH EXTENDYE™
480500 - 3.25oz



SPOTGUN™ JR. "LEAKGUARD" INJECTION KIT 480300
Includes

- Spotgun Jr. Injection system
- 2 x (1oz/30mL) Leakguard cartridge
- Storage case



LEAKGUARD™ CARTRIDGES
(1 oz./30ml cartridges)
480301



ECO-TWIST™ LEAKGUARD INJECTION KIT 480310EU
Includes

- ECO-Twist injector and application hose for R-134a
- 1oz/30mL Leakguard cartridge

A/C LEAK DETECTION KITS

SPOTGUN™ JR./UV Phazer™ BLACK (AAA) Kit
332005A
Services up to 40 vehicles.



SPOTGUN™ / MICRO-LITE™ KIT
414500A
Services up to 64 vehicles.



SPOTGUN™ / UV Phazer™ BLACK (Rechargeable) Kit
414565A
Services up to 64 vehicles.

SPOTGUN™ System Kit
471500A - R1234a hose
471500YF - R1234yf hose
Services up to 64 vehicles



UNIVERSAL A/C DYES CERTIFIED FOR USE IN R134A & R1234YF SYSTEMS



A/C EXTENDYE™
499108A - Spotgun™ Cartridge 240mL
499008A - Bottle 240mL



A/C EXTENDYE CARTRIDGE
399006A (0.25 oz)



A/C EXTENDYE CARTRIDGES FOR SPOTGUN™ JR. SYSTEM
399020A - 1 oz. / 30 ml 4x 30ml
Services up to 40 vehicles

A/C EXTENDYE
B499012A (.25 oz)
B499024A (1 oz.)



MULTI-PURPOSE DYES



MULTI-PURPOSE DYE
483208 - 240mL Bottle

MULTI-PURPOSE DYE
B483206
6 Bottles 30mL



RADIATOR COOLANT DYE



RADIATOR COOLANT DYE
8oz (240mL) Bottle
483908

RADIATOR COOLANT DYE
For use with regular (green) coolant
6 Bottles 30mL
B483906



A/C OIL INJECTION KITS

SPOTGUN™ R134A OIL INJECTION KIT
481500

SPOTGUN™ HFO1234YF OIL INJECTION KIT
481500YF (shown)



SPOTGUN™ JR. DUAL A/C OIL INJECTION KIT
381450



A/C OILS



UNIVERSAL PAG OIL W/ DYE AND EBOOST
488016P

UNIVERSAL ESTER OIL W/ DYE AND EBOOST
488016E



488046PB PAG 46
488046PBD PAG 46
488100PB PAG 100
488100PBD PAG 100

8 oz. Bottle
8 oz. Bottle with Dye
8 oz. Bottle
8 oz. Bottle with Dye



488046P	PAG 46 Oil Cartridge	8 oz.
488100P	PAG 100 Oil Cartridge	8 oz.
488125P	PAG 125 Oil Cartridge	8 oz.
488150P	PAG 150 Oil Cartridge	8 oz.
488046YF	PAG 46 Oil Cartridge (For HFO1234yf)	8 oz.
488104H	Hybrid Electric Oil Cartridge OEM Approved	8 oz.
488108E	ESTER Oil Cartridge	8 oz.



UNIVERSAL PAG OIL CARTRIDGES 1 oz
399046 PAG 46
399100 PAG 100
399150 PAG 150

MIST™ IN CAR HEALTHY AIR

MIST™ II IN-CAR AIR QUALITY SYSTEM 590160P

Kit Includes:
1 MiST Machine
24 MiST Cleaning Solutions
POP Package



MIST™ CLEANING SOLUTION
590250 - 100mL



12 PACK

MIST™ VENT CLIPS
590235 - Summer Breeze
590236 - Spicy Apple
590237 - Citrus
590238 - Vanilla
590239 - Clean Car

COOLING SYSTEM TOOLS



Combustion Leak Tester Kit
560000

Replacement Combustion Leak Tester Fluid
560500 - 16 oz./480 ml



AIRLIFT™ Kit
550000
Eliminate airlocks in vehicle cooling systems and refills in seconds...
OEM approved worldwide!

AIRLIFT™ II HD Kit
550500HD
Refills cooling systems and eliminates airlocks.
Approved by International Truck.
Storage case included.



GDI CLEANING SOLUTION



**GDI DUAL
CANISTER
INDUCTION
TOOL**
500-0467



**GDI 2 PART SERVICE KIT
(MV1-MV2 WASH & RINSE)**
400-0458



MV ADAPTERS GDI
067-1722 BMW 2.0L Twin Turbo
067-1701 Ford 1.6-2.0L
067-1723 FORD 2.3L
067-1703 Ford 2.7L
067-1704 Ford 3.5L
067-1705 Chevrolet 1.4L
067-1710 GM EcoTech 2.4L
067-1720 Kia/Hyundai 1.6L
067-1721 Nissan 5.6L

CARBONCLEAN FUEL SYSTEM CLEANING



CARBONCLEAN MV3
400-0020
8oz (236ml) Bottle
400-0126
32oz (946ml) Bottle



**CARBON CLEAN 1000: FUEL
SYSTEM CLEANING AND
DECARBONIZING SERVICE**
500-0220



**PRESSURIZED
INDUCTION TOOL KIT**
200-1145



CARBONCLEAN MV-4
8oz (236ml) Bottle
400-0030



CARBONCLEAN MV-6
480mL Bottle
400-0060



**CARBONCLEAN FUEL
SYSTEM CLEANER**
(354ml) Bottle
400-2001



**CARBONCLEAN GDI
INDUCTION CLEANER**
(473ml) Bottle
400-2425



**MOTORVAC® GDI
INDUCTION SYSTEM
CLEANER KIT**
400-2225

EVAP LEAK DETECTION



**MOTORVAC® COOL SMOKE EVAP LEAK
DETECTION SYSTEM**
Includes a 120mL bottle of Cool Smoke
UV FLUID (400-1054)
500-0100



**COOL SMOKE
REPLACEMENT FLUID**
(8oz/240ml)
400-1054

TRANSMISSION EXCHANGE KIT



**TRANSTEP 2-STEP
ATF CLEANER AND
PROTECTANT KIT**
400-0137



**COOLANTCLEAN™ 2-STEP
COOLANT CLEANER AND
CONDITIONER KIT**
(Six kits - 2 x 12 oz.)
400-0138



Brakleen® Original
75089 539 g aerosol
75090 3.785 L bottle
75091 19 L pail



Brakleen® Premium
Non-Chlorinated
75088 397 g aerosol
75086 19 L pail



Brakleen® Premium
Non-Chlorinated With
PowerJet™ Technology
75050 397 g aerosol



Brakleen® Pro Series
Non-Flammable
75089PS 822 g aerosol



Brakleen® Pro Series
Non-Chlorinated
75051PS 510 g aerosol



Brakleen® RD Rapid Dry
Non-Chlorinated
75391 19 L pail
75392 208 L drum



Synthetic Brake
& Caliper Grease
75353
340 g tub with brush
75359
227 g brush top bottle



Super Turbo™
Octane Boost
75063 355 mL bottle



Fuel Injector
& Carburetor Cleaner
75061 355 mL bottle



FiberLock™ Head Gasket
& Block Repair
75224 946 mL bottle



Posi-Trac™ Limited Slip
Gear Oil Additive
742508 207 mL tube



1Tank Power Renew® Diesel
75816 Utility 444 mL bottle
75832 HD 946 mL bottle



Diesel Fuel Therapy
Injector Cleaner Plus
75202 888 mL bottle
75203 3.785 L bottle



Disc Brake Quiet
75016 118 mL bottle
75017 255 g Aerosol



GDI IVD™
Intake Valve & Turbo
Cleaner
75320x6 311 g aerosol



SensorKleen™ Mass Air
Flow Sensor Cleaner
75110 312 g aerosol



Throttle Body Kleen™
75078 340 g aerosol



Engine Degreaser
75025 425 g aerosol



Clean-R-Carb®
75081 454 g aerosol



Battery Cleaner
With Acid Indicator
75097 312 g aerosol



Diesel Fuel Therapy
Injector Cleaner With
Anti-Gel
75212 888 mL bottle
75213 3.785 L bottle



Diesel Fuel Anti-Gel
75221 355 mL bottle



Bio-Con™ Sludge
Sediment Remover



Quick Flow™ Emergency
Diesel-Gel Relief



White Lithium Grease
14200 284 g aerosol




Power Lube
Multi-Purpose Lubricant
75005 312 g aerosol
75007 3.785 L bottle
75009 19 L pail



Knock'er Loose™
Penetrating Solvent
73020 369 g aerosol



Gasket Kleen™
75021 340 g aerosol



Glass Cleaner
14100 510 g aerosol



Stainless Steel Cleaner
& Polish
74424 510 g aerosol



Tannery® Leather
& Vinyl Cleaner
74171 283 g aerosol



Mechanix Orange®
Citrus Hand Cleaner
With Pumice
74090 473 mL bottle



Lectra-Motive™
Electrical Parts Cleaner
75018 539 g aerosol



Battery Protector
75046 213 g aerosol



Screwloose™
Super Penetrant
75330 312 g aerosol



Freeze-Off®
Super Penetrant
75222 326 g aerosol



Heavy Duty Silicone
Lubricant
75074 213 g aerosol



Dry Graphite
Lubricant
75101 320 g aerosol



Copper Anti-Seize
Aerosol & Lubricating
Compound
72095 340 g aerosol



Kool Tap FOAMY
Cutting Fluid
74410 369 g aerosol



SP-350™
Corrosion Inhibitor
73262 312 g aerosol



QD™ Electronic Cleaner
75012 128 g aerosol
75102 312 g aerosol



Jump Start® Starting
Fluid With Lubricity
75671 312 g aerosol



1Tank Power Renew® Gasoline Formula
75815 444 mL bottle



PhaseGuard4® STOR & GO
Stabilizer & Ethanol Fuel Treatment
75141 237 mL bottle
74142 474 mL bottle



Fuel Stabilizer
75380 237 mL bottle



SP-400™
Corrosion Inhibitor
73282 284 g aerosol



Engine Stoi™
Fogging Oil
75027 369 g aerosol



Zinc Mate™
75054 369 g aerosol



Rubberized
Undercoating
75034 450 g aerosol



Ice-Off™ Windshield
Spray De-Icer
75346 340 g aerosol



Magic Oil™
Lock Lube & Deicer
74119 42.5 g aerosol



Bug Blast™ Wasp
& Hornet Killer
72010 397 g aerosol



SmartWasher® Kits

Mobile Parts Washer Kit

14746	SW-123 Mobile Parts Washer Kit 1 SW-23 Unit + 3 Pails SW-1 Fluid + 1 FL-4 Filter
14744	SW-323 Mobile Parts Washer Kit 1 SW-23 Unit + 3 Pails SW-3 Fluid + 1 FL-4 Filter
14740	SW-423 Mobile Parts Washer Kit 1 SW-23 Unit + 3 Pails SW-4 Fluid + 1 FL-4 Filter
14747	SW-623 Mobile Parts Washer Kit 1 SW-23 Unit + 3 Pails SW-6 Fluid + 1 FL-4 Filter
14743	SW-723 Mobile Parts Washer Kit 1 SW-23 Unit + 3 Pails SW-7 Fluid + 1 FL-4 Filter
14748	SW-823 Mobile Parts Washer Kit 1 SW-23 Unit + 3 Pails SW-8 Fluid + 1 FL-4 Filter

Signature Parts Washer Kit

14749	SW-125 Signature Parts Washer Kit 1 SW-25 Unit + 5 Pails SW-1 Fluid + 1 FL-4 Filter
14750	SW-325 Signature Parts Washer Kit 1 SW-25 Unit + 5 Pails SW-3 Fluid + 1 FL-4 Filter
14751	SW-425 Signature Parts Washer Kit 1 SW-25 Unit + 5 Pails SW-4 Fluid + 1 FL-4 Filter
14752	SW-625 Signature Parts Washer Kit 1 SW-25 Unit + 5 Pails SW-6 Fluid + 1 FL-4 Filter
14753	SW-725 Signature Parts Washer Kit 1 SW-25 Unit + 5 Pails SW-7 Fluid + 1 FL-4 Filter
14754	SW-825 Signature Parts Washer Kit 1 SW-25 Unit + 5 Pails SW-8 Fluid + 1 FL-4 Filter

SuperSink Parts Washer Kit

14755	SW-128 SuperSink Parts Washer Kit 1 SW-28 Unit + 5 Pails SW-1 Fluid + 1 FL-4 Filter
14756	SW-328 SuperSink Parts Washer Kit 1 SW-28 Unit + 5 Pails SW-3 Fluid + 1 FL-4 Filter
14757	SW-428 SuperSink Parts Washer Kit 1 SW-28 Unit + 5 Pails SW-4 Fluid + 1 FL-4 Filter
14758	SW-628 SuperSink Parts Washer Kit 1 SW-28 Unit + 5 Pails SW-6 Fluid + 1 FL-4 Filter
14759	SW-728 SuperSink Parts Washer Kit 1 SW-28 Unit + 5 Pails SW-7 Fluid + 1 FL-4 Filter
14760	SW-828 SuperSink Parts Washer Kit 1 SW-28 Unit + 5 Pails SW-8 Fluid + 1 FL-4 Filter

SuperSink Parts Washer XE Kit

14761	SW-128XE SuperSink Parts Washer XE Kit 1 SW-28XE Unit + 5 Pails SW-1 Fluid + 1 FL-4 Filter
14762	SW-328XE SuperSink Parts Washer XE Kit 1 SW-28XE Unit + 5 Pails SW-3 Fluid + 1 FL-4 Filter
14763	SW-428XE SuperSink Parts Washer XE Kit 1 SW-28XE Unit + 5 Pails SW-4 Fluid + 1 FL-4 Filter
14764	SW-628XE SuperSink Parts Washer XE Kit 1 SW-28XE Unit + 5 Pails SW-6 Fluid + 1 FL-4 Filter
14765	SW-728XE SuperSink Parts Washer XE Kit 1 SW-28XE Unit + 5 Pails SW-7 Fluid + 1 FL-4 Filter
14766	SW-828XE SuperSink Parts Washer XE Kit 1 SW-28XE Unit + 5 Pails SW-8 Fluid + 1 FL-4 Filter

Mobile Heavyweight Parts Washer Kit

14767	SW-137 Mobile Heavyweight Parts Washer Kit 1 SW-37 Unit + 5 Pails SW-1 Fluid + 1 FL-4 Filter
14768	SW-337 Mobile Heavyweight Parts Washer Kit 1 SW-37 Unit + 5 Pails SW-3 Fluid + 1 FL-4 Filter
14741	SW-437 Mobile Heavyweight Parts Washer Kit 1 SW-37 Unit + 5 Pails SW-4 Fluid + 1 FL-4 Filter
14769	SW-637 Mobile Heavyweight Parts Washer Kit 1 SW-37 Unit + 5 Pails SW-6 Fluid + 1 FL-4 Filter
14742	SW-737 Mobile Heavyweight Parts Washer Kit 1 SW-37 Unit + 5 Pails SW-7 Fluid + 1 FL-4 Filter
14770	SW-837 Mobile Heavyweight Parts Washer Kit 1 SW-37 Unit + 5 Pails SW-8 Fluid + 1 FL-4 Filter



14144 - SW-28 SUPERSINK PARTS WASHER
Overall Dimensions: 47" x 38" x 42"
Sink Dimensions 41" x 26" x 8"



14145 - SW-25 SIGNATURE PARTS WASHER
Overall Dimensions: 35.5" x 26.5" x 40"
Sink Dimensions 27" x 17.5" x 8.5"



14161 - SW-23 MOBILE PARTS/BRAKE WASHER
Overall Dimensions: 43" x 27" x 42"
Sink Dimensions 27" x 23" x 8"



14710 - SW-28XE SUPERSINK XE PARTS WASHER
Overall Dimensions: 47" x 38" x 42"
Sink Dimensions 41" x 26" x 8"



14162 - SW-37 MOBILE HEAVYWEIGHT PARTS WASHER
Overall Dimensions: 48" x 35" x 45"
Sink Dimensions 33" x 27" x 8"



1000807 - SW-37C MOBILE COMBO HEAVYWEIGHT PARTS WASHER
Overall Dimensions: 48" x 35" x 45"
Sink Dimensions 33" x 27" x 8"



OZZYJUICE

Part Number	Description	Container Size	Units Per Case
14156	SW-1 Degreasing Solution	19 L Pail	1
14720	SW-3 Truck Grade Degreasing Solution	19 L Pail	1
14159	SW-LF Low Foam Degreasing Solution	19 L Pail	1
14148	SW-4 Heavy Duty Degreasing Solution	19 L Pail	1
14158	SW-6 Select Metals Cleaning Solution	19 L Pail	1
14721	SW-7 Parts/Brake Cleaning Solution	19 L Pail	1
14722	SW-8 Aircraft & Weapon Degreasing Solution	19 L Pail	1



OZZYBOOSTER MICROBIAL ENHANCER

Add to existing SmartWasher® fluid to boost microbe activity.

Part Number	Container Size	Units Per Case
14131	250 ml Bottle	6

OZZYMAT

Part Number	Description	Units Per Case
14124	FL-4 Multi-Layer Filter	6 Pack
14149	FL-3 Single Layer Filter	6 Pack



Dayco Service Hose



DAYCO® Small I.D. Molded Heater Hose

The Dayco Small I.D. Molded Heater Hose is designed to replace OEM coolant hose in applications where molded hose in small diameters (1" I.D. or smaller) is required. The molded configuration eliminates the need for multiple connections of hoses and clamps when added to Dayco's line of molded heater hose and assemblies.

DAYCO® Fuel Line Hose

Designed for use on all types of carbureted gasoline engines, the Dayco Fuel Line Hose offers excellent resistance to oil, gasoline, grease, and weather. The hose is constructed with a neoprene cover and nitrile tube for use with leaded, unleaded gasoline and diesel fuel.



DAYCO® Fuel Injection Hose

Designed to safely and efficiently handle the higher pressure, temperatures, and chemical problems inherent in today's hotter running, fuel injected engines, the Dayco Fuel Injection Hose is constructed with a tough fluoro-elastomer, low permeation, gasohol and diesel fuel inner tube that provides exceptional resistance to alcohol blended fuels that weaken normal fuel injection hose.




DAYCO® Windshield Washer/Vacuum Tubing

Designed to replace worn windshield washer tubing, as well as general automotive vacuum applications such as retractable headlights, sensors, etc., the Dayco Windshield Washer/Vacuum Tubing has a temperature rating of -40°F (-40°C) to +212°F (+100°C). It features a flexible, long-life EPDM rubber construction that resists normal use exposure to oil, grease, and heat deterioration, and remains flexible at low temperatures.



DAYCO® DAYPERM™ Hose

This low permeation, multi-layered rubber hose is recommended as a fuel liquid or vapor carrying component for low to medium pressure (50 psi or less, not fuel injection). The Dayco Dayperm hose is ideally suited for automotive, lawn and garden, off-road and small industrial trucks and truck fleet applications.



DAYCO® DAYPERM™ II Hose

The Dayco Dayperm II Hose is a multi-layered rubber hose with low permeation recommended for carburetion applications on small engines and older carbureted vehicles using liquid fuels. This hose meets all SAE J30R14T2 requirements and is CARB and EPA compliant. This Dayperm™ II Hose is compatible with leaded, unleaded, and gasohol fuels as well as bio-diesel fuel and ethanol blended gasoline.



DAYCO® GOLD LABEL® Silicone Heater Hose

The Dayco Gold Label Silicone Heater Hose, designed for long life in heavy duty applications, is made with special silicone compounds and reinforced with one ply of braided polyester yarn. This SAE 20R3, Class A hose is highly resistant to the deteriorating effects of oil, ozone, coolants, and coolant additives. In addition to being extremely flexible, this silicone hose has the highest temperature rating, namely -40°F (-40°C) to +350°F (+175°C), and longest service life of any Dayco heater hose product.



Dayco Garage Exhaust Hose & Accessories



DAYCO® Flare-Vent® Hose

Designed to connect the vehicle's exhaust pipe to a central exhaust system or a garage door vent, the Dayco Flare-Vent Hose features an accordion-type design for added flexibility, and a flared end for connecting one length to another. No separate connectors are required.

DAYCO® Super-Vent® Hose

Designed for overhead exhaust systems where a tight bend radius is required, the Dayco Super-Vent Hose features an accordion type construction which enables it to make turns with a small bend radius. It is available in either 4" or 5" I.D.



DAYCO® Tailpipe Adapters

Designed to interface between an auto or truck tailpipe or diesel truck stack and the garage exhaust hose itself and constructed to withstand the high tailpipe temperatures of modern vehicles, a variety of shapes and sizes of Dayco Tailpipe Adaptors are available to enable an exact match for virtually every application need. The adapters feature a universal design that will mate with the appropriate connectors.

DAYCO® Universal Bell-Shaped Adapter

Available for use with 2 1/2" and 3 1/2" hose, as well as with 2" and 3" hose. Screws over 2" or into 3" hose.



DAYCO® Universal Oval Adapter

For use on twin tailpipes and oval tailpipes. Screws over 3" or into 4" hose.

DAYCO® Universal Straight Truck Adapter

Use with tailpipe adapter for trucks and threads over 3 1/2" or into 4" hose.




DAYCO® Y-Connectors

Designed for the merging of two hoses into one typically used with dual exhaust vehicles. Available for 2", 2 1/2", 3" and 4" hose.

DAYCO® Door Port Fittings

Designed for service station and garage doors. Available for use with 2 1/2", 3" and 4" hose.



DAYCO® Splice Connectors

Designed for joining multiple lengths of exhaust hose. Available for use with 2", 2 1/2", 3" and 4" hose.

Description	part#	ID	Length	Use With	DAYCO® Fuel Line Hose (cont.)
DAYCO® Flare-Vent® Hose	63520	2"	11'		80072 3/16" 2' Clamshell
	63525	2 1/2"	11'		80073 1/4" 2' Clamshell
	63530	3"	11'		80074 5/16" 2' Clamshell
	63535	3 1/2"	11'		80075 3/8" 2' Clamshell
	63540	4"	11'		80076 7/16" 2' Clamshell
					93036 1/2" 25' Box
DAYCO® Super-Vent® Hose	63640	4"	20'		93037 5/8" 25' Box
	63650	5"	12'		93038 3/4" 25' Box
DAYCO® Tailpipe Adapter	64025		1 1/2" O.D. to 2" O.D.		DAYCO® Fuel Injection Hose
	64030		2" O.D. to 2 1/2" O.D.		
	64035		2 1/2" O.D. to 3" O.D.		
DAYCO® Universal Bell-Shaped Adapter	64125		2 1/2" O.D. or 3 1/2" O.D.		80078 1/4" 2' Clamshell
	64130		2" O.D. or 3" O.D.		80079 5/16" 2' Clamshell
DAYCO® Universal Oval Adapter	64048		3" O.D. or 4" O.D.		80080 3/8" 2' Clamshell
					80083 1/4" 10' Box
DAYCO® Universal Straight Truck Adapter	64140		4" hose		80084 5/16" 10' Box
					80085 3/8" 10' Box
DAYCO® Y-Connectors	64220		2" hose		80088 1/4" 25' Spool
	64225		2 1/2" hose		80089 5/16" 25' Spool
	64230		3" hose		80090 3/8" 25' Spool
	64240		4" hose		80091 1/4" 250' Reel
					80092 5/16" 250' Reel
DAYCO® Door Port Fittings	64425		2 1/2" hose		80093 3/8" 250' Reel
	64430		3" hose		DAYCO® Windshield Washer/Vacuum Tubing
	64440		4" hose		80204 1/4" 50' Spool
DAYCO® Splice Connectors	64520		2" hose		80205 7/64" 50' Spool
	64525		2 1/2" hose		80206 5/32" 50' Spool
	64530		3" hose		80207 7/32" 50' Spool
	64540		4" hose		80208 9/32" 50' Spool
	64640		4" hose		80209 7/64" 6' Clamshell
	64650		5" hose		80210 5/32" 6' Clamshell
DAYCO® DAYPERM™ Hose					80211 7/32" 6' Clamshell
					80216 5/32" 250' Reel
					80217 7/32" 250' Reel
					DAYCO® DAYPERM™ II Hose
					80142 1/4" 2' Clamshell
					80143 1/4" 25' Spool
					80144 1/4" 50' Box
					80145 1/4" 250' Reel
DAYCO® Fuel Line Hose	80051	1/8"	25'	Spool	80146 5/16" 2' Clamshell
	80052	1/8"	50'	Box	80147 5/16" 25' Spool
	80053	1/8"	250'	Reel	80148 5/16" 50' Box
	80054	3/16"	25'	Spool	80149 5/16" 250' Reel
	80055	3/16"	50'	Box	80150 3/8" 2' Clamshell
	80056	3/16"	250'	Reel	80151 3/8" 25' Spool
	80057	1/4"	25'	Spool	80152 3/8" 50' Box
	80058	1/4"	50'	Box	80153 3/8" 250' Reel
	80059	1/4"	250'	Reel	DAYCO® GOLD LABEL® Silicone Heater Hose
	80060	5/16"	25'	Spool	80241GL 5/8" 25' Carton
DAYCO® Fuel Line Hose	80061	5/16"	50'	Box	80242GL 3/4" 25' Carton
	80062	5/16"	250'	Reel	80243GL 1/2" 25' Carton
	80063	3/8"	25'	Spool	80244GL 1" 25' Carton
	80064	3/8"	50'	Box	80245GL 3/8" 25' Carton
	80065	3/8"	250'	Reel	80251GL 5/8" 50' Carton
	80066	7/16"	25'	Spool	80252GL 3/4" 50' Carton
	80067	7/16"	50'	Box	80253GL 1/2" 25' Carton
	80068	7/16"	250'	Reel	80254GL 1" 50' Carton
					80255GL 3/8" 25' Carton

BESTBUY Tools of the Trade



- BB711221 10 PACK ROBERTSON DRIVER BITS
- BB2558228 ECONOMY RED CUTTER KNIFE
- BB38325 25'X 1" IMPERIAL METRIC TAPE
- BB721386 18 PIECE PRO DRIVER KIT

Order yours today!

Assortments That Pay For Themselves in Three Repairs!



801-600

Fits 99% of import & domestic light duty cars & trucks

Nylon Fuel Line Repair Kit

83 pieces

- Save time and money by replacing only the damaged section. No more difficult manipulation of entire fuel lines
- Complete tech tray - straight and elbow connectors included to tackle the most popular applications
- Steel line to nylon line adapters - allows an old steel fuel line to be repaired with updated nylon line
- Exclusive features - includes updated tool included for 45°, 90° and 180° connectors
- Professional-quality tool with ergonomic clamp-type grip



801-700

Assortment of the most common SAE & Metric fittings & tubing

A/C Line Repair Kit

32 pieces

- Remove only the damaged section and splice the line back together
- Hose to line adapters transition from rubber hose to aluminum line easily
- Aluminum tubing included for long assembly repairs
- Small tubing cutter for quick and clean on vehicle cutting



801-800

Covering over 5 million GM & 8 million Ford vehicles

Coolant Line Repair Kit

60 pieces

- Cost-efficient and time-saving alternative to purchasing components separately
- Plastic and metal connector clips to replace brittle, cracked, or bent originals
- Common connectors for domestic and universal repairs
- Small profile disconnect tool for hard to reach heater hose quick connectors
- Flexible hose clamp driver for 1/4" or 5/16" screw clamp heads

FIXES FOR BROKEN OR LOST KEYLESS REMOTES

2 OPTIONS WHEN DIAGNOSING A MALFUNCTIONING VEHICLE ENTRY REMOTE

1

REPLACE THE
BROKEN CASE

OR

2

REPLACE THE
ENTIRE REMOTE


KEYLESS REMOTE CASES

OLD
REMOTE

REPLACE A WORN OR
CRACKED CASE

NEW, EXACT
MATCH CASE

FAST AND AFFORDABLE
INCLUDES REPLACEMENT
CASE AND BUTTONS



SAVE TIME AND MONEY

by replacing just the broken case instead of the complete remote

Over 80 SKUs available,
covering millions of
vehicle applications

- Fast and affordable fix for cracked cases or worn out buttons
- Includes replacement case and buttons

KEYLESS ENTRY REMOTES

DIY PROGRAMMABLE IN
LESS THAN 5 MINUTES

INCLUDES A UNIQUE PROGRAMMING TOOL,
ELIMINATING THE TRIP TO THE DEALER



SAVE TIME AND MONEY

over expensive dealer replacements

Over 40 SKUs available,
covering millions of
vehicle applications

- Easy programming capability - no need to pay a dealer for final programming
- Matches the original design

For more information or to check for your vehicle application, visit www.DormanProducts.com

Strong, long-lasting alkaline batteries!



EN22	9V (12/pk)
EN91	AA (24/pk)
EN92	AAA (24/pk)
EN93	C (12/pk)
EN95	D (12/pk)



VISION HD FOCUS
EPMZH21E
Our most advanced flashlight ever!



METAL PEN LIGHT
PLED23AE
35 lumens
Easy to clip



WORK LIGHT
HCAL41E
550 Lumens!



TASK LIGHT
TUF2AAPE
300 Lumens
Survives a 23 foot drop!



VISION HD+ FOCUS
HEADLIGHT
HDD32EW
315 Lumens!



VISION HD+ FOCUS
HEADLIGHT
HDDIN32E
315 Lumens
Non-slip grip



PROFESSIONAL MECHANICS FENDER COVER
Standard
FC1

- Expanded vinyl material
- 110 gauge thick
- Full length sewn in tool ridge
- Size: 34" x 26"

www.ezred.com



BATTERY HYDROMETER
SP101



ANTI-FREEZE TESTER
SP102



Automotive training when
and where *you* need it!



BEST Training provides Internet-based training to the automotive aftermarket. Participants have instant access to hundreds of hours of training, including Automotive Technical and Business related programming. Training lessons are presented as two-hour video based instruction. All lessons include supplementary training materials, including Student Learning Guides and Exams that augment the learning experience.

Students can access hundreds of training modules, at a schedule that best suits their needs. Programs can be taken at any time at the shop, at home or wherever the student wishes to learn. **WHEN and WHERE You Want It!**

BEST Training will include the following:

- Access to over 300 two-hour full motion video online training modules in English & French
- Training modules supported by Student Learning guides
- Post tests
- Recognition certificates
- CARSAbility assessment tests

ASK YOUR BESTBUY MEMBER DISTRIBUTOR FOR MORE INFO!



AM80S HORN

O.E.M. Replacement Horn.

- 125 dB of sound
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

72002 - High Note

72012 - Low Note



HK 9 DISC HORN

O.E.M. Replacement Disc Horn.

- Powerful high frequency 130 dB of sound
- High durability, water & corrosion resistant steel housing horn
- Universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

40310 - High Note | 40365 - Low Note



AM80S HORN FREEWAY BLASTER

Extra Loud O.E.M. Replacement Horn

- Powerful 130 dB of sound!
- Corrosion resistant finish, universal horn that meets SAE & O.E.M. specifications
- Quick & Easy installation kit included.

72102 - High Note

72112 - Low Note



BIG HORN

65808

In addition to protecting the environment, the new unit also meets all Coast Guard requirements with a loud output of 125 dB @ one meter. Ideal for boating, construction work sites, camping, biking and sporting events.



DESIGN MANUFACTURE DISTRIBUTE



AIR CONDITIONING

- R134a & R1234yf Service Equipment
- Oils, UV Dyes and Chemicals
- Replacement A/C Hardware
- Aluminum Tubing & Barrier Hose
- Tubing/Hose Splicing, Block Off & Repair
- Tubing & Hose Repair Tools
- Assortments for all Budgets



BRAKE

- Fluid Lines & Premade Line Sets
- Repair Hardware
- Bleeder Screws & Caliper Bolts
- Banjo & Flex Line Bolts
- Line Nuts, Unions & Adapters
- Line Flaring, Cutting & Bending Tools
- Assortments for all Budgets



FUEL

- Fluid Lines & Premade Line Sets
- Fuel Injection Hose & Nylon Tubing
- Repair Hardware
- Connectors, Clips, Fittings & Joiners
- Line Flaring, Cutting & Bending Tools
- Assortments for all Budgets



POWER STEERING

- Fluid Lines & Premade Line Sets
- Repair Hardware
- Line Flaring, Cutting & Bending Tools
- Repair Assortments



PROBLEM SOLVING AUTOMOTIVE HARDWARE

www.fmsiinc.com



DESIGN
MANUFACTURE
DISTRIBUTE



TRANSMISSION

- Hardware Repair Solutions
- Replacement Hardware
- Connectors, Fittings & Joiners
- Fluid Lines
- Line Flaring, Cutting & Bending Tools
- Assortments for all Budgets
- Application Guide Available



WHEEL NUTS

- Extensive Vehicle Coverage
- Standard Nuts for Steel Wheels
- Solid Steel/Chrome Plated Wheel Nuts
- Assortments for all Budgets
- Application Guide Available



DRAIN PLUGS

- Extensive Vehicle Coverage
- Oil Pan Drain Plugs (OE Designs)
- Drain Plug Gaskets (Large Selection)
- Repair Options
- Assortments for all Budgets
- Application Guide Available



ASSORTMENTS

- Fluid Lines/Tubing/Hose
- Brake & Fuel Hardware
- Wheel Nuts & Drain Plugs
- Transmission & Power Steering Hardware
- Brass Hardware & Clamps
- General Automotive Hardware
- Air Conditioning Line Repair & Hardware



PROBLEM SOLVING AUTOMOTIVE HARDWARE

www.fmsiinc.com

www.fram.com

FRAM®

UNIVERSAL FUEL FILTERS AVAILABLE AT BESTBUY



Filter Model	Con-struction	O.D. Body	Length Overall	Filter Connections		Hoses	Clamps	Filter Style
				Inlet	Outlet			
G1	Nylon	1.91	3.67	1/4 Tube Connector	1/4 Tube Connector	123231 (2)	252926 (4)	106
G2	Nylon	1.91	3.67	5/16 Tube Connector	5/16 Tube Connector	115651 (2)	251037 (4)	106
G3	Nylon	1.75	3.67	3/8 Tube Connector	3/8 Tube Connector	124510 (2)	251037 (4)	106



Filter Model	Con-struction	O.D. Body	Length Overall	Filter Connections		Hoses	Clamps	Filter Style
				Inlet	Outlet			
G15	Metal	1.94	3.88	3/8 Tube Connector	3/8 Tube Connector	421152 (2)	252926 (4)	233



Filter Model	Con-struction	O.D. Body	Length Overall	Filter Connections		Hoses	Clamps	Filter Style
				Inlet	Outlet			
G1000	Nylon	1.89	4.2	6mm-8mm Tube Connector	6mm-8mm Tube Connector			252

IT'S NOT JUST ANOTHER OIL CHANGE,
IT'S A **FRAM®** OIL CHANGE.



ELECTRIC FUEL TRANSFER GEAR PUMPS

12-volt DC aluminum gear pumps for fuel, available with automatic or manual unleaded nozzle. UL listed motor, CSA Certified, Overload protected motor. Includes 18-ft. (5.5m), factory-installed power cord and telescoping suction pipe.

M-150S-AU 110000-100

Up to 15 GPM (57 L/min.)

3/4 in x 12 ft. (3.7 m) hose

Also available with manual unleaded nozzle (#110000-99)

M-180S-AU 110300-2

Up to 18 GPM (69 L/min.)

1 in. x 12 ft. (3.7 m) hose

Also available with manual leaded nozzle (#110300-1)

M-3025-AD ELECTRIC FUEL TRANSFER VANE PUMP

133240-2

12-volt DC aluminum vane pump for fuel with automatic diesel nozzle. Up to 25 GPM (95 L/min.). UL Listed Motor, CSA Certified. Includes 15-ft. (4.6 m), factory-installed power cord, and a 1 in. x 12 ft. (3.7 m) hose. Also available with manual leaded nozzle (#133240-1).

EZ-8 ELECTRIC FUEL TRANSFER GEAR PUMP

137100-01

The EZ-8 fuel transfer pump is ideal for on-the-go fueling. This 12-volt DC fuel pump delivers 8 GPM (30 L/min.), a gas station equivalent flow rate. The system comes complete with factory-installed power cord, manual unleaded nozzle, telescoping suction pipe, and a 10-ft., 5/8-in. hose.

G8P PORTABLE FUEL TRANSFER GEAR PUMP

147000-01

The G8P portable fuel transfer pump is ready when you are to fuel your vehicles and equipment virtually anywhere, anytime. The 12-volt DC motor comes with factory-installed power cord and delivers gas station equivalent flow rates (up to 8 GPM/30 L/min.). The G8P has 3/4-inch FNPT inlet/outlet ports and comes with a manual unleaded nozzle, 8-foot discharge hose, 8-foot suction hose w/ strainer and 12-foot power cord with in-line switch and alligator clamps.

**AUTOMATIC DIESEL NOZZLE**

906008-570

1 in. NPT, curved spout

UL replacement nozzle

**AUTOMATIC UNLEADED NOZZLE**

110121-8

3/4 in. NPT, straight spout

UL replacement nozzle

Manual Unleaded Nozzle also available (#110155-1)

**TELESCOPING SUCTION PIPE**

110241-01

1 in. NPT, glass-filled, chemically coupled polypropylene with triple seal technology for zero-loss suction. Fits fuel tanks from 15 to 40 in. (38.1 to 101.6 cm). For use with flow rates up to 25 GPM (94.6 L/min.)

**FILTER KIT**

133527-01

3/4 in. NPT cast iron adapter

10 micron filter #129300-01

3/4 in. x 4 in. pipe nipple

**3/4 IN. GROUNDED FUEL HOSE**

110529-01

3/4 in. NPT x 14 ft. (4.3 m)

1 in. Grounded Fuel Hose also available (#110529-03)



SuperNova® | High Performance

Lightweight NexGen Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

Grote Select™ | High Value

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

STOP/TAIL/TURN LAMPS

PART #	DESCRIPTION
SUPERNOVA	
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER
54332	LED, 4" STOP/TAIL/TURN LAMP, RED
54333	LED, 4" STOP/TAIL/TURN LAMP, AMBER
HI COUNT	
G4002	G2 LED, 4" HIGH COUNT, FEMALE, RED
G4003	G2 LED, 4" HIGH COUNT, FEMALE, AMBER
GROTE SELECT	
54342	LED S/T/T LAMP, LED 4" RED
54343	LED S/T/T LAMP, LED 4" AMBER
SUPERNOVA	
53962	LED, OVAL PLASTIC
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER
SUPERNOVA 9 DIODE	
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE
SUPERNOVA NEXGEN	
54162	RED LED OVAL STT LAMP
54163	YELLOW LED OVAL AUX LAMP
HI COUNT	
G6002	HIGH COUNT 60 SERIES LED, RED
G6003	HI COUNT OVAL LED AMBER
GROTE SELECT	
54172	RED LED OVAL STT LAMP
54173	YELLOW LED OVAL AUX LAMP

CLEARANCE/MARKER LAMPS

PART #	DESCRIPTION
MICRONOVA DOT	
49322	MICRONOVA DOT, P2 W/GROMMET, RED
49332	MICRONOVA DOT, PC W/GROMMET, RED
49333	MICRONOVA DOT, PC/P2 W/GROMMET, AMBER
49412	MICRONOVA DOT, W/ADAPTOR BRACKET, RED
49413	MICRONOVA DOT, W/ADAPTOR BRACKET, AMBER
49341	MICRONOVA DOT, MARKER LAMP, ECE, WHITE
49342	MICRONOVA DOT, 12 VOLT, ECE, RED
49343	MICRONOVA DOT, 12 VOLT, ECE, AMBER
MICRONOVA	
47962	CLR/MKR, RED, LED, MICRONOVA P2 WITH GROMMET
47963	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH GROMMET
47952	CLR/MKR, RED, LED, MICRONOVA P2 WITH BEZEL
47953	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH BEZEL
47972	CLR/MKR, RED, LED, MICRONOVA PC WITH GROMMET
47973	CLR/MKR, YELLOW, LED, MICRONOVA PC WITH GROMMET
SUPERNOVA 2"	
47112	LED MARKER, 2" ROUND SEALED, RED
47113	LED MARKER, 2" ROUND SEALED, AMBER
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED
78433	LED, 2" ABS LAMP, AMBER
HI COUNT 2"	
G3002	G2 LED, 2" HIGH COUNT, RED
G3003	G2 LED, 2" HIGH COUNT, AMBER
SUPERNOVA BEEHIVE	
47212	LED MARKER, 2" BEEHIVE, RED
47213	LED MARKER, 2" BEEHIVE, AMBER
HI COUNT BEEHIVE	
G3092	RED 2" BEEHIVE LED LAMP
G3093	YLW 2" BEEHIVE LED LAMP
SUPERNOVA	
47122	LED MARKER, 2 1/2" ROUND SEALED, RED
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED
78423	LED, 2.5" ABS LAMP, AMBER
HI COUNT	
G1032	G2 LED, 2.5" HIGH COUNT, RED
G1033	G2 LED, 2.5" HIGH COUNT, AMBER
HI COUNT 9 DIODE	
G1092	G2 LED, 2.5" HIGH COUNT 4700, RED
G1093	G2 LED, 2.5" HIGH COUNT 4700, AMBER



Trilliant® Series of LED Work Lamps

THERE'S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

- Long-lasting, cool running, high output LED work lamp
 - Field tested to survive in brutal off-road conditions
 - Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles
- Integrated circuit protection
 - ECE R10, Dir.72/245/EEC, Amended by 2006/28/EC
 - Color temperature provides a natural contrast most like sunlight, reducing eye fatigue



64E01-5

Trilliant® T26

Small size combined with tough construction allows mounting in places where larger or less rugged lamps cannot fit or survive



63981-5

Trilliant® Cube

Compact 4x4, rugged design with superior LED electronic circuitry outperforms lamps twice its size and weight

PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
TRILLIANT T26 LED WORK LAMPS			
64E01-5	T26 LED WORK LAMP, PINCH MOUNT, FAR PATTERN	10 - 48	1800
64E11-5	T26 LED WORK LAMP, PINCH MOUNT, NEAR PATTERN	10 - 48	1800
64G01-5	T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN	10 - 48	1800
64G11-5	T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN	10 - 48	1800
TRILLIANT CUBE WORK LAMPS			
63981-5	TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE	12/24	1200
63991-5	TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE	12/24	1200
63F61	TRILLIANT® CUBE, W/FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
63F71	TRILLIANT® CUBE, W/WIDE FLOOD REFLECTOR, AMP SUPER SEAL CONNECTOR	12	2500
TRILLIANT LED WORK LAMPS			
63571	TRILLIANT® LED WORK LAMP, SPOT PATTERN	12/24	1300
63581	TRILLIANT® LED WORK LAMP, FLOOD PATTERN	12/24	1600
63591	TRILLIANT® LED WORK LAMP, TRAPEZOID PATTERN	12/24	1600
63E41	TRILLIANT® LED WORK LAMP, FLOOD PATTERN, W/REFLECTOR	12/24	2400



Grote Brite Zone™

LED WORK LAMPS FOR BOTH WORK AND PLAY

With rugged, durable construction and LED power that far outshines halogen, BriteZone lamps get the job done.

Boating. Mowing. Off-roading. Working. Long after the sun goes down, you need a lamp that's as tough and tireless as you are.

Grote's BriteZone range has the LED lamp to shed light on any use – even tow trucks, garbage trucks and forklifts – without breaking the bank.

Value priced to meet your budget.



PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
BRITE ZONE LED WORK LAMPS			
BZ101-5	BRITE ZONE™ ROUND LED WORK LAMP	9 – 32	1600
BZ201-5	BRITE ZONE™ SQUARE LED WORK LAMP	9 – 32	1100
BZ301-5	BRITE ZONE™ SLIM LED WORK LAMP	9 – 32	1400
BZ601-5	BRITE ZONE™ MINI SQUARE LED WORK LAMP	12 – 36	775
BZ501-5	BRITE ZONE™ GO ANYWHERE LED WORK LAMP	12	1100
BZ401-5	BRITE ZONE™ EZ GRIP LED WORK LAMP	12	775
BZ511-5	BRITE ZONE™ MOSSY OAK® CAMO GO ANYWHERE LED WORK LAMP	12	1100
BZ551-5	BRITE ZONE™ LED WORK LAMP	12 – 30	1200
BZ111-5	BRITE ZONE™ SMALL ROUND WORK LAMP	12 – 36	1240



Grote's Warning and Hazard Lighting Solutions

Improve Visibility. Improve Safety.
The Right Lighting Solution for Your Environment!



PART #	DESCRIPTION
BACKUP ALARMS	
73040	BACKUP ALARM 97DB, SAE J994 TYPE C, 12-24V
73310	BACKUP ALARM MULTI-FREQUENCY 97DB, SAE J994 TYPE C, 12-24V
BEACONS	
78013	AMBER LED BEACON W/CLR DOME, CLASS I, 12-24V
78033	AMBER LED BEACON, SHORT DOME, CLASS I, 12-24V
78053	AMBER LED BEACON, TALL DOME, CLASS I, 12-24V
78853	AMBER LED BEACON, SHORT DOME, CLASS II, 12-24V
78863	AMBER LED VAC/MAG BEACON SHORT DOME, CLASS II, 12V
78063	AMBER LED BEACON, TALL DOME, CLASS II, 12-24V
78093	AMBER LED BEACON, COMPACT DOME, CLASS III, 12-72V
78103	AMBER LED MAGNETIC BEACON, COMPACT DOME, CLASS III, 12V
78113	AMBER LED MATERIAL HANDLING BEACON, CLASS III, 12-72V
DIRECTIONALS	
78370	AMBER 20" LED WARNING STICK, CLASS I, 12V
78380	AMBER 30" LED WARNING STICK, CLASS I, 12V
77353	AMBER LED 4" ROUND WARNING LIGHT, CLASS II, 12V
77355	BLUE LED 4" ROUND WARNING LIGHT, CLASS III, 12V
77363	AMBER LED 6" OVAL WARNING LIGHT, CLASS II, 12V
77365	BLUE LED 6" OVAL WARNING LIGHT, CLASS II, 12V
78146	AMBER/BLUE LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12-24V
78143	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12-24V
78163	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12V
77463	AMBER LED DIRECTIONAL, CLASS I, 12V
77933	AMBER LED VERTEX HIDE-AWAY STROBES, 12V
MINIBARS	
76703	AMBER 15" LED MINIBAR, CLASS II, 12-24V
78023	AMBER 16" LED MINIBAR, CLASS I, 12-24V
78133	AMBER 16" LED VAC/MAG MINIBAR, CLASS I, 12V
76983	AMBER 17" LED MINIBAR, CLASS I, 12V
76993	AMBER 17" LED MAGNETIC MINIBAR, CLASS I, 12V



Fuse Products

Grote Electrical Connections and Accessories proudly introduces our new offering of Fuse and Circuit Protection products. Grote has over 200 SKU's available representing the most popular and in-demand fuse and circuit protection products including a variety of assortment packs.



Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.



Trailer Connections

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



Battery Connection Products

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!

DEXTERITY



Nitrile foam dipped, polyester liner, knitted wrist
051180C6 - XS
051180C8 - M
051180C9 - L
051180C10 - XL
051180C11 - XXL



Lightweight Polyurethane coated palm, polyester back, knitted wrist
051260C7 - S
051260C8 - M
051260C9 - L
051260C10 - XL



Latex dipped palm, poly knit back, brushed fleece lining
750760M
750760L
750760XL



TERRA
Latex foam palm, Red polyester liner, Brushed acrylic lining 2 pack.
751149TRLXL/2
751149TRML/2



PVC foam 3/4 dipped, polyester liner
Brushed acrylic liner, Knitted wrist.
751145ML



Heavy duty latex coated palm poly knit liner.
758124BS
758124BM
758124BL
758124BXL



Latex foam coated palm, polyester liner, Hi-Vis stretch liner.
051144SM

DISPOSABLES



Nitrile disposable, 4 MIL, powder free, BLUE, 100/bx
792455S
792455M
792455L
792455XL
792455PM - Powdered
792455PL - Powdered
792455PXL - Powdered



Nitrile disposable, 6 MIL, BLUE, diamond textured grip, powder free, 50/bx
792456DS
792456DM
792456DL
792456DXL
792456D2XL



Nitrile disposable, 7 MIL, ORANGE, diamond textured grip, powder free, 50/bx
792457DS
792457DM
792457DL
792457DXL
792457D2XL



Nitrile disposable, 8 MIL, BLACK, diamond textured grip, powder free, 50/bx
792458DS
792458DM
792458DL
792458DXL
792458D2XL



Latex disposable, 4 MIL, lightly powdered, 100/bx
7933444-L
7933444-M
7933444-S
7933444-XL



MECHANICS



TERRA
Black synthetic leather palm, nylon breathable back, PVC palm patches, Velcro, lightweight
78907TRM
78907TRL
78907TRXL



TERRA
Black synthetic leather palm, HIVIS nylon back, anti-vibration palm, rubber padding at back of hand, velcro, heavy duty, silicone palm patches
78914TRM
78914TRL
78914TRXL



TERRA
PU diamond textured palm stretch spandex back fleece lined, water barrier.
78919TRM
78919TRL
78919TRXL



TERRA
Black synthetic leather palm, black nylon back, anti-vibration palm, rubber padding at back of hand, velcro, heavy duty
78918TRM
78918TRL
78918TRXL

ROPE



A1PJ/014 - 1/4"x1300'
A1PJ/516 - 5/16"x975'
A1PJ/316 - 3/16"x2125'
A1PJ/038 - 3/8"x630'
A1PJ/012 - 1/2"x335'
A1PJ/058 - 5/8"x200'
A1PJ/034 - 3/4"x125'



MFP ROPE, assorted colours
R1DBMFP038/100 - 3/8" x 100'

YELLOW JUMBO POLYPROPYLENE CARDBOARD REEL

Polypropylene rope is an economical lightweight rope used in many general applications. It is the only rope fiber that floats. It also resists oils, water, gaso-line and other chemicals. Used in construction, household and commercial industries.

Please visit www.groupebbh.com for a complete listing of rope available through Bestbuy.

"MORE PRODUCTS AVAILBLE THROUGH BESTBUY. PLEASE VISIT WWW.GROUPEBBH.COM FOR A FULL LISTING OF AVAILABLE PRODUCTS"

TERRA

**HI-VIS
WORKWEAR**

**BE SEEN, BE SAFE,
WEAR HI-VIS**



TERRA

**BUCKET TOOL
CARRIER**

**PROFESSIONAL
TOOL BAG**



TELESCOPIC SNOWBROOMS




ULTIMATE POLAR VORTEX™ SNOWBROOM 14170

- 360° Pivoting head functions as broom or brush
- No scratch EVA foam works as a snowplow, extra wide frost blade, or squeegee



50" CROSSOVER SUPER-DUTY SNOWBROOM 14039C

Pivoting head swivels from broom to brush position with the push of a button.



SPORT 8 UTILITY BROOM™ 581-E

Extends from 30" to 48".



TELE SNOBROOM™ 511-E

Compact telescopic snow broom extends from 23" to 36".

LONG REACH SNOWBRUSHES *ideal for clearing snow from all vehicles*



ULTRA MAXX® 999CT 35" long, ergonomic



MEGA MAXX® 989-34 34" long, superior



MAXX® 35 889-35 35" extra long, superior



MOSSY OAK® SNOWBRUSH MOD24-886CB 31" long



REGULAR REACH SNOWBRUSHES



COOL SNOW TOOL® 532

26" long, 5 row wide. Sweeps snow and slush with little effort.



SLIMLINE 24 523

24" long. Ideal for clearing snow from all vehicles.



VALUE REACH SWEEP™ 203

25" long wooden snowbrush provides efficient snow removal.



51" ARCTIC PLOW™ WITH ICE SCRAPER 18833

Super wide 16+ inch "Push-Pull" foam head.

SAFETY



ALUMINUM EMERGENCY SHOVEL 17222C

- Compact design for easy storage.
- Two in one handle design allows shovel to be used as a scoop.
- Extends to 30" for longer reach.

TRAILBLAZER ELECTRONIC DEER ALERT 27512VA

Powerful electronic signal is 10X safer than traditional deer whistles.



PROFESSIONAL AUTOMOTIVE SQUEEGEES



PROFESSIONAL AUTOMOTIVE SQUEEGEE 12-810NY

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting



PROFESSIONAL AUTOMOTIVE SQUEEGEE WITH HANDLE

- Plastic side guards protect glass
 - 10" wide rust resistant head with durable scrub netting
- 10NY-24A - hardwood handle
10NYRD-26A - plastic handle



PROFESSIONAL SQUEEGEE HANDLES

- Threaded strong hardwood construction
 - Fits all Hopkins professional automotive squeegee heads
- 111U - 20"
112U - 30"

HEAVY DUTY FLOOR SQUEEGEES




840-24/30/36 General Purpose



841-24/30/36 Oil Resistant



843-24/30/36 General Purpose



844-24/30/36 Oil Resistant



116 Heavy Duty 54" Floor Squeegee Handle



845-24 24" wide dual foam blade



846-30 Heavy duty 30" wide dual foam blade

AUTOMOTIVE CLEANING TOOLS



92022SCBL 8" Wash Brush extends to 40"



93053CBL 8" Wash Brush with 48" Handle



45320CBL Microfiber 2in1 Wash Mitt



40208CBL Evaporator Drying Towel



40211CBL Synthetic Chamois



40061CBL Microfiber Drying Towels



40059ASCBL Supreme Drying Towel



45606ASCBL Soft Touch Detailing Towel




HANDY-PAKS®

H. Paulin & Co., a division of The Hillman Group Canada ULC

HANDY PAK MERCHANDISERS



**MERCHANDISER
NO.022-065**



**PLATED CAP SCREWS
and NUT MERCHANDISER
NO. 022-064**



022-148

**PIC A PACS
SPINNER DISPLAYS**



022-158



**Q.A.P ATF DEX/MERC
ORDER CODES:**

**FX0000415
FX0000450**

**12X946mL
205L Drum**

Q.A.P DEX/MERC ATF is a premium product specially formulated for use in automatic transmissions manufactured in 2005 and earlier. General Motors, Ford and Chrysler vehicles requiring Dexron, II, III (GM) and Mercon® (Ford) fluid.



**Q.A.P DEXRON® VI ATF
ORDER CODES:**

**FX0001715
FX0001745
FX0001750**

**12X946mL
60L
205L Drum**

Q.A.P DEXRON® VI ATF is a premium synthetic transmission fluid designed to provide unparalleled performance in automatic transmissions in vehicles manufactured by General Motors. Enhanced resistance to oxidation, shear and viscosity stability prevents the formation of deposits for up to twice the service life of previous generation DEXRON® IIH.



**Q.A.P MULTI VEHICLE ATF
ORDER CODES:**

**FX0001815
FX0001845
FX0001850**

**12X946mL
60L
205L Drum**

Q.A.P MULTI VEHICLE ATF is a premium multi vehicle transmission fluid designed to provide unparalleled severe duty operating performance in automatic transmissions. It has enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission due to high temperature instability.



**Q.A.P GEAR OIL 80W-90
ORDER CODES:**

**FX0000715
FX0000750**

**12X946mL
205L**

Q.A.P GEAR OILS are extreme pressure (EP) automotive gear lubricants made from high quality, high viscosity base oils. Their special additives make them effective at providing high load-carrying protection with outstanding rust, corrosion and foam prevention. They offer a high level of protection in extreme wet and dirty environments. For applications such as automotive, heavy duty, construction, forestry, agricultural, transmissions, drive trains and stationary equipment.



**BESTBUY PRO HYDRAULIC
ORDER CODES:**

**22 FX0003540
32 FX0003640
46 FX0003740
68 FX0003840**

**18.9L
18.9L
18.9L
18.9L**

BESTBUY PRO HYDRAULIC is a product designed for various hydraulic systems. This oil is formulated to offer a wide operating temperature range and designed for use in colder temperatures. **BESTBUY PRO HYDRAULIC** is not recommended for use with pumps that contain silver-plated parts.



Q.A.P PREMIUM MOTOR OILS

ORDER CODES:	5W-20	FX0002215	12X946mL
	5W-20	FX0002230	4x5L
	5W-20	FX0002250	205L Drum
	5W-30	FX0002015	12X946mL
	5W-30	FX0002030	4x5L
	5W-30	FX0002050	205L Drum
	10W-30	FX0002115	12X946mL
	10W-30	FX0002130	4X5L
	10W-30	FX0002150	205L Drum

Q.A.P PREMIUM MOTOR OILS are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufactures requiring an API SN PLUS or ILSAC GF-5 product.

Q.A.P 100% SYNTHETIC MOTOR OILS

ORDER CODES:	0W-20 (dexos®)	FX0003006	6X946mL
	0W-20 (dexos®)	FX0003030	4X5L
	0W-20 (dexos®)	FX0003045	60L
	0W-20 (dexos®)	FX0003050	205L Drum
	5W-20	FX0003106	6X946mL
	5W-20	FX0003130	4X5L
	5W-20	FX0003130	60L
	5W-20	FX0003150	205L Drum
	5W-30 (dexos®)	FX0002806	6X946mL
	5W-30 (dexos®)	FX0002830	4X5L
	5W-30 (dexos®)	FX0002845	60L
	5W-30 (dexos®)	FX0002850	205L Drum
	10W-30	FX0002506	6X946mL
	10W-30	FX0002550	205L Drum
	European 5W-40	FX0001606	6X946mL
	European 5W-40	FX0001645	60L
	European 5W-40	FX0001650	205L

Q.A.P 100% SYNTHETIC MOTOR OILS are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SN PLUS or ILSAC GF-5 product.

For those vehicles requiring a dexos1™ Gen 2 formulation to be in compliance with GM OEM recommendations our **Q.A.P 100% SYNTHETIC 0W-20 and 5W-30** grades are fully certified and registered.

Q.A.P 100% SYNTHETIC 5W-40 is specifically formulated to meet the most stringent requirements of European manufacturers, including Volkswagen, Audi, Mercedes, BMW, and Porsche as well as European industry specifications (ACEA).



BESTBUY PRO CK-4 PREMIUM DIESEL OIL

ORDER CODES:	10W-30 CK-4 Syn Blend	FX0003215	12X946mL
	10W-30 CK-4 Syn Blend	FX0003230	4X5L
	10W-30 CK-4 Syn Blend	FX0003240	18.9L
	10W-30 CK-4 Syn Blend	FX0003250	205L
	15W-40 CK-4	FX0003415	12X946mL
	15W-40 CK-4	FX0003430	4X5L
	15W-40 CK-4	FX0003440	18.9L
	15W-40 CK-4	FX0003450	205L

BESTBUY PRO CK-4 next generation oils are formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines. This oil was designed to provide quantifiable improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy, enhanced oxidation resistance and enhanced drain intervals with regular used oil analysis. **BESTBUY PRO CK-4** is also backwards compatible making it ideal for large, small and mixed fleet operations where multiple service categories are represented.



BESTBUY PRO FA-4 PREMIUM DIESEL OIL

ORDER CODES:	10W-30 FA-4 Syn Blend	FX0003330	4X5L
	10W-30 FA-4 Syn Blend	FX0003340	18.9L

BESTBUY PRO FA-4 represents the latest technology and advancements in heavy duty diesel engine oils. **BESTBUY PRO FA-4 10W-30 Syn Blend** oil helps deliver up to a 1.2% increase in fuel economy when compared to 15W-40 oils with no compromise to engine durability. Increased oxidation reduction, wear control, viscosity retention, oil economy and extended drain intervals with regular used oil analysis, are just a few of the benefits you will experience **BESTBUY PRO FA-4 10W-30 Syn Blend**.



Q.A.P DEF (Diesel Exhaust Fluid)

ORDER CODES:	FX0002910	9.46L Single Carton
	FX0002950	208L Drum

Q.A.P DEF is a 32.5% aqueous Urea Solution, AUS 32, a manufactured product of technically pure urea mixed with Demin quality water designed to meet the specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies.



Q.A.P HD MULTI PURPOSE GREASE

ORDER CODES:	FXG0000111	14ozX30 tubes per case
--------------	------------	------------------------

Q.A.P HEAVY DUTY MULTI-PURPOSE GREASE is capable high performance grease for all chassis, wheel bearing, pin & bushing, ball and universal joints. It is an ideal solution to reduce the need for multiple products and reduce the risk of misapplication. Lithium complex thickener combined with high quality base oils and additive package giving it excellent mechanical stability and good resistance to water. The grease is able to give top-level protection from extreme pressure (EP) load wear.



Q.A.P MULTI PURPOSE GREASE

ORDER CODES:	FXG0000211	14ozX30 tubes per case
--------------	------------	------------------------

Q.A.P MULTI-PURPOSE LITHIUM GREASE is capable high quality multipurpose grease for use in automotive chassis, universal joints, water pumps, roller, plain and AF bearings. Excellent shear stability over a broad temperature range and has a strong resistance to spin off and water resistance means it maintains protection.

Quality
AUTOMOTIVE
Products™



Qualité
À TOUT
Prix™

Code	Description	Cobra Quick Reference Guide
FBF0008840	Cobra ATF, 18.9L	Automatic transmission fluid designed to satisfy GM & Ford specs pre 2005
FBF0009840	Cobra DIFF 80W-90, 18.9L	Cobra DIFF 80W-90 is recommended for most auto differentials as well as transmissions where the manufacturer specifies API MT-1. Always consult your owners manual when choosing a compatible lubricant.
FBF0008440	Cobra UTF, 18.9L	Cobra UTF (Universal Tractor Fluid) is a multi-application lubricant used to lubricate the moving parts of off-highway mobile equipment. These fluids are used to lubricate the transmissions, differentials, final drive planetary gears, wet brakes and hydraulic systems of farm tractors and construction equipment that have a common fluid reservoir calling for a combination lubricant and power transmission fluid. • Cost effective performance • Excellent field performance in a variety of tractors and equipment • Superior final drive performance • Excellent cleanliness • Superior pump wear & abrasion protection • Enhanced friction durability
FBF0010926	Cobra Heavy Chain Oil, 4X3.78L	Cobra CHAIN Light and Heavy oils are designed especially for heavy-duty chain-saw use. Cobra CHAIN Light and Heavy are available in summer and winter grades. All grades are extremely tacky, which helps the oil resist drippage and throw-off, especially from high-speed chains. Cobra CHAIN Light and Heavy grades are dyed red to help chain-saw operators identify when the chain has enough lubrication.
FBF0011226	Cobra Light Chain Oil, 4X3.78L	

You should always consult your Owners Manual when selecting any lubricant product.

LENOX VARI-BIT® STEP DRILL BITS

PART#	IN	HOLE SIZES		# of Hole Sizes	SHANK SIZE	
		MM			IN	MM
30912VB12	7/8, 1-1/8, 1-7/32, 1-1/4, 1-3/8	22.2, 28.6, 31.0, 31.8, 34.9		5	3/8	9.5
30882VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2, 23.8, 25.4		9	3/8	9.5
30888VB11	7/8, 1-1/8 (for 1/2 and 3/4 conduit)	22.2, 28.6 (for 12.7 and 19.1 conduit)		2	3/8	9.5
30908VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	4.8, 6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2		12	3/8	9.5
30883VB3	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1		9	3/8	9.5



30912VB12



30882VB2



30888VB11



30908VB8



30883VB3

LENOX HOLE SAW KITS & ACCESSORIES



LENOX Contractor's BIG DADDY™
SPEED SLOT® Hole Saw Kit, 26 Piece
308042000G



LENOX Electrician's SPEED SLOT®
Hole Saw Kit, 17 Piece
308021200L



LENOX Standard Hole Saw Arbors
1779801
2L T2 3.25 drill

LENOX RECIPROCATING SAW BLADES



LENOX Wood Bi-Metal
Reciprocating Saw Blades
20582956R - 5/pk
20558B956R - 25/pk
20585156R - 5/pk
227520SB956R - 50/pk

LENOX General Purpose Bi-Metal
Reciprocating Saw Blades
Long Lasting, Fast Cutting and Versatile
20580810R - 5/pk
227580SB110R - 50/pk




LENOX Metal Cutting
Reciprocating Saw Blades
20487B818R - 25/pk
227510SB618R - 50/pk
20566618R - 5/pk
20529B618R - 25/pk
20578818R - 5/pk
227540SB818R - 50/pk

IRWIN TOOLS IN THE WAREHOUSE

Vise-Grip®

Locking Tools

No. Description



Fast Release™ Curved Jaw Locking Pliers

- 11T 10" Fast Release Curved Jaw Locking Plier
- 13T 7" Fast Release Curved Jaw Locking Plier
- 4935581 5" Fast Release Curved Jaw Locking Plier



Curved Jaw Locking Pliers

- 4935576 10" Curved Jaw Locking Plier
- 4935578 7" Curved Jaw Locking Plier
- 4935579 5" Curved Jaw Locking Plier
- 502L3 10" Curved Jaw Locking Plier



Fast Release™ Straight Jaw Locking Pliers

- 1T 10" Fast Release Straight Jaw Locking Plier
- 3T 7" Fast Release Straight Jaw Locking Plier



Straight Jaw Locking Pliers

- 102L3 10" Straight Jaw Locking Plier
- 0302L3 7" Straight Jaw Locking Plier

For Complete Category Availability Consult the IRWIN® Tools Catalog

Vise-Grip®

Locking Tools (Cont'd)

No. Description



Fast Release™ Curved Jaw Locking Pliers with Wire Cutters

- 5T 10" Fast Release Curved Jaw Locking Plier with wire cutter
- 7T 7" Fast Release Curved Jaw Locking Plier with wire cutter
- 9T 5" Fast Release Curved Jaw Locking Plier



Curved Jaw Locking Pliers with Wire Cutter

- 0502L3 10" Curved Jaw Locking Pliers with wire cutter
- 0702L3 7" Curved Jaw Locking Pliers with wire cutter
- 0902L3 5" Locking Pliers with wire cutter
- 1002L3 4" Curved Jaw Locking Plier with wire cutter



Fast Release™ Long Nose Locking Pliers

- 14T 6" Fast Release Long Nose Locking Plier
- 15T 9" Fast Release Long Nose Locking Plier



Long Nose Locking Pliers

- 1402L3 6" Long Nose Locking Plier
- 1502L3 9" Long Nose Locking Plier
- 1602L3 4" Long Nose Locking Plier

Vise-Grip®

Locking Tools (Cont'd)

No. Description



Fast Release™ Locking C-Clamps with Regular Tips

- 17T 6" Fast Release Locking C-Clamp
- 19T 11" Fast Release Locking C-Clamp



Locking C-Clamps with Regular Tips

- 17 6" Locking C-Clamp with regular tips
- 19 11" Locking C-Clamp with regular tips
- 21 18" Locking C-Clamp with regular tips



Locking C-Clamps with Swivel Pads

- 18 6" Locking C-Clamp with swivel pads
- 20 11" Locking C-Clamp with swivel pads
- 22 18" Locking C-Clamps with swivel pads
- 28 24" Locking C-Clamp with swivel pads
- 31 9" Locking C-Clamp with swivel pads

Vise-Grip®

Locking Tools (Cont'd)

No. Description



Locking Wrenches

- 02 10" Locking Wrench (10LW)
- 04 7" Locking Wrench (7LW)
- 08 4" Locking Wrench (4LW)



Specialty Tools

- 12L3 12" Large Jaw Locking Plier
- 23 8" Locking Sheet Metal Tool
- 27ZR 9" Locking Chain Clamp Plier
- 29 7" Locking Pinch-off Tool
- 40EXT Chain Extension for 20R
- 40REP 18" Replacement Chain for 20R



Locking Tool Sets

- 37 2 Piece Locking Pliers Set
- 74 5 Piece Original Locking Pliers
- 76KBT 3 Piece Fast Release Locking Plier Set
- 248 3 Piece Locking Wrench Set and Clamps T-Shirt Set
- 538KBT 5 Piece Fast Release Locking Plier Set
- 2077703 4 Piece Locking Value Set
- 4935580 3 Piece Original Locking Plier Set

For Complete Category Availability Consult the IRWIN® Tools Catalog

Vise-Grip®

Tools (Cont'd)

No. Description



Replacement Springs

- 40-08 Replacement Spring
- 40-92 Replacement Spring



GrooveLock Pliers

- No. Description
- 2078112 12" V Jaw GrooveLock Pliers
- 2078120 20" V Jaw GrooveLock Pliers
- 4935351 6" V Jaw GrooveLock Pliers
- 1775418 4 Piece GrooveLock Plier Set
- 2078108 8" V Jaw GrooveLock Pliers
- 2078110 10" V Jaw GrooveLock Pliers
- 2078711 3 Piece GrooveLock Plier Set
- 2078116 16" V Jaw GrooveLock Plier
- 2078712 8 Piece GrooveLock Plier Set



Pipe Wrenches

- No. Description
- 274103 18" Cast Iron Pipe Wrench
- 274104 24" Cast Iron Pipe Wrench
- 2074110 10" Cast Iron Pipe Wrench
- 274001SM 11" Quick Adjusting Wrench



Adjustable Wrench

- No. Description
- 2078615 15" Standard Adjustable Wrench

Pliers

No. Description



Lineman's Pliers

- 2078209 North American Lineman's Plier



Long Nose Locking Pliers

- 2078216 6" Long Nose Pliers
- 2078218 8" Long Nose Plier

Vise-Grip®

Tools (Cont'd)

No. Description



Long Bent Nose Pliers

- 2078226 6" Long Bent Nose Pliers
- 2078228 8" Long Bent Nose Pliers



Groove Joint V-Jaw Pliers

- 2078510 10" Groove Joint V-Jaw Pliers
- 2078512 12" Groove Joint V-Jaw Pliers



Diagonal Cutting Pliers

- 2078307 7" Diagonal Cutting Pliers
- 2078308 8" Diagonal Cutting Plier



Miscellaneous Pliers

- 2078309 8" Multi-Tool
- 2078300 8" Self Adjusting Wire Strippers



Plier Set

- 2078714 8 Piece Mini Pliers Set

IRWIN®



Utility Knives & Blades

- No. Description
- 2084100 Retractable Utility Knife
- 2082200 Bi-Metal 5-Pack Utility Blades
- 2082200 ProTouch™ Retractable Utility Knife
- 2082300 Hi-Vis Retractable Utility Knife



www.jbweld.com

www.jbweld.com



J-B Weld
8265SCAN
World's finest cold-weld compound.



J-B Kwik
5oz./ea
Quick-setting
Cold-Weld™ Epoxy
Industrial Professional Size
8271CAN
Blister



MarineWeld
8272CAN



JB Original Syringe
50165CAN
25 ml



Marineweld Epoxy
Syringe White 25ml
50172CAN



J-B KwikWeld™
50176CAN
Quick setting steel
reinforced epoxy



J-B Kwik
8276CAN
Quick setting steel
reinforced epoxy



Industrial Weld™
5oz./ea
Steel Reinforced Epoxy
Industrial Professional Size
8281CAN
Blister
8280CAN



Fuel & Metal
Tank Repair Kit
8217CAN



Clear Silicone
Sealant &
Adhesive,
General purpose
31310CAN - 85g



Hi-Temp Red
Silicone
31314CAN - 85g



Blue Silicone
31316CAN - 85g



Kwik Plastic
Epoxy
8237CAN



SteelStik™ - 2 oz.
8267CAN
Steel Reinforced
Epoxy Putty



WaterWeld
Underwater
Epoxy Putty
8277CAN



Black Silicone
31319CAN



Ultimate Grey
32327CAN



Ultimate Black
32329CAN



High Heat Epoxy
Putty - 2 oz.
8297CAN



J-B Clear Weld™
50112CAN
Quick setting epoxy



J-B Plastic Weld™
50132CAN - 25ml
High strength
structural adhesive



J-B Plastic Bonder™
50133CAN - Tan
50139CAN - Black
High strength
structural adhesive



Perma-Lock Threadlockers
Medium Strength Blue
24206CAN -6ml
24236CAN -36ml



Perma-Lock Threadlockers
High Strength Red
27106CAN -6ml
27136CAN -36ml



SuperWeld
33106CAN
Brushable, 6g
33120CAN
Brushable, 20g



J-B ExtremeHeat™
37901CAN





Scott®
Trusted Scott®
Essential™ Solutions



KREW®
Engineered For The
Demanding Professional

SKU	PRODUCT NAME	QTY/UNIT	UNIT/CASE	COLOR	UNIT SIZE
RESTROOM					
48040	Scott® Essential™ SRB Tissue	550 sheets/roll	40 rolls/case	White	4.1" x 4.0" / 10.4cm x 10.2cm
03148	Scott® Essential™ Jumbo Roll Tissue (Convenience Case)	1,000 feet/roll	4 rolls/case	White	3.55" x 1,000' / 9.0cm x 304.8m
07805	Scott® Essential™ Jumbo Roll Tissue	1,000 feet/roll	12 rolls/case	White	3.55" x 1,000' / 9.0cm x 304.8m
07006	Scott® Essential™ Coreless Jumbo Roll Tissue	1,150 feet/roll	12 rolls/case	White	3.66" x 1,150' / 9.3cm x 350.5m
01000	Scott® Essential High Capacity Hard Roll Towels	1,000 feet/roll	12 rolls/case	White	8.0" x 1,000' / 20.3cm x 304.8m
17713	Cottonelle® Professional SRB Tissue	451 sheets/roll	60 rolls/case	White	4.09" x 4.0" / 10.4cm x 10.2cm
13135	Cottonelle® Professional SRB Tissue (Convenience Case)	451 sheets/roll	20 rolls/case	White	4.09" x 4.0"/10.3cm x 10.2cm
41482	Scott® Kitchen Roll Towels	128 sheets/roll	20 rolls/case	White	11.0" x 8.78" / 27.9cm x 22.3cm
02021	Scott® Essential™ Hard Roll Towels	400 feet/roll	12 rolls/case	Natural	8.0" x 950' / 20.3cm x 289.5m
50500	Scott® Essential™ Plus¹ Hard Roll Towels	425 feet/roll	12 rolls/case	White	8.0" x 425' / 20.3cm x 129.5m
01700	Scott® Essential™ Single-Fold Towels	250 towels/clip	16 clips/case	White	9.3" x 10.5" / 23.6cm x 26.7cm
02068	Scott® Essential™ Hard Roll Towels	400 feet/roll	12 rolls/case	White	8.0" x 400' / 20.3cm x 121.9m
12388	Scott® Control™ Slimroll™ Towels	580 feet/roll	6 rolls/case	White	8.0" x 580' / 20.3cm x 176.8m
91565	Scott® Essential™ Green Certified Foam Skin Cleanser	1.0 l/bottle	6 bottles/case	Clear	
21400	Kleenex® Facial Tissue	100 tissues/box	36 boxes/case	White	8.4" x 8.0" / 21.3cm x 20.3cm
03076	Kleenex® Facial Tissue	125 tissues/box	12 boxes/case	White	8.4" x 8.0" / 21.3 x 20.3cm
WIPERS					
75120	Scott® Shop Towels	55 sheets/roll	12 rolls/case	Blue	4.6" x 11.0" / 11.7cm x 27.9cm
75190	Scott® Shop Towels in a Box	200 sheets/box	8 boxes/case	Blue	10.0" x 12.0" / 25.4cm x 30.4cm
75125	Scott® Shop Towels	6 rolls/pack	60 cases/pallet	Blue	13.3" x 11.0" / 33.8cm x 27.9cm
75090	Scott® Shop Towels in a Box	85 sheets/box	12 boxes/case	Blue	10.0" x 10.8" / 25.4cm x 27.4cm
33845	Krew® 200 General Purpose Shop Towels	550 sheets/roll	3 rolls/case	White	9.8" x 13.4" / 24.9cm x 34.0cm
33920	Krew® 300 General Purpose Shop Towels	176 sheets/box	1 box/case	White	12.5" x 16.8" / 31.8cm x 42.7cm
33046	Krew® 400 Oil and Grease Shop Towels	200 sheets/roll	4 rolls/case	Blue	10.0" x 13.0" / 25.4cm x 33.0cm
33933	Krew® 500 Heavy Duty Shop Towels	180 sheets/box	1 box/case	White	12.5" x 16.8" / 31.8cm x 42.7cm
33944	Krew® 600 Low Lint Shop Towels	180 sheets/box	1 box/case	Blue	12.1" x 16.8" / 30.7cm x 42.7cm
33889	Krew® 600 Low Lint Shop Towels	225 sheets/roll	3 rolls/case	Blue	9.8" x 13.4" / 24.9cm x 34.0cm
34015	WypAll® X60 Cloths	180 sheets/box	1 box/case	White	12.5" x 16.8" / 31.8cm x 42.7cm
35401	WypAll® X60 Cloths	130 sheets/roll	12 rolls/case	White	9.8" x 13.4" / 24.9cm x 34.0cm
34790	WypAll® X60 Cloths	126 sheets/box	10 boxes/case	White	9.1" x 16.8" / 23.1cm x 42.7cm
41455	WypAll® X70 Extended Use Cloths	100 sheets/box	10 boxes/case	White	9.1" x 16.8" / 23.1cm x 42.7cm
41200	WypAll® X70 Extended Use Cloths	76 sheets/pack	12 packs/case	White	12.5" x 12.0" / 31.8cm x 30.5cm
41041	WypAll® X80 Extended Use Cloths	160 sheets/box	1 box/case	Blue	12.5" x 16.8" / 31.8cm x 42.7cm
58310	WypAll® Waterless Cleaning Wipes	50 sheets/canister	8 canisters/case	White/Green	9.5" x 12.0" / 24.1cm x 30.5cm
47044	WypAll® L20 Towels	88 sheets/box	10 boxes/case	White	9.1" x 16.8" / 23.1cm x 42.7cm
SAFETY					
57373	KleenGuard™ G10 Blue Nitrile Gloves, Large	100 gloves/box	10 boxes/case	Blue	10.5" x 16.2" / 26.7cm x 41.4cm
57372	KleenGuard™ G10 Blue Nitrile Gloves, Medium	100 gloves/box	10 boxes/case	Blue	10.5" x 16.2" / 26.7cm x 41.4cm
57374	KleenGuard™ G10 Blue Nitrile Gloves, Extra Large	90 gloves/box	10 boxes/case	Blue	10.5" x 16.2" / 26.7cm x 41.4cm
44323	KleenGuard™ A40 Liquid & Particle Protection Coveralls, Large	1 unit/garment	25 garments/case	White	12.0" x 16.0" / 30.5cm x 40.6cm
44324	KleenGuard™ A40 Liquid & Particle Protection Coveralls, Extra Large	1 unit/garment	25 garments/case	White	12.0" x 16.0" / 30.5cm x 40.6cm

For more information on Kimberly-Clark Professional,
visit us online at www.KCProfessional.com.



DOT 3 SUPER HEAVY DUTY BRAKE FLUID

Kleen-flo's Super Heavy Duty Brake Fluid is one of the largest selling brands of brake fluid in Canada. It works effectively in all climates and all conditions. Kleen-flo's Super Heavy Duty Brake Fluid meets the requirements of the Society of Automotive Engineers (S.A.E.) who regularly issue the brake fluid specifications which are recognized world wide. In the past, S.A.E. 70R3 was the best. Today, S.A.E. J1703, FMVSS-116 (U.S.A.) requirements for a DOT 3 motor vehicle brake fluid and CMVSS-116 (Canada) requirements have replaced this specification.



#528
1L



#529
4L



POWER STEERING FLUID

Kleen-flo's Power Steering Fluid is especially developed for use in European, Japanese and North American automobiles. It is not recommended for use in Honda power steering units. It is suitable for rack and pinion steering.

Kleen-flo's Power Steering Fluid is intended for topping up the fluid reservoir or for complete filling if a replacement steering unit was being filled.

#586
1L

XX PENETRANT

Kleen-flo's XX Penetrant is specially formulated to creep in and attack rust and corrosion, freeing up frozen nuts, bolts and fasteners for easy removal. Heavy Duty formula is Guaranteed and great for Automotive, Industrial and home applications.

#804
350g





www.lislecorp.ca

www.lucasoil.ca



Rear Disc Brake Adjuster
28600
Rotates piston back into the caliper when replacing pads.



Air Conditioning / Fuel Line Disconnect Tool Set
37000
Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8".



4.5 Gallon Oil Drain Pan, Black
17942
For easy transfer of liquids. High-density polyethylene material is resistant to chemicals and solvents, and is easy to clean.



"No Slip" Pulley Puller/Installer
39000
Removes and installs pressed on power steering, alternator and air pump pulleys without slipping.



OW/40 EUROPEAN MOTOR OIL
10327 (5L)



LAND AND SEA SEMI SYN 2 CYCLE OIL
20467 (946ml)



POWER STEERING FLUID
20823



POWER STEERING FLUIDS WITH CONDITIONERS
20442



DOT 3 BRAKE FLUID
20826



DEEP CLEAN FUEL SYSTEM CLEANER
20512



Low Profile Plastic Creeper (Red)
92102
This body-fitting design was developed through testing on many body types to provide optimum comfort. Creeper body is 2" longer for a better fit.



Spill-Free® Funnel with VW Adapter
24970
Includes new cap for VW, Audi and Porsche overflow tanks with threaded caps. Also updated to include colored adapters for quick identification.



Disconnect Pliers
37160
Disconnects fuel line and EVAP line fittings with tabs that must be depressed to disengage.



65mm 14 Flute End Cap Wrench for Toyota
61040
Super strong, forged wrench allows easy removal on all 65mm 14 flute Toyota and Lexus cartridge oil filters.

SLICK MIST DETAIL KIT
20558



COMPLETE ENGINE TREATMENT
20016



SYN HD OIL STABILIZER
20130



X-TRA HD GREASE
20301 (14.5oz tube)



RED N TACKY GREASE
20005 (14.5oz tube)





www.lucasoil.ca

M2 Professional
Cleaning Products Ltd.

PROFESSIONAL CLEANING PRODUCTS



**HEAVY DUTY OIL
STABILIZER**
20001 (946ml)



**UPPER CYLINDER
LUBRICANT**
20003 (946ml)



**POWER STEERING
STOP LEAK**
20008 (346ml)



**75W90 SYN
GEAR OIL**
20047 (946ml)



**10W/30 CK4
SYNTHETIC
BLEND DIESEL
MOTOR OIL**
20282 (3.79L)



**15W/40 CK4
MAGNUM
DIESEL MOTOR
OIL**
20287 (3.79L)




**SEMI SYN
MULTI VEHICLE
TRANSMISSION FLUID**
20418 (946ml)



ATF CONDITIONER
20441 (591ml)



**15W40 CJ4
SYNTHETIC
DIESEL
MOTOR OIL**
10298 (946ml)



FS-MH30-RD
MOSS Heavy Duty,
Oil Resistant Floor Squeegee with
Natural Rubber – 30"/75cm – Red



FS-MH30
Floor Squeegee Heavy Duty Moss-
30"/76cm
Use FH-W360-1T handle



FS-M22
Floor Squeegee Moss-22"/55cm
Use FH-W360-1T handle



FS-S518
18"/45 cm Straight Floor
Squeegee



**PB-T18 – 18" / 45 cm Tampico
Fiber**
Tampico All Purpose Pushbroom
Medium Sweep



PB-G18 – 18" / 45 cm
Garage Concrete –
Medium to Heavy Duty Sweep



**PB-BT18 – 18" / 45 cm Blue
Flagged Tip Fiber – Fine Sweep**



**PB-ST14 – Street / Barn Broom –
Extra Course**
14" / 35 cm PolyPro, head only



PB-700-GB18
Ryno Push Broom 18"/45cm
Medium Sweep Brace & handle
PB-700-GB24 24"/60cm




PB-800-RB18
Ryno Push Broom 18" Stiff Sweep
with Brace & handle
PB-800-RB24 -24"/60cm



BD-1110
Scrub Brush 10"/25 cm



BV-420
Bi-Level Truck Brush – Soft 10"
Green Flagged Fill – Soft Surfaces



FS-C736
Floor Squeegee- Curved-36"/91cm
Use FH-W360-118T



MW-RF2090
Rough surface mop medium



BM-4200
Venus Upright Broom
48" handle



BA-3000
Hercules Large angle broom
48" handle

PROFESSIONAL CLEANING PRODUCTS



BW-D41100-BL
40 Qt Bucket Wringer – Blue



HW-7001F
Step-N-Go Mop Handle 54"
HW-7000F – 60"



DM-STH524-BL
Static-H Dust Mop 24"



SP-E747
Cellulose Sponge-Scrubber



QM-7580
Q-Star Glass Cloth



BA-3220
Vortex Angle Broom



BV-421
Bi-Level Acid Resistant Brush
Grey/White Fiber



BV-300F – 10" Car/Truck
Window Brush – Plastic Block
– Green Flagged Fill



BC-110
Heavy Duty Corn Broom – stiff
BC-108
Heavy Duty Corn Broom – medium



BT-112
Upright with Chisel



DP-L800-H
Galaxy Lobby Dust Pan



LS-1171
Litter Scoop



WF-7003
Floor Sign "Caution Wet Floor" –
English/French



WS-CS1021
10" Car squeegee with 20"
Handle



TS-BT289-12
24 oz Round Bottle with
TS5911R
Trigger Sprayer 1.5cc / 24 oz



BW-1038
Wire Scratch Brush short handle
#BW-1037 Long handle

PART NUMBERS	PRODUCT DESCRIPTION, PACKAGE SIZE, SPECS.
123394	MOBIL 1 ESP X2 0W20, 12X 946 ML , PORSCHE C 20, JAGUAR LANDROVER STJLR 51.5122, MB 229.71, VW 508.00 509.00
124044	MOBIL 1 ESP 5W30, 6X/946ML , API SN; MB229.31 / 229.51: BMW LL04: VW 544.00/507.00 PORSCHE C30
124322	MOBIL 1 0W16, 4 X 3.784 L, SN PLUS, HONDA, TOYOTA
111156	MOBIL 1 AFE 0W20, 6X1 L, API SN PLUS, DEXOS 1 GEN2, GM 6094M
121123	MOBIL 1 AFE 0W30, 6X1 L, API SN PLUS, DEXOS 1 GEN2, GM 6094M, 4718M
105514	MOBIL 1 FS 0W40, 6X1L, API SN, MB 229.3 / 229.5, PORSCHE A40, VW 502.00/505.00/ 503.01
105736	MOBIL 1 5W20, 6X1 L, API SN PLUS, DEXOS 1 GEN2, GM 6094
124480	MOBIL 1 5W30, API SN, DEXOS 1 GEN2, GM 6094M, 4718M, HONDA / ACURA HTO – 06
122095	MOBIL 1 FORMULA M 5W40, 6X1 L, MB 229.3 / 229.5
122254	MOBIL 1 TURBO TRUCK DIESEL 5W40, 6X1 L, API CJ 4, CAT ECF -2 / ECF - 3
105468	MOBIL SYNTHETIC ATF, 6X1 L, FORD MERCON 5, GM 111H, VOLVO 97340/97341
121366	MOBIL 1 MX4T MOTORCYCLE 10W40, 6X1 L,
50251456	MOBIL 1 V – TWIN MOTORCYCLE 20W50, 6X1 L
50251446	MOBIL 1 RACING 0W30, 6X1 L,
50251447	MOBIL 1 RACING 0W50, 6X1 L,
104361	MOBIL 1 SYNTHETIC GEAR 75W90, 12X946 ML, LIMITED SLIP

HEAVY DUTY / INDUSTRIAL / SPECIALTY

110410	MOBIL HYDRAUL 56 TRACTOR DRIVELINE HYDRAULIC, 2X10L
121538	MOBIL HYDRAUL 56 TRACTOR DRIVELINE HYDRAULIC, 18.9 P PPL
122123	MOBIL UNIREX EP2 MULTIPURPOSE HEAVY DUTY GREASE, 40/390 G TUBE, GC/LB
122986	MOBIL UNIVIS HVI 13 SYN BLEND, H.D. ALL SEASON HYDRAULIC OIL, 6X1 L

Special pricing available on all Mobil lubricant products. Ask us for details.



NLS PRODUCTS

NLS Products Stock #	Size
1450	145 g
3300	333 g
3700	3.79 L
4300	18.9 L Pail
4500	208 L Drum
5207	237 mL Brush Top Can



RUST'S WORST ENEMY

Powerful Rust & Corrosion Protection, Excellent Vehicle Undercoating, Superior Lubricant & Long-Term Penetrant.

Environmentally Friendlier, Solvent Free and Non-Toxic.

All Stock numbers above are Canadian Food Inspection Agency Approved (CFIA #N184).

For Many Uses:

Auto • Truck • Farm • Home • Marine • Forestry • Mining • Industrial • RVs • Buses • Trailers • Chains
ATVs Aircraft • Military • Salt Trucks • Cable • Battery Terminals • Tools • Fertilizer Spreader
Electrical Connectors

The Most Universal Product You Will Ever Use!!



Premium Heavy Duty Tire Sealant

NLS Products Stock #	Size
95544	946 mL
95555	3.78 L w/pump
95566	18.9 L
95577	18.9 L Pail w/pump
95588	1 - Pump for 95566



Extends The Life Of Your Tire!

Runs Tires Approx. 35% Cooler! Maintains Consistent Tire Pressure!

Helps Eliminate Flats! Lasts The Life Of The Tire!

Ideal for Trucks, Farming, Lawn & Landscaping, ATV's, Trailers, Buses, Cars, RVs, Bicycles, Mining, Forestry & Construction Heavy Equipment.

For Air or Nitrogen filled or Tubeless Tires. Provides Better Fuel Economy.

Non-Flammable • Non Explosive

- Permanently seals punctures
- Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- Seals most bead and rim leaks



Box 790, Bobcaygeon, ON K0M 1A0 • www.nlsproducts.ca • mail@nlsproducts.ca



Heavy Duty • Pure Blend Fast Penetrating Oil
Frees Frozen & Rusted Parts. Environmentally Friendlier.
Canadian Food Inspection Agency Approved (CFIA #N184)
• Solvent Free • Non Hazardous

BreakThru®, Fast Penetrating Oil, is a highly refined oil-based product that infiltrates components quickly. Frees Frozen - Rusted Parts! No Silicone or Teflon.

For Many Uses:

Bolts • Engine Parts • Hinges • Locks • Bearings • Bicycle & Motorcycle Chains
Chains • Rollers Wheels & Other Moving Parts
Aluminum • Chrome • Steel Surfaces • Guns
Fishing Equipment • Industrial Machinery
Relays, Switches • Tools & Many More.

NLS Products Stock #	Size
C10	370 g



NLS Products Stock #	Size
8312 (Auto)	90 mL
8612 (Marine/RV)	
8812 (Industrial)	

A series of premier adhesives in six popular SKU's (12/case) to cover most of your GLOOING needs. "Gloozit®" is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT". Once cured GLOOZIT® remains flexible, is able to withstand temperature changes as well as the expansion and contraction of dissimilar materials. GLOOZIT® bonds virtually everything.

Apply at room temperature.

Recommended ambient & surface temperature of 4°C (40°F) to 32°C (90°F).



Brake Conditioning Treatment
Brake Squeal Treatment for rotors/drums.
No Solvents, Hydrocarbons or Silicones.
OEM Approved!
Prevents rust, oxidation of rotors/drums,
stops seizing of lugs nuts & threads.

NLS Products Stock #	Size
9900	255 g



TECH STEEL

Steel Reinforced Epoxy Putty • Steel Hard in 15 minutes and Full Cure in 1 Hour.
 Permanently Adheres To:

- AUTO/TRUCK:** Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks
HOME: Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork
FARM: Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment
MARINE: Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks
HOBBIES: Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys
PLUMBING: PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

NLS Products Stock #	Size
16002	75 g



THE RUST STOPS HERE!

Primer & Rust Treatment In One Product.

Rust Destroyer® is a **PATENTED** primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, alumium, tin and core tan steel. It converts active rust to a passive form on contact. An absorbing action in the primer film simultaneously raises the rust from the surface and envelops all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.

- Heat resistant up to 800°F (427°C)
- Apply directly over rust
- No sand blasting
- No scraping to bare metal
- Works with most top coat paint
- No washing before or after application
- No sanding glossy finishes to improve adhesion

NLS Products Stock #	Size	Avg. Cvg.
73013	340 g	15 sq. ft.
73016	236 mL	22 sq. ft.
73004	946 mL	75 sq. ft.



X-Treme Tape® (25 mm x 3 m x 20 mils)
 For Quick Emergency Repairs!

- No Adhesive, Bonds Only to Itself
- Won't Melt Up to +260°C (+500°F)
- Insulates to 8000 Volt
- Stretches to 3x's its Length
- Forms a Permanent Air & Water Tight Seal

NLS Products Stock #	Size	Description
5100	3 m	X-Treme Tape® Automotive - Black
5200	3 m	X-Treme Tape® Marine / RV - White



NLS PRODUCTS

Coolant Acronyms:
 Inorganic Acid Technology (IAT)
 Nitrite Organic Acid Technology (NOAT)
 Hybrid Organic Acid Technology (HOAT)
 Organic Acid Technology (OAT)

Auto Fluid Diagnostic Test Strips

AUTOMOTIVE & LIGHT TRUCKS

RADCHEK TEST STRIPS FOR EXTENDED LIFE & CONVENTIONAL COOLANTS
 TESTS: Reserve Alkalinity, pH levels & Glycol (freeze point / boiling point).
 TESTS: IAT, NOAT, HOAT, OAT
 # 1570
70 STRIPS / BOTTLE



pH BRAKE FLUID TEST STRIPS
 Synthetic & Conventional DOT 3, 4, & 5.1
 TESTS: Automotive and Heavy Duty Brake Fluids. Provides reliable results to determine the pH condition of the Brake Fluid. Dip and read in 30 seconds.
 # 80700
70 STRIPS / BOTTLE



FLUID MOISTURE TEST STRIPS FOR 5 OILS - ATF, ENGINE (GAS & DIESEL) OIL, POWER STEERING, HYDRAULIC, ALL BRAKE FLUIDS, Synthetic & Conventional DOT 3, 4, & 5.1
 • Fluid Diagnostic Test Strips assess the health of the fluid and identifies when a fluid needs to be changed.
 • Detects moisture content from 0 - 5%.
 # 80600
10 STRIPS / CARD



TESTS FOR COOLANT PRESENCE IN ENGINE (Gas & Diesel) OIL & AUTOMATIC TRANSMISSION FLUID
 • Highly unique, quick & affordable measure.
 • Detects coolant presence from 0 - 6%.
 # 80900
50 STRIPS / BOTTLE



Heavy Duty Fluid Diagnostic Test Strips

STANDARD HEAVY DUTY RADCHEK TEST STRIPS FOR EXTENDED LIFE COOLANTS
 TESTS 4 COMPONENTS: pH levels, Glycol, Molybdate & Nitrite up to 3200 ppm.
 TESTS: OAT, NOAT, HOAT (All colours except Red)
 # 2050
50 STRIPS / BOTTLE



Specific Range:
 Nitrite 0 - 3200 ppm

RED HD ELC COOLANT TEST STRIPS for pH, Glycol & Nitrite. Essential to test Nitrite level up to 4000 ppm in Red HD ELC.
 • Provides added ranges for evaluation of protection for the supplemental additives in the cooling system for Nitrite.
 TESTS: OAT, NOAT & HOAT
 # 80200
50 STRIPS / BOTTLE



Specific Range:
 Nitrite 0 - 4000 ppm

ORGANIC ACID (OAT), NITRITE ORGANIC ACID (NOAT) & HYBRID ORGANIC ACID (HOAT) ELC HD TEST STRIPS
Essential Test: Carboxylate Acid Inhibitors, Glycol, Nitrite & pH. Protect against liner pitting, corrosion & coolant dilution.
 # 80240
25 STRIPS / BOTTLE



Testing The 3 O's!

LOW LEVEL - WEAR METAL IONS TEST STRIPS
 TESTS: Wear Metal Ions in Coolant, Engine (Gas & Diesel) Oils, Differential, Power Steering, Transmission & Brake Fluid at very low content. Any abnormal presence of **METAL IONS** allows immediate corrective action. Test Range from 10 - 1000 ppm.
 # 80800
50 STRIPS / BOTTLE



HEAVY DUTY HYDROCARBON TEST STRIPS
 Use to detect the presence of Oil in Diesel Exhaust Fluid (DEF), ALL Coolant & Water.
 # 80508
50 STRIPS / BOTTLE



NLS PRODUCTS

Box 790, Bobcaygeon, ON K0M1A0 • www.nlsproducts.ca • mail@nlsproducts.ca

ACU1PEN0818



METAL BONDING ADHESIVE
Medium 108B - 225ml
109B - 50ml
Fast 110B - 225ml
111B - 50ml
Slow 112B - 225ml
113B - 50ml



SELF-LEVELING SEAM SEALER (MEDIUM)
122EZ - 300ml



PLASTIC REPAIR ADHESIVE (FAST)
142 - 300ml



TRUCK PLASTIC BONDING ADHESIVE (MEDIUM)
T23 - 300ml



FLEXIBLE FOAM (SUPER FAST)
121 - 300ml



HIGH DEFINITION SEALER - 310.5ml
802HD - white
805HD - black



SPRAYABLE SEAM SEALER GUN
312



FUSOR HIGH DEF SPRAYABLE SEALER
281ML
802HD White
804HD Gray
805HD Black
806HD Beige



PANEL BONDING ADHESIVE (SLOW)
208B - 300ml



TEXTURED 7 MIL NITRILE (ORANGE)	
Medium	90708
Large	90709
X-Large	90710
XX-Large	90711
Qty/Case	50



NORTON BLAZE SPEED-LOK TR RAPID STRIP DISC



NORTON BLAZE SPEED-LOK TR RAPID STRIP DISC

Great for removing rust, undercoating, seam-sealers, and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.

	2" TR	3" TR	RPM
DESCRIPTION	668233-	668233-	
Norton Blaze	31051	-	15,000
Norton Blaze	-	31053	12,000
Back-Up Pad	55103	55105	-
PKG/CASE	10/1	10/1	



NORTON BLAZE SPEED-LOK TR DISCS

Norton Blaze self-sharpening design is ideal for high-pressure, heavy metal removal applications.

	2" TR	3" TR
GRIT	662611-	662611-
80	62324	62334
60	62322	62332
50	62320	62330
36	62318	62328
CASE	25	25



NORTON BLAZE AND NORTON VORTEX RAPID BLEND DISCS

Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces. Norton Blaze (orange) can also be used to remove seam sealer and undercoating without loading. Norton Vortex (blue) is great for removing gaskets and works very well on aluminum without loading or smearing.

	2" TR	3" TR
GRIT	668233-	668233-
Blaze (Orange)	38632	38633
Vortex (Blue)	34782	34783
CASE	10	10



NORTON BEAR-TEX SPEED-LOK TR RAPID PREP SURFACE BLENDING DISCS

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. New resin formulation will not smear.

	2" TR BEAR-TEX	3" TR BEAR-TEX
GRIT	662610-	662610-
Very Fine (320) - BLUE	09189	09192
Medium (120) - MAROON	09190	09193
Coarse (80) - BROWN	09191	09194
CASE	25	25



SPEED-LOK BACK-UP PADS

Speed-Lok TR are compatible with similar competitive attachment systems.

	1" BACK-UP PAD	2" BACK-UP PAD	3" BACK-UP PAD
DESCRIPTION	668341-	662610-	662610-
Speed-Lok TR	64037	55103	55105
CASE	1	10	10

NORGRIP PAPER DISCS



	5" VAC NORGRIP MULTI-AIR CYCLONIC	6" VAC NORGRIP MULTI-AIR CYCLONIC	6" NORGRIP BLANK
P220D	63642597504	63642597509	63642597514
P180D	63642597503	63642597508	63642597513
P150D	63642597502	63642597507	63642597512
P120D	63642597501	63642597506	63642597511
P80D	63642597500	63642597505	63642597510
PKG	50/4	50/4	50/4

MICROFINISHING FOAM DISCS



GRIT	COLOR	3" NORGRIP	6" NORGRIP
3000	Green	63642506020	63642506013
2000	Magenta	-	63642506014
1500	Blue	63642506022	63642506015
Back-Up Pad		63642506128+	63642506130+
PKG		6/4 +10/1	15/4 +5/1



FLOOR MATS
05923
16-1/2" x 21"
Pack of 125



BUCKET SEAT COVERS
05921
Pack of 25



CLOTH DUCT TAPE
78000
2"x60 yards

ADHESIVE WEIGHTS

GOOD

PERFECT STEEL® 1/4 OZ.

- Brand Name: Perfect Equipment
- 0.25 oz. Segment Steel Adhesive Weight
- 0.1875" height (low profile), 0.75" width
- 3-year Powder Coating (grey or black)
- Standard White Foam Tape
- 48 strips per box



PN: 200576FE



PN: 200576FEBLK



PN: 200576FER

PERFECT STEEL® 1/2 OZ.

- Brand Name: Perfect Equipment
- 0.50 oz. Segment Steel Adhesive Weight
- 0.32" height, 0.75" width
- 3-year Powder Coating (grey or black)
- Standard White Foam Tape
- 28 strips per box



PN: 300336FE



PN: 300336FEBLK

QUIKSTIK® ROLL STANDS

- Double Roll Stand

PN: QS3000

BETTER

PERFECT QUIKSTIK® 1/4 OZ.

- Brand Name: Perfect Equipment
- 0.25 oz. Segment Steel Adhesive Weight
- 0.1875" height (low profile), 0.75" width
- 5-year Nano Coating
- Standard White Foam Tape
- 48 strips per box



PN: 200624ST

PERFECT QUIKSTIK® 1/2 OZ.

- Brand Name: Perfect Equipment
- 0.50 oz. Segment Steel Adhesive Weight
- 0.3125" height, 1" width
- 5-year Nano Coating
- Standard White Foam Tape
- 30 strips per box



PN:300360ST

PERFECT QUIKSTIK® ROLLS

- Brand Name: Perfect Equipment

- Same as 0.25 oz. option as above
- 1,280 segments, 20lb. Box

PN: 200624STR

- Same 0.50 oz. option as above
- 1,500 segments, 16.5lb. Box

PN: 300360STR



BEST

LEAD QUIKSTIK® 1/4 OZ.

- Brand Name: Perfect Equipment
- 0.25 oz. Segment Uncoated Lead Adhesive Weight, 52 strips per box
- 0.1563" height, 0.75" width
- Standard White Foam Tape



PN: 200624

LEAD QUIKSTIK® 1/4 OZ.

- Brand Name: Perfect Equipment
- 0.25 oz. Segment Uncoated Lead Adhesive Weight, 30 strips per box
- 0.2188" height, 0.50" width
- Standard White Foam Tape



PN: 100360

LEAD QUIKSTIK® 1/2 OZ.

- Brand Name: Perfect Equipment
- 0.50 oz. Segment Uncoated Lead Adhesive Weight, 30 strips per box
- 0.2188" height, 0.75" width
- Standard White Foam Tape



PN: 300360

LEAD QUIKSTIK® CL6

- Brand Name: Perfect Equipment
- 1 oz. Segment Uncoated Lead Adhesive Weight, 30 strips per box
- 0.2188" height, 0.75" width
- Standard White Foam Tape



PN: CL6



PN: 25K
Wheel Weight
Plier For Lead
Weights



PN: 50K
Wheel Weight
Pliers



PN: QSS1
Adhesive Wheel
Weight Removal
Tool



Wheel Protectors® Lead Wheel Weights



■ P-Series

Used on all standard passenger car 13"-17" steel wheels. Also available in coated (PS-Series).

Part Number	Size oz.	Pcs/box
P025	0.25	50
P050	0.50	50
P075	0.75	50
P100	1.00	50
P125	1.25	50
P150	1.50	50
P175	1.75	50
P200	2.00	50
P225	2.25	50
P250	2.50	50
P275	2.75	50
P300	3.00	50



■ IAW-Series

Used primarily on most European and certain Asian vehicles equipped with alloy wheels.

Part Number	Size gram	Pcs/box
IAW005	5	25
IAW010	10	25
IAW015	15	25
IAW020	20	25
IAW025	25	25
IAW030	30	25
IAW035	35	25
IAW040	40	25
IAW045	45	25
IAW050	50	25
IAW055	55	25
IAW060	60	25



■ AWN-Series

Used on most domestic vehicles equipped with alloy rims that were manufactured prior to 1995.

Part Number	Size oz.	Pcs/box
AW025N	0.25	25
AW050N	0.50	25
AW075N	0.75	25
AW100N	1.00	25
AW125N	1.25	25
AW150N	1.50	25
AW175N	1.75	25
AW200N	2.00	25
AW225N	2.25	25
AW250N	2.50	25
AW275N	2.75	25
AW300N	3.00	25



■ EN-Series

Used primarily on Audi, Mercedes Benz and early model Japanese vehicles equipped with alloy wheels.

Part Number	Size gram	Pcs/box
EN010	10	25
EN015	15	25
EN020	20	25
EN025	25	25
EN030	30	25
EN035	35	25
EN040	40	25
EN045	45	25
EN050	50	25
EN055	55	25
EN060	60	25



■ MCN-Series

Used on most domestic vehicles equipped with alloy rims.

Part Number	Size oz.	Pcs/box
MC025N	0.25	25
MC050N	0.50	25
MC075N	0.75	25
MC100N	1.00	25
MC125N	1.25	25
MC150N	1.50	25
MC175N	1.75	25
MC200N	2.00	25
MC225N	2.25	25
MC250N	2.50	25
MC275N	2.75	25
MC300N	3.00	25



■ FN-Series

Used primarily on most Japanese vehicles equipped with alloy wheels that were manufactured prior to 1990.

Part Number	Size gram	Pcs/box
FN005	5	25
FN010	10	25
FN015	15	25
FN020	20	25
FN025	25	25
FN030	30	25
FN035	35	25
FN040	40	25
FN045	45	25
FN050	50	25
FN055	55	25
FN060	60	25



■ LH-Series

Used primarily on late-model Chrysler cars and is designed to fit their unique wheel flange profile.

Part Number	Size oz.	Pcs/box
LH025	0.25	25
LH050	0.50	25
LH075	0.75	25
LH100	1.00	25
LH125	1.25	25
LH150	1.50	25
LH175	1.75	25
LH200	2.00	25
LH225	2.25	25
LH250	2.50	25
LH275	2.75	25
LH300	3.00	25



■ TN-Series

Used primarily on most light trucks equipped with decorative and larger-thickness steel wheels or alloy wheels.

Part Number	Size oz.	Pcs/box
T025N	0.25	25
T050N	0.50	25
T075N	0.75	25
T100N	1.00	25
T125N	1.25	25
T150N	1.50	25
T175N	1.75	25
T200N	2.00	25
T225N	2.25	25
T250N	2.50	25
T275N	2.75	25
T300N	3.00	25



PERMATEX® BLUE MEDIUM STRENGTH THREADLOCKER
 24200 - 6ml Carded Tube
 24240 - 36ml Carded Bottle
 24215 - 10g Carded Tube Gel Twist
 Medium strength, general purpose threadlocker.



PERMATEX® RED HIGH STRENGTH THREADLOCKER
 26200 - 6ml Carded Tube
 26240 - 36ml Carded Bottle
 27115 - 10g Carded Tube Gel Twist
 High strength threadlocker.



PERMATEX® ULTRA BLACK® SENSOR-SAFE GASKET MAKER
 59803 - 80ml Carded Tube
 59805 - 147ml Cartridge
 59813 - 300ml Cartridge
 Superior adhesion to oily surfaces with long term durability.



PERMATEX® ULTRA GREY® SENSOR-SAFE GASKET MAKER
 59903 - 80ml Carded Tube
 59905 - 147ml Cartridge
 59913 - 300ml Cartridge
 Performs under higher torque loads associated with engines having closely spaced bolt patterns (typically import vehicles).



PERMATEX® HIGH TEMPERATURE THREAD SEALANT
 59214 - 6ml Carded Tube
 59234 - 50ml Carded Tube
 Locks and seals threaded fittings.



THE RIGHT STUFF® INSTANT GASKET MAKER
 30874 - 147ml Cartridge
 30876 - 300ml Cartridge
 30877 - 3pk Kit (w/gun)
 Seals instantly, forming a reliable, long lasting elastomeric rubber gasket.



PERMATEX® CLEAR SILICONE ADHESIVE SEALANT
 59103 - 80ml Carded Tube
 59113 - 300ml Cartridge
 An excellent all-purpose RTV silicone adhesive/sealant. Use for sealing, bonding, insulating and caulking. Flexible, durable, tough, waterproof.



PERMATEX® BLACK RTV ADHESIVE SEALANT
 59203 - 80ml Carded Tube
 59213 - 300ml Cartridge
 Sensor-safe. Resists auto and shop fluids. Use for sealing, bonding, insulating, caulking, making gaskets.



THE RIGHT STUFF® INSTANT GASKET MAKER FOR IMPORTS
 30870 - 147ml Cartridge
 34310 - 300ml Cartridge
 Seals instantly, forming a reliable, long lasting elastomeric rubber gasket



"NEW" PERMATEX OPTIMUM BLACK GASKET MAKER
 59823 - 80ml
 High flexibility gasket maker that is resistant to oils and powertrain fluids; up to 500F.



PERMATEX® RED HIGH TEMPERATURE GASKET MAKER
 59403 - 80ml Carded Tube
 59413 - 300ml Cartridge
 Sensor-safe. formulated for high temp. applications or heavy-duty use.



PERMATEX® SILVER ANTI-SEIZE
 76762 - 133g Can
 76765 - 241g Aerosol
 76764 - 454g Can
 Prevents rusting, cold welding and galvanic corrosion between assembled parts.



"NEW" PERMATEX OPTIMUM GREY GASKET MAKER
 59923 - 80ml
 Premium choice for high-performance parts with rigid joints and high torque loads; extreme temperatures up to 700F.



PERMATEX® ANAEROBIC FLANGE SEALANT
 51550 - 50ml Carded Tube
 51580 - 300ml Cartridge
 Flexible gasket sealant for flanges that move in service. Superior resistance to powertrain fluids including engine oil, transmission fluid, gear lube, coolants, gasoline.



PERMATEX® COPPER ANTI-SEIZE
 09127 - 226g Brush-Top Can
 09124 - 454g Brush-Top Can
 Prevents seizing, corrosion and galling where high temperature conditions exist.



PERMATEX® CERAMIC EXTREME BRAKE LUBRICANT
 24126 - 236ml Brush-Top Can
 Loaded with ceramic solids. Prevents seizing or sticking of brake components.



PERMATEX® ULTRA COPPER® HIGH TEMPERATURE GASKET MAKER
 59703 - 80ml Carded Tube
 59705 - 147ml Cartridge
 59713 - 300ml Cartridge
 Designed for high performance engines or where operating temperatures are higher



PERMATEX® ANAEROBIC GASKET MAKER
 51850 - 50ml Carded Tube
 51845 - 300ml Cartridge
 OEM specific. Designed for superior performance on aluminum flanges.



PERMATEX® SILICONE BRAKE CALIPER LUBE
 24121 - 236ml Can
 24120 - 80ml Tube
 100% silicone formula. High temperature lubricant to prevent seizing or sticking of disc brake components.



PERMATEX® SILICONE CERAMIC BRAKE LUBRICANT
 24122 - 236ml Brush-Top Can
 24127 - 28ml Carded Tube
 Compatible with all rubber and plastics. Fortified with high-temperature, high concentration ceramic solids. Temperature range: -46°C to 1649°C (-50°F to 3000°F)



PERMATEX® DIELECTRIC TUNE-UP GREASE

22066 - 28g Carded Tube
22064 - 85g Carded Tube
22065 - 85g Power Can

Necessary for an effective tune-up on high energy ignition services. Prevents voltage leak around any electrical connection.



PERMATEX® SUPER GLUE INSTANT ADHESIVE

49502 - 3g Carded Tube
49512 - 28g Carded Bottle
Fast setting, strong adhesive for bonding most materials.



PERMATEX® COLD WELD COMPOUND

14600 - 2x28g Carded Tubes
PERMATEX® STEEL WELD™ EPOXY STICK

84319 - 56g Stick
Fast setting, 2-part adhesive and filler systems used as an alternative to welding or brazing cracked or broken metal parts.



PERMATEX® 5 MINUTE GENERAL PURPOSE EPOXY

84111 - 25ml Carded Syringe
Easy to use 2-part dispensing syringe. Can be drilled, machined and painted. Clear appearance. Sets in 5 minutes.



NEW FAST ORANGE GREASE-X

25570 - 1.18L
A heavy-duty laundry detergent formulated specifically for automotive technicians. Features a built-in pre-treater and odour eliminator to handle the dirtiest and smelliest work-wear.



FAST ORANGE® XTREME CHERRY™ PUMICE HAND CLEANER

25619 - 3L Jug
Professional strength hand cleaner with fine pumice.



FAST ORANGE® XTREME HAND CLEANER

25616 - 443ml Bottle
25618 - 3.78L Jug
Heavy duty, professional strength hand cleaner with pumice. Eliminates gasoline and other foul odours.



NEW FAST ORANGE® LIQUID HAND SOAP

25314 - 3.78L Jug
Fresh scent. Cleans and hydrates hands. Gentle enough for everyday use.



FAST ORANGE® PUMICE LOTION HAND CLEANER

25-108 - 220ml Bottle
25217 - 1.89L Jug
25219 - 3.78L Jug
25117 - 443ml Bottle
The leading biodegradable, waterless, petroleum solvent-free pumice hand cleaner.



FAST ORANGE® SMOOTH LOTION HAND CLEANER

23-108 - 220ml Bottle
23217 - 1.89L Jug
23218 - 3.78L Jug
23117 - 443ml Bottle
The leading biodegradable, waterless, petroleum solvent-free hand cleaner.



SPRAY NINE® CLEANER/DISINFECTANT

C26822 - 650ml Bottle
C26832 - 946ml Bottle
C26804 - 4L Jug
C26820 - 20L Pail
C26845 - 208L Drum
Heavy Duty Cleaner / Disinfectant / Degreaser



SPRAY NINE® GLASS & STAINLESS STEEL CLEANER

C23319 - 600g Aerosol
Removes dirt, dust, fingerprints, smudges and light grease from glass, stainless steel and metal surfaces.



SPRAY NINE® GREZ-OFF® PARTS CLEANER

C12532 - 946ml Bottle
C12501 - 3.78L Jug
C12520 - 20L Pail
C12545 - 208L Drum
Quickly breaks down heavy grease, oil, tar, hydraulic fluid, lubricants and grime



RAIN-X® ORIGINAL GLASS TREATMENT

36231 - 207ml Bottle
36232 - 473ml Trigger Bottle

RAIN-X® ORIGINAL PLASTIC TREATMENT

75016 - 355ml Trigger Bottle
Repels rain, sleet and snow. Ideal for both auto and marine.



SPRAY NINE® GARAGE FLOOR CLEANER

C11525 - 11.3kg Pail
Powerful alkaline detergent powder.



GUMOUT MULTI-SYSTEM TUNE-UP

30002 - 473ml Can
Cleans complete fuel system. For gas, ethanol, diesel and oil.



NEW GUMOUT ALL-IN-ONE DIESEL

30008 - 946ml
A complete fuel system treatment solution that helps restore performance by tackling carbon deposits on key engine parts and conditioning fuel to improve cold flow.

CIRCULATION HEATERS

SERIES 41



Applications:

- Industrial, Agriculture, and Off-Road

Features:

- Thermostatically controlled: Opens at 190°F (88°C), closes at 151°F (66°C)
- Vertical installation only. Dimensions: 2-3/4" x 8-1/2" (7cm x 21.6cm)
- Heavy Duty 3-wire 5 ft. (1.52m) attached cord, 2000W heater has 22" attached cord
- Rugged cast aluminum construction is corrosion and impact resistant



Part No.	Watts	Volts	Amps	Plug Configuration	Inlet/Outlet Size	Replacement Element	Thermostat
2204010	750	120	16	A	5/8"	2204061	2204266
2204029	1000	120	12	A	5/8"	2204088	2204266
2204037	1500	120	8	A	5/8"	2204096	2204266
3300091	2000	120	6	C	5/8"	3300093	2204266
Replacement Part	1000	240	24	B	–	–	2204266
Replacement Part	1500	240	16	B	–	2240126	2204266

View the complete line of circulation heaters in the Zerostart catalog at www.phillipsandtemro.com.

LIT PLUGS



Applications:

- Automotive industry and Light Truck

Features:

- LED Light is visible from 50' to monitor from a distance
- Visual que that indicates power to the heater
- Offered on popular aftermarket block and cartridge heater kits
- Cord may be purchased separately and added to existing heater
- CSA approved



Replacement Cords

Lit Cord	Std Cord	Cord Length
3600116	3600006	5" (1.52m)
3600117	3600005	5" (1.52m)
3600118	3600001	5" (1.52m)
3600119	3600082	5" (1.52m)
3600119	3600083	5" (1.52m)



Model year application available in the Zerostart catalog at www.phillipsandtemro.com.

CARTRIDGE HEATERS

Fits Dodge, Jeep and Chrysler Applications



Part No. 3100128
Replacement Cord: 3600120



Part No. 3100131
Replacement Cord: 3600121

Model year application available in the Zerostart catalog at www.phillipsandtemro.com.



HEAT MAGNET®



Part No. 3400017

- 200 Watt – 120 Volt AC
- Built-in thermostat maintains optimum temperature—will not exceed 250°F (121°C)
- Dimensions – 4-3/8" (11cm) (L) x 2-1/2" (6.3cm) (W) x 3" (7.5cm) (H) (including handle)



BLANKET STYLE BATTERY HEATERS



- 120 Volt AC operation
- Blanket style heater warms battery core to 60° – 70° above ambient temperature for quick starts
- Thinsulate™ thermal insulation helps maintain battery temperature in warm or cold weather
- Complete with 30" (76cm) grounded cord
- All battery blanket heaters are 5". (12.7cm) tall, 1/2". (1.1cm) thick

Part No.	Length	Wattage	Battery Size
2800055	28"	50	Series 26, 26R, 70
2800063	36"	80	Series 24, 24F, 27, 27F, 74
2800071	72"	160	Truck batteries, Series – parallel systems

Thinsulate™ is a registered trademark of 3M corporation.



INTERIOR CAR HEATER



Part No. 2600900

- Ideal for use in passenger, light-duty, and recreational vehicles
- 900 Watts – 120 Volt AC – 3,000 BTU
- Mounts on floor or under dash. Mounting bracket included
- Compact size: 7" (17.6 cm) (L) x 4.5" (11.3 cm) (W) x 2.75" (7 cm) (H)
- Cord length: 7.5 ft. (2.3 m)
- Includes a blower fan

Car Warmer Replacement Cord
Part No. 3600055





6-1/0 UNI
BATTERY TERM
880-11



8-1/0
UNIVERSAL
BATTERY TERM
880ST-11



1-4/0 HD UNI
BATTERY TERM
880HD-BP



TOP POST BRASS
QUICK DISC
887-11



6-1GA
BATTERY TERM
891N-11 NEG
891P-11 POS



3/8" MARINE BATTERY
TERMINAL
898N-BP NEG
899P-BP POS



3:1 BLACK DUAL WALL
SHRINK TUBE
30602-91
6" x 30 pieces



4:1 DIESEL RESISTANT
MAGMAFLO SHRINK TUBE KIT
30606-91
6" x 22 pieces



4:1 MAGMAFLO
SHRINK TUBE KIT
30607-91
6" x 22 pieces



ADHESIVE LINED DUAL
WALL 3:1 HEAT SHRINK
TUBE - BLACK
8330-A - 3/16"
8331-A - 1/4"
8332-A - 3/8"
8333-A - 1/2"
8335-43 - 1"



BLK SPLIT LOOM
5140-B - 1/4"
5141-B - 3/8"
5142-B - 1/2"



WRAP-ABLE SPLIT
TUBING
8424-0-44 - 1/4"
8426-0-44 - 1/2"
8427-0-44 - 3/4"



16G 12" LEAD
TRAILER CABLES
1871-BP - 2 Pins
1873-BP - 4 Pins



#9482-BP #9483-BP #9490-31
7POLE RV
9482-BP - TRAILER PLUG
9483-BP - TRAILER SOCKET
9490-31 - SOCKET BRACKET



6POLE 35A
9475-11 - Plug-No Spring
9476-11 - Plug-with Spring
9477-11 - Socket Car End



MAGMAFLO 4:1 HEAT SHRINK
TUBING
8361-43 - 6mm
8362-43 - 8mm
8363-43 - 12mm
8364-43 - 18mm



MAGMAFLO DIESEL RESISTANT
4:1 HEAT SHRINK TUBE
8381-43 - 6.60mm
8382-43 - 8.64 mm
8383-43 - 11.68 mm
8384-43 - 19.30 mm



7W PLUG TO 4W
FLAT FEMALE
7704-11



7W RV BLADE TO
4W FLAT
7717-11



HIGH AMP PANEL/
SURFACE MOUNT
3401-31 - 100AMP
3404-31 - 150AMP



STANDARD FUSE
FOOTPRINT - SNAP
OFF BLADE
3788-BP - 30AMP



TYPE I UNIVERSAL
BREAKER
3792-11 - 20AMP
3793-11 - 25AMP
3794-11 - 30AMP



TYPE I MIN FUSE
FOOTPRINT
9626-11 - 20AMP
9627-11 - 25AMP
9628-11 - 30AMP



OEM TERMINAL CRIMP TOOL
187-11
24-14 AWG



EXTRA HD CRIMP TOOL
365-11
22-10 AWG



4 IN 1 MINI CRIMP TOOL
370-11
12-20 AWG



WIRE STRIP TOOL
455-11
26-10 AWG



ANL HIGH AMP
FUSES
9811-11 - 100AMP
9812-11 - 150AMP



HIGH AMP FUSE
HOLDER
9800-31



ANM/AMG HIGH AMP
FUSES
9700-11 - 80AMP
9701-11 - 100AMP
9702-11 - 125AMP



ANM/AMG FUSE
HOLDER
9711-31



MIN BLADE FUSES
110-BP - 10AMP
115-BP - 15AMP
120-BP - 20AMP



WATER RESISTANT
IN-LINE MIN FUSE
HOLDER
131-11
16 AWG 15A



66' ALL WEATHER PVC
3466-0-RL
Black
RATED -10°C TO 80°C, 600V
3/4" WIDE x 0.007" THICK



PTFE THREAD SEAL TAPE
RATED -190°C TO 280°C
40' ROLL X 1/2" WIDE
3467-E



MIN BLADE
ADD-A-CIRCUIT
981-11



STANDARD BLADE
FUSES
964-BP - 10AMP
965-BP - 15AMP
966-BP - 20AMP



STANDARD BLADE
ADD-A-CIRCUIT
982-11



LOW PROFILE
BLADE FUSES
9945-14 - 10AMP
9946-14 - 15AMP
9947-14 - 20AMP



LP ADD-A-CIRCUIT
9950-11



MAX BLADE
FUSES
220-11 - 20AMP
230-11 - 30AMP
240-11 - 40AMP



PERFORMANCE
CABLE TIES
7295-36 - 7.5"
7296-36 - 11"
7297-36 - 14"
7298-36 - 14" HD
Rated TO -40°C
INCREASED UV PROTECTION



PERFORMANCE SELF
FUSING TAPE
3469-0-31
3469-5-31
NO ADHESIVE, TAPE FUSES
UPON ITSELF.



PRO-TORCH™
8247-31
2400°F (1300°C)



4 IN 1 BUTANE TORCH
8257-31
Use as a torch, soldering iron, hot
air blower or shrink tube tool.



IN-LINE MAX FUSE
HOLDER
206-11
8AWG 60A




MICRO 2 FUSES
10210-14 - 10AMP
10215-14 - 15AMP
10220-14 - 20AMP



MICRO 2
ADD-A-CIRCUIT
10200-11
16AWG 10A



MICRO 3 FUSES
10305-14 - 5AMP
10310-14 - 10AMP
10315-14 - 15AMP



MICRO 3
ADD-A-CIRCUIT
10300-11
16GA 15A



MICRO FUSE LINKS
10415-11 - 15AMP
10420-11 - 20AMP
10425-11 - 25AMP



7.5" 50 LB. CABLE TIES
7066-O-C UV black
7066-C Natural
70666N9-C Neon pink



15" HEAVY DUTY CABLE TIES
7068HD-O-C UV Black
7068HD-C Natural



METAL PAWL CABLE TIE
7256-36 - 7.5"
7257-36 - 11"
7258-36 - 14"



STAINLESS STEEL 14"
7272-34 - 120lb
7282-34 - 485lb



WEATHER PACK CONNECTORS & TOOLS
31503-91
90 pieces



RING CONNECTORS - #10 - VINYL INSULATED
1705-CS - red, 22-18 AWG
1805-CS - blue, 16-14 AWG
1905-CS - yellow, 12-10 AWG



7 PIN JUNCTION BOX
990-E



BUTT CONNECTORS - VINYL INSULATED
1700-CS - red, 22-18 AWG
1800-CS - blue, 16-14 AWG
1900-CS - yellow, 12-10 AWG



BUTT CONNECTORS HEAT SHRINK INSULATED
5800-CS - RED, 22-18 AWG
5900-CS - BLUE, 16-14 AWG
6000-CS - YELLOW, 12-10 AWG



DEUTSCH DT SERIES CONNECTORS & TOOL
31505-91
39 pieces



INDUSTRIAL GRADE ELECTRICAL PLUGS
8956-11 - Female
8957-11 - Male



3 CONDUCTOR SERVICE CORD 100'
8905-C - 14/3 AWG
Black - Green - White



2 CONDUCTOR AUTOMOTIVE GREY JACKETED WIRE 100'
8147-C - 16/2 AWG
8148-C - 14/2 AWG



WELDING CABLE 100' RATED -50°C TO 105°C 600V
8059-C - 2/0 AWG



GPT INSULATED PRIMARY WIRE 100'
8114-O-C - 14 AWG, BLACK
8114-5-C - 14 AWG, RED



RED INDICATOR LIGHT
9414-BP
12V



MINI BATTERY SWITCH
32V DC
9420-11 - 200 AMPS
9421-11 - 300 AMPS



METAL BAT HANDLE SWITCH
SPST
9432-11 - 12V 20A



METAL BAT HANDLE SWITCH
SPST
9435-11 - 12V 25A



HEAVY DUTY TOGGLE SWITCH
6-24V @ 50A
9436-BP



UL 588 HEAVY DUTY MASTER BATTERY DISCONNECT
6-36V 190 AMPS
9449-11



MASTER BATTERY DISCONNECT
12V DC 350 AMPS
9450-11



HEAVY DUTY PUSH BUTTON HORN
9452-11



WEATHER RESISTANT PRE-WIRED SWITCH
SPST
9459-11
24V @ 15A/12V @ 25A



12V SOLENOID CONTINUOUS DUTY SWITCH
9497-11



GENERAL PURPOSE
925-11
40/30A 12V DC



GENERAL PURPOSE RELAY & PIGTAIL
926-91
40/30A 12V DC



WEATHER RESISTANT SEALED RELAYS
927-11
40/30A 12V DC



WEATHER RESISTANT RELAY & PIGTAIL
928-91
40/30A 12V DC


Celsius[®] by Prestone[®]

Extended Life Antifreeze/Coolant



A silicate and phosphate-free formula specially developed for all gasoline and diesel powered cars, light and heavy-duty trucks, farm, off-road and marine engines.

Celsius[®] Concentrate



11551 - 3.78 L
11568 - 205 L

Features & Benefits

Compatible with **ANY** antifreeze/coolant in **ANY** vehicle with aluminum and other engine metals.
May be added to **ANY** colour antifreeze/coolant.
Can be re-inhibited using Supplemental Cooling Additives (SCA) (for topping off conventional coolants) or Extender (when used with other extended life HD coolants).
Low dissolved solids.

Application


Meets ASTM D 3306 and D 4985. Suitable for use in **ANY** car or truck. Provides extended life protection for up to 5 years or 250,000 km for cars and light duty trucks* when added to any extended life coolant. A maximum 70/30 or minimum 50/50 mix of Celsius[®] Extended Life Antifreeze/ Coolant and de-mineralized water should be used to ensure proper freeze/boil protection and proper concentration level of inhibitors is being provided. For heavy-duty diesel applications, an initial charge of Extender, SCA and/or pre-charge spin-on water filter is required.

* - Compatible with other extended life and conventional coolants (heavy-duty coolant users must continue to add Extender or SCA based on treat rates recommended by the engine manufacturer. Dilution with conventional coolants will reduce extended life benefits).
- Always consult owners manual to determine the specific maintenance, change over intervals, and Extender/SCA treat rate (HD application only) for your vehicle.

Composition by Weight		Typical Values
Ethylene Glycol		93.8%
Soluble Inhibitors (Anhydrous)		4.2%
Total water		2.0%
Dyes (Green)		Trace
Properties		
Colour		Light Green
Odour		Characteristic
Ash Content	ASTM D 1119	1.20% by weight
pH	ASTM D 1287	
33% by Volume Solution		8.6
50% by Volume Solution		8.7
Reserve Alkalinity	ASTM D 1121	11.0
Specific Gravity at 20/20°C	ASTM D 1122	
33% by Volume Solution		1.0468
50% by Volume Solution		1.0687
Freezing Point	ASTM D 1177	
50% by Volume Solution		-37.0°C (-34.0°F)
Boiling Point [†]	ASTM D 1120	
50% by Volume Solution		108°C (226°F)
Flash Point (Tag Open Cup)		
70% by Volume Solution		None
Foam Test	ASTM D 1881	50 mL max., 1 second max break time
Average Net Weight/Gallon at 20°C (68°F)		4.2 kg (9.3 lbs.)

[†]Under standard pressure

Celsius[®] Pre-mixed



11576 - 3.78 L

Features & Benefits

Compatible with **ANY** antifreeze/coolant in **ANY** vehicle with aluminum and other engine metals.
This premixed formula can be used in **ANY** make or model of automobile or light duty truck on the road, foreign or domestic and mixes with **ANY** colour antifreeze/coolant.
Since there is no need to mix, measure or add water, your car or light duty truck will enjoy the benefits of this blend of premium long lasting inhibitors to guard against temperature extremes and the ravages of rust, corrosion and premature water pump failure as soon as it is poured into the radiator or overflow tank.

Application

Meets ASTM D 3306 and D 4985. Suitable for use in **ANY** car or truck. This mixture of 50% antifreeze/coolant and 50% specially demineralized water will protect your vehicle's cooling system for up to 5 years or 250,000 km with a complete flush and fill.* For heavy-duty diesel applications, an initial charge of Extender, SCA and/or pre-charge spin-on coolant filter is required.

* - Compatible with other extended life and conventional coolants (heavy-duty coolant users must continue to add Extender or SCA based on treat rates recommended by the engine manufacturer. Dilution with conventional coolants will reduce extended life benefits).
- Provides extended life protection for up to 250,000 kms or 5 years with complete flush and fill.

Composition by Weight		Typical Values
Ethylene Glycol		51%
Total water		49%
Dyes (Green)		Trace
Properties		
Colour		Light Green
Odour		Characteristic
Ash Content	ASTM D 1119	.58% by weight
pH	ASTM D 1287	
50% by Volume Solution		8.7
Reserve Alkalinity	ASTM D 1121	6.4
Specific Gravity at 20/20°C	ASTM D 1122	
50% by Volume Solution		1.0687
Freezing Point	ASTM D 1177	
50% by Volume Solution		-37.0°C (-34.0°F)
Boiling Point [†]	ASTM D 1120	
50% by Volume Solution		108°C (226°F)
Flash Point (Tag Open Cup)		
50% by Volume Solution		None
Foam Test	ASTM D 1881	50 mL max., 1 second max break time
Average Net Weight/Gallon at 20°C (68°F)		4.04 kg (8.9 lbs.)

[†]Under standard pressure

WASH & WAX CONCENTRATE



12022 - 20L

41205 - 4L

INDUSTRIAL STRENGTH PRESSURE WASHER CLEANER / DEGREASER CONCENTRATE

TOUGH ON
Grease, Grime & Stains!



28320 -20L

28316 -4L

GLASS CLEANER

27416 -990ml

28416 -4L



INDUSTRIAL STRENGTH CLEANER / DEGREASER

For use on:
Windows, mirrors, counter tops,
appliances, stainless steel, chrome,
fixtures, plexi glass



29416 -20L

26416 -4L

25416 -990ml

Uses:
Automobiles,
garages, marine, RVs,
ATVs, motorcycles,
household

**BESTBUY
PRO**

www.ptcauto.com

PTC Your Partners
For Profit

Boating, Lawn & Garden, Snowmobiling, Farm or any of your trailer needs.
Make sure you're ready with PTC Trailer Hub Kits and Brake Assemblies.



- ✓ Kits include pre-assembled bearings and seals for a complete repair.
- ✓ Fix the cause; not just the symptom. If the bearing is bad, so is the hub. So replacing both is the best long term solution.
- ✓ Trailer Hub Kits are field serviceable

Trailer Hub Kits		Trailer Hub Kit Includes						PTC Hub Kit Replaces
PTC #	Description	Hub	Cotter Key	Seal	Studs	Dust Cap	Bearing	
411250	Fits 1" Spindle w/4 Studs	1	1	PT203025	4	1	PTL44643 PTL44610	Dexter 008-091 Bass Pro 13100 Red Neck 34822
581750	Fits 1-3/8" taper to 1-1/16" Spindle w/ 5 Studs	1	1	PT442251	5	1	PTLM78349 PTLM78310 PTL44649 PTL44610	Dexter 008-248 Bass Pro 13511 Red Neck 84545
512590	Fits 1" Spindle w/5 Studs	1	1	PT203025	5	1	PTL44643 PTL44610	Red Neck 348225bx Redtrailer 156b Shipshape 13210
511655	Fits 1-1/16" spindle w/ 5 Studs	1	1	PT203025	5	1	PTL44649 PTL44610	Red Neck 8-259-UCI Redtrailer 156B Shipshape 13311 Valmar 80582 Carryon 155



Trailer Wheel Bearing Protectors		Bearing Protector Kit Includes	
PTC #	Description	Wheel Protector	Grease Fitting
1980SS	fits 1.980" Hub Grease Cap Diameter	2 "Stainless Steel" trailer wheel bearing protectors	Grease fitting to permit longer bearing life

- ✓ Protect your wheel bearings from the elements to extend bearing life
- ✓ Serviceable grease fitting helps extend bearing life



Disc Brake Red Calliper Wall Clock

BESTBUY CLOCK
BBP CLOCK

What a great way to tell time! The 12" aluminum disc face houses a clock featuring all quartz movement and a contrasting brake caliper.

BESTBUY

RAPIDFIX[®] DUAL ADHESIVE SYSTEM

6104FR 10ML



**WILL NOT
Dry Out in Bottle
Guaranteed for
12 Months!**

RapidFix combines an Instant Adhesive with a Welding Powder and together they repair almost anything!

The RapidFix Dual Adhesive System has a wide range of applications. It can bond almost any material to itself or to another material.

Will not dry out in the container

- High Strength-bonds in seconds
- Bonds instantly to most materials
- RapidFix can be filed, ground, drilled and painted instantly
- Adhesive dries crystal clear

On The Go.



On the road, make emergency repairs to rubber, plastic, glass, metal, fiberglass, and more. Makes super-strong bonds quickly and easily.

At Home.



Around the house, garage, or workshop, repair wood, plastics, rubber, ceramics, tile, glass, metals, fiberglass and more.



At Work.



Save time and money by making easy repairs rather than costly replacements. Fill holes, then sand, drill, and paint a repair instantly.

At Play.



On water, in the woods, or riding the trail, take RapidFix with you. With endless versatility you can make repairs that may keep you from being stranded.



COAT & PROTECT

- Coats and Protects New & Old Metals
- Wear Resistant Corrosion Protection
- Heavy Duty Lubrication
- Resists Severe Weather Conditions

- Enduit et Protège le métal neuf et ancien
- Protège contre la corrosion et résiste à l'usure
- Offre une lubrification ultra-résistante
- Résiste aux intempéries

Part # 10025 / 350 g – 12.3 oz
Part # 10024 – 4 L – 1.06 gal U.S.



THE TEAM THAT BEATS RUST



RUST INHIBITOR

- Protects New & Old Metals
- Deep Penetrating & Long Lasting
- Lubricates and Prevents Seizing
- A Proven Canadian Product Since 1973

ANTIROUILLE

- Protège les métaux NEUFS et USAGÉS
- Pénètre en profondeur et dure longtemps
- Lubrifie et prévient le grippage
- Un produit canadien qui a fait ses preuves depuis 1973

Part # 1054 / 350 g – 12.3 oz
Part # 1043 / 180 g – 6.34 oz
Part # 1044 / 4 L – 1.06 gal U.S.



RUST CONVERTER

Quickly converts rusted surfaces from all metals to a paintable primer. Ideal for use on automobiles, trucks, bicycles, tools, barbecues and all metal rust. Leaves a protective coating that inhibits further rust formation and prepares the surfaces for paint.

TRANSFORMATEUR DE ROUILLE

Transforme rapidement la rouille sur les surfaces métalliques en un apprêt qui peut être peint. Idéal pour les autos, les camions, les vélos, les outils, les barbecues et toutes les surfaces métalliques rouillées. Laisse une couche protectrice qui empêche la rouille de se propager et prépare les surfaces pour l'application de peinture.

Part # 11006 / 283 g – 10 oz

1-888-RUSTIES
www.rustcheck.com



/rustcheckHQ



Battery Maintainers



1.5 AMP AUTOMATIC "BATTERY COMPANION"
WITH 3 LEDS AND QUICK DISCONNECT
SC1355



3A 6V/12V AUTOMATIC BATTERY
CHARGER/MAINTAINER
SP1356

Ideal for motorcycle batteries • Charges small batteries and keeps stored lead-acid batteries charged • Microprocessor controlled



1.5 AMP BATTERY CHARGER
SC1300
Keeps 6 & 12 volt batteries charged. Fully automatic.

DSR PRO SERIES - Professional Grade Shop Products

DSR PROBOOSTER

BATTERYLESS JUMPSTARTERS

- Microprocessor Controlled
- Built-in Voltmeter
- BYPASS Mode to start engine without any battery mounted
- GLOW Mode for cold start of diesel engine



DSR108
450 CCA
100 Second Quick-Charge

DSR109
800 CCA



120 Second Quick-Charge

BATTERY CHARGERS



DSR117
12V 10A ProSeries
Rapid Charger



DSR118
6V/12V 125A ProSeries Battery
Charger/Engine Starter

10/50/125/250A 6/12V
MANUAL PROSERIES WHEEL
CHARGER W/ENGINE START
DSR122 (PSW-2550)
• 250 / 125 / 50 / 10 Amps
• Charges 6 and 12 Volt Batteries
• 2 1/4 hour timer



250/150A 6/12/24V MANUAL PROSERIES
WHEEL CHARGER W/ ENGINE START
DSR123 (PSW-61224)

- Charges 6, 12 and 24 Volt batteries
- 80/40 amp rates – for 6 volt battery systems
- 60/35/1.5 amp rates – for 12 volt battery systems
- 30/10 amp rates – for 24 volt battery systems

WHEEL-STYLE STARTER/CHARGER
DSR124 (PSW-70300A)

- Fully Automatic or Manual
- For standard and AGM Batteries
- High Performance for 12V Battery Systems
- Over-sized heavy-duty selector switches



1800 PEAK AMPS PORTABLE
POWER WITH 18AH
INTERNAL BATTERY
DSR119 (PSJ-1812)

Schumacher Consumer Products - Farm & Agriculture



WHEEL-STYLE STARTER/
CHARGER
SC1352 (SF-3000)
200 amp 80 amp 60 amp
44 amp 30 amp



6/4/2 AMP BATTERY
CHARGER/MAINTAINER
SC1357 (SCF-600A)

10/40/200A 12V MANUAL
WHEEL CHARGER WITH
ENGINE START
SC1324 (SF-2001)
200A engine start | 40A rapid
charge | 10A medium charge.
For extreme engine starting,
charging and rugged use.



10/30/200A 6/12V
MANUAL BENCH TOP
CHARGER W/ENGINE
START
FR01335 (SF-200-30)



2/10A 12V MANUAL TRADITIONAL CHARGER
SC1339 (SF-1010-2)
This is the versatile dual-rate manual charger for 12 volt batteries. Has a trickle charge for those overnight jobs and amp rate for faster, regular charging

WHEEL-STYLE STARTER/
CHARGER
SC1325 (SF-4022)
200 AMP 40 AMP 10 AMP
2 AMP



UNDERHOOD LITHIUM LIGHT
SL176



15-LED RECHARGEABLE MAGNETIC
WORK LIGHT
SL197U



LITHIUM ION 360° LED
CORDLESS WORK LIGHT
SL360
Available in red, green or black



360° LED CORDLESS WORK LIGHT
+ MAGNETIC TORCH
SL26R/G/B
Available in red, green or black





www.seafoamsales.com

WORX® Environmental Products, Inc.



SEA FOAM MOTOR TREATMENT

THE CHOICE OF MECHANICS FOR OVER 70 YEARS

Make the proven choice! It's no wonder mechanics everywhere rely on this product every day. Sea Foam Motor Treatment has withstood the test of time. It is a petroleum-based cleaner, lubricant, stabilizer, and moisture controller that maintains fuel and oil system components. It will not harm engine components, seals, gaskets, catalytic converters or oxygen sensors. Sea Foam Motor Treatment should be a staple in everyone's garage!

SF-16 - 473ml

SF-128 - 3.78L



TRANS TUNE

PUT THE PERFORMANCE BACK INTO YOUR TRANSMISSION, POWER STEERING OR HYDRAULIC SYSTEMS.

TT-16

Over time transmissions naturally accumulate varnish, deposits, and moisture. These contaminants may cause erratic or rough shifting. Before a costly repair try Trans Tune. It is easy to use and effective.



DEEP CREEP

SAVE TIME AND EFFORT. EFFECTIVELY USE THIS MULTI-USE PENETRATING LUBRICANT ON HUNDREDS OF SHOP AND HOUSEHOLD ITEMS.

DC-14

Loosening road tar, rust and grease is tough work! Deep Creep's fast-acting, petroleum-based formula outperforms all of the leading penetrating sprays.



SEA FOAM SPRAY

INDUSTRY LEADING TOP ENGINE CLEANER & LUBE

SS-14

Engine problems can be frustrating. Sea Foam Spray's ability to clean and maintain gasoline engines will help solve them! Safely clean air intake systems, throttle bodies, intake valves, and combustion chambers. Lubricate throttle plates and bushings. Fog and store carbureted and fuel-injected engines quickly and efficiently. As an added benefit, Sea Foam Spray is safe to use on coated parts and oxygen sensors. Experience a better running engine; try Sea Foam Spray!

BUGS-B-GONE

EFFORTLESSLY CLEAN AND SHINE THE MOST STUBBORN OF SURFACES

Cleaning bugs, sap, and grime from auto and marine surfaces is no small task. Save time and energy using a superior product! Meticulously formulated to give a "good as new" look, Bugs-B-Gone is the best bug remover and cleaner you will find. Without harming the surface, Bugs-B-Gone neutralizes the acidity in bug remains, exhaust soot, and road grime in order to loosen and remove them in seconds.

BBG-1 - 473ml

BBG-4 - 3.79L



HAND CLEANERS • SURFACE CLEANERS • DEGREASERS

WORX® Biodegradable Hand Cleaner



Impulse Counter Display
1.85oz / 52.5g (Case 24) SKU: 11-1224
Sampler size contains 35 hand washes. Counter display box included.



6.5oz / 184g (Case 12) SKU: 11-1650-12
Contains 150 hand washes, and is a convenient size to leave by a sink.



1lb / 454g (Case 4) SKU: 11-1104
This popular size contains 320 hand washes and is handy by a sink, or as a refill for our one pound Home Dispenser (Code 11-9965).



3lb / 1362g (Case 4) SKU: 11-1300
Convenient and economical, contains 950 hand washes one bottle is equivalent to 4 gallons of a liquid hand cleaner! Use with Shop Dispenser (Code 11-9995).



4.5lb / 2040g Bottle (Case 4) SKU: 11-1450
Each 4.5lb bottle contains a generous 1450 hand washes and is equivalent to 6-7 gallons of a typical liquid hand cleaner. One full bottle will last one mechanic a year! Use with the Industrial Dispenser (Code 11-9999) or Shop Dispenser (Code 11-9995).



WORX® One Pound Dispenser Kit
Case 4 SKU: 11-9965
Compact and easy to install. Designed for use in smaller locations. Comes with on 6.5 oz bottle of product and dispenser. Refill using WORX® 1 lb size (Code 11-1104).



WORX® Shop Dispenser
Each SKU: 11-9995
Compact and easy to install. We recommended using the 3 lb (Code 11-1300) or 4.5 lb (Code 11-1450) with the shop dispenser.



WORX® Industrial Dispenser
Each SKU: 11-9999
Heavy-duty design, easy to install. Turn knob to dispense. Use with any size of WORX® Biodegradable Hand Cleaner (4.5 lb fills reservoir). Comes with easy installation and hand washing instructions. Recommended using the WORX® 4.5 lb size (Code 11-1450) with the Industrial dispenser.



This product meets Green Seal™ Standard GS-43B based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org

WORX® Waterless-BIT Hand Cleaner



Impulse Counter Display
3.38oz / 100ml (Case 24) SKU: 26-1024
Sampler size contains 25 hand washes. Counter display box included.



16 oz / 73 ml (Case 6) SKU: 26-0616
Handy when you have limited storage space. Place it in a toolbox, bring it with you on the job or use it by a sink! Contains a 135 hand washes, and requires only a small amount of product to be effective.



32 oz / 945 ml (Case 4) SKU: 26-0432
Convenient and economical, use on the job, or by the shop sink! Contains a generous 270 hand washes, is concentrated, and will out last the competition on a cost per use basis.



1 gal / 3.78 L (Case 4) SKU: 26-0401
The one gallon (3.78 L) bottle is our most economical size, commonly used in medium to large size facilities. Each gallon bottle contains a generous 1080 hand washes, and requires only a small amount of product to be effective.

Optional industrial dispenser is available (Code 26-9999).



WORX® Waterless-BIT Hand Cleaner Dispenser
Each SKU: 26-9999
WORX® Waterless 1 Gallon Dispenser is tough and saves on counter space.

ATTAX® Surface Cleaners



ATTAX® Light-Duty Surface Cleaner
1 gal / 3.78 L (Case 4) SKU: 17-0401
Removes carbon, soot, graphite, light oils, grease, soil and protein deposits in the various industry applications.



ATTAX® Heavy-Duty Surface Cleaner
1 gallon / 3.78 L (Each) SKU: 18-0401
A highly effective heavy-duty surface cleaner designed to vigorously penetrate and emulsify oils, grease, animal fats and more.

ATTAX® Surface Cleaners, meets and/or exceeds today's green environmental standards without compromising on performance.

ATTAX® Heavy-Duty Degreasers



16 oz / 450 g (Case 12) SKU: 19-1216
Performs above and beyond ordinary industrial degreasers. A powerful formula that breaks down hydrocarbons even when soil, mud and sand are present. ATTAX® Heavy-Duty Degreaser meets or exceeds today's environmental standards without compromising on performance.

WORX Environmental Products Inc.* is proudly an ISO 9001:2008 certified company.

Our success doesn't only rely on great quality products, it's largely due to our dedicated staff, loyal customer base, quality distributors and passionate charitable endeavours!



Premium Performance • Safer For Users • Green Certified • Cost Effective



www.worx.ca

'WORX...No Other Brand Offers More!'

Copyright ©2017 WORX Environmental Products Inc. * All rights reserved



1-800-424-9679



Do you want to help customers see better and drive safer?

SYLVANIA Automotive Lighting has options for an improved driving experience

SYLVANIA zXe®

HID Attitude // Xenon Fueled

- The perfect balance of performance and style.
- Cobalt blue nano coating technology to deliver our **whitest halogen***
- Mirror Top alloy coating
- 100% street legal and DOT approved



SYLVANIA SilverStar® ULTRA

Farthest Downroad and Whiter Light*

- Whiter color*
- Most downroad*
- More clarity*
- For ULTRA night vision
- Does not increase glare



SYLVANIA SilverStar®

Farther Downroad and Whiter Light*

- Whiter color*
- More downroad*
- More clarity*
- Does not increase glare



SYLVANIA XtraVision®

Farther Downroad*

- More downroad*
- Does not increase glare



Miniature Replacement Bulbs

SYLVANIA LEDs

- Direct Replacement for incandescent bulbs
- 77 bulbs covering 94% applications

SYLVANIA ZEVO®

- LIFETIME WARRANTY**
- Superior quality
- Longer Life than incandescent bulbs
- Low power consumption



SYLVANIA LED

- Longer Life than incandescent bulbs
- Low power consumption



www.torinjacksusa.com

TORIN
www.torinjacks.com



BOTTLE JACKS

With high quality glide action pressure pump, these powerful jacks make big loads easy to lift. Handle included.

T90203B	2 ton	T91207A	12 ton (Low Profile)
T90403B	4 ton	T92007A	20 ton (Low Profile)
T90603B	6 ton	T92003B	20 ton
T90803B	8 ton	T93007	30 ton
T91003B	10 ton	T95007	50 ton
T91203B	12 ton		



1500LB MOTORCYCLE JACK

T64017

This versatile motorcycle jack is the answer to all your motorcycle/ATV lifting needs. Lift any small vehicle from your bike to an ATV or even a snowmobile.

PRO-SERIES 3.5 TON ONE PUMP FLOOR JACK

T83012

Lifting Range 5.75" - 19.75"

Gross Weight 88 lbs.



PRO-SERIES 5500 2.75 TON FLOOR JACK

T82751

Lifting Range 5.12" - 19.3"

Gross Weight 78 lbs.



PRO SERIES 6000 3 TON TORIN FLOOR JACK

T83002

Lifting Range 5.12" - 20.1"

Gross weight 83.8 lbs.



5 TON LONG CHASSIS SERVICE JACK

T80501

Torin® Heavy-duty long frame floor jacks are an integral part of any shop that works on medium duty equipment and trucks. Ideal for lifting heavy trucks, buses, agriculture and constructions equipment.

JACK STANDS

T42002	2 ton
T43002A	3 ton
T46002	6 ton
T41202	12 ton



*Compared to only SYLVANIA BASIC
** See Package for details

SYLVANIA Automotive

BESTBUY



3.5 GALLON PARTS WASHER T10035

For use on work benches around the shop. All parts are manually cleaned using a flow-through brush. Solvent drains through the sink tray into the reservoir.

6 WHEEL SHOP CREEPER TR6500

All steel construction
6 Wheel durable rotating casters
Padded bench



PYRAMID WHEEL CHOCK 671-1047 6 x 10 x 8




CONTOUR WHEEL CHOCK WITH HOOK 671-1048 8 x 7 x 10"

ENGINE STANDS

T25671 - 1250lbs

Sturdy design prevent these engine stands from tipping while holding the block. Front swivel castors allow you to move and position engine exactly where you need it. Four adjustable arms and 360 degree rotation allow for easy mounting.



2 TON FOLDABLE ENGINE HOIST T32001

Heavy-duty folding engine hoist has a lifting range from 1 in. to 93 3/4 in. Features a 4-hole position boom, heavy-duty 8-ton long ram, 6 wheels for added mobility and foldable design for easy storage.



WHEEL CHOCK WITH SAFETY HANDLE 671-1050 8 x 10 x 7.5"



HEAVY DUTY TRIPLE HEADER MUD FLAP 671-4093 24 x 24 / 27 / 30" Stock one mud flap, cuts down to 2 other sizes


SHOP PRESS

T51201 - 12 ton

Torin® Heavy-duty H-frame design incorporates the strength and perfection needed for straightening, stamping, bending and pressing any component that is hard to handle.



PORTA POWER T70401 4 ton T71001 10 ton



48" Farm Jack TR6501B

Multi-functional tool is great for lifting tractors or heavy trucks, pulling posts and poles, and even serves as an all-purpose hoist or winch. Rating establish an a height of 1 foot. Ratcheting design with capacity: 3-1/2 ton, maximum height 48" and minimum height 6"

PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!


Advertise Your Company!

Your company
name and logo!



MUD FLAPS 671-8156-01 9 x 16"

Fits large cars, Pickup
trucks, SUVs, Jeeps,
and Vans.



TRIPLE HEADER MUD FLAP 671-8093-01 24 x 24 / 27 / 30"

Your company
name and logo!

Fits truck bodies, tow trucks, HD trucks & trailers



www.wd40.com
www.wd40specialist.com
www.3in1.com

www.wd40.com
www.wd40specialist.com
www.3in1.com



WATER RESISTANT SILICONE LUBRICANT 01179

- Lubricates, waterproofs and protects.
- Quick-drying with no messy residue.
- Effective temperature range from -73° C to 260° C.



HIGH PERFORMANCE WHITE LITHIUM GREASE 01180

- Ideal for metal-to-metal applications that require heavy-duty lubrication and protection against rust and corrosion.
- Won't freeze, melt or run off.
 - Effective in temperatures from -18° C to 149° C (0° F to 300° F).



- ### MULTI-PURPOSE DRIP 3-IN-ONE®
- with its special drip spout, is perfect for applications that require precise control for lubrication and rust prevention.
- 01135 88.7ml
01138 236ml



- ### MOTOR OIL DRIP 01145
- Engineered for 1/4 HP motors or larger
 - Special blend of high-grade oils that's equivalent to SAE 20
 - Oil formulation is ideal for lubricating the moving parts of electrical motors



RUST RELEASE PENETRANT SPRAY 01178

- Fast acting.Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together



MACHINE AND ENGINE DEGREASER FOAMING SPRAY 01206

- Deep penetrating foaming action.
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new.
- Powerful stream sprays up to 5 feet



- ### MULTI PURPOSE TELESCOPING SPOUT 01216
- Telescoping Marksman Spout
 - 15cm spout extension for hard to reach places
 - Ergonomically shaped for ease of use and balance



DIRT & DUST RESISTANT DRY LUBE PTFE SPRAY 01209

- Quick drying PTFE formula provides superior lubrication and long-lasting corrosion protection with no oily residue.
- Resists dirt, dust and oil.
 - Ideal for releasing molded parts.



SPRAY & STAY GEL LUBRICANT 02221

- Prevents rust for up to 1 year
- Thick gel lubricant
- Stays where you spray it
- 12x longer lasting lubrication
- No drip, No mess
- Ideal for vertical surfaces
- 50-state VOC compliant



- | | |
|----------------------------|-------|
| GARAGE DOOR LUBE | 02252 |
| SILICONE LUBRICANT | 01141 |
| HIGH PERFORMANCE PENETRANT | 01140 |
| WHITE LITHIUM GREASE | 01142 |



THE SAFER WAY TO POWER CLEAN:

NEW INDUSTRIAL-STRENGTH CLEANER & DEGREASER

- All-new water-based, non-aerosol formula proven to be more powerful, safer, and easier to use than other degreasers.
- Powerful bio-solvent action with no messy diluting
 - Won't harm sensitive surfaces like aluminum, copper and glass
- 01231 - 709ml, Refillable
01233 - 946ml
01235 - 3.78L



PRODUCT BENEFITS AND FEATURES:

3in1 Garage Door Lube – 311g
High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess.Works fast, quick drying.

3in1 Silicone Spray – 311g
• Ideal for metal-to-metal applications, preventing rust and corrosion, Sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, High performance lubrication,
• Quick drying, no mess formula.

3in1 Penetrant Spray – 311g
• Fast acting formula, Loosens stuck parts, Frees rusted nuts and bolts.
• Ideal for use on nuts, bolts, threads, licks, chains and rusted things that are stuck and won't move.

3in1 White Lithium Grease Spray – 290g
• Dries fast and leaves a clear, non-staining film without stickiness or messy residue, Safe for temperature ranges between - 73 ° C to 260 ° C, Non drip formula, Water and heat resistant,
• Prevents rust and corrosion; long lasting, heavy duty lubricant.



www.wd40.com
www.wd40specialist.com
www.3in1.com

www.westernweld.com



WD-40® MULTI-USE PRODUCT

WD-40® Multi -Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, dissolves adhesives and lubricates just about anything.
WD-40® Multi -Use Product - Problem Solved. Job Done Right™



01161 - 85g
01218 - 155g
01111 - 311g
01432 - 325g Smart Straw
01110 - 3.785L
01219 - 591ml Trigger Pro Non Aerosol
01204 - 18.9 Litre Pail
01100 - Spray Applicator (empty)
01627 - 408g EZ-Reach™



SPOT SHOT® INSTANT CARPET STAIN REMOVER

- Removes even tough OLD stains!
- Removes tough carpet stains without scrubbing!
- Works great on Red Wine, Blood, Grape Juice, Cola, coffee and many more!

00927 - 496g
00932 - 650ml Regular
00936 - 650ml Pet



2000 FLUSHES AUTOMATIC TOILET BOWL CLEANER

- 2000 Flushes® is the FIRST long-lasting anti-bacterial automatic toilet bowl cleaner
- Improved, concentrated tablet delivers continuous cleaning action to sanitize, clean and deodorize

90102 - 100g Blue Plus Detergent
90616 - 35g Chlorine
90801 - 100g Blue Plus Bleach

HEAVY DUTY STRING INSERTS

PART#	DESCRIPTION	INCHES-MM	BOX
ST1930	Brown String	4" (102mm)	30
ST1933	Brown String	4" (102mm)	60
ST1934	Brown String	8" (204mm)	30

"EZY-SEAL" BLACK TIRE CORDS

PART#	DESCRIPTION	INCHES-MM	BOX
WS9R	Cord	7 1/4" (186mm)	50

STRING INSERTING TOOLS (SPLIT-EYE)

PART#	DESCRIPTION
TST	Chrome Plated T-Handle with 3"
WRN35	Replacement needle for TST, 3-1/2"
WRN45	Replacement needle for TST, 4-1/2"
SEPG	Pistol Grip short split-eye

STRING REPAIR / REPAIR KIT

PART#	DESCRIPTION
PS40	4" Brown String Repairs (40)
PS30	HD Inserting Needle 3"
WS12R	String 7.25" Black Box/50Ezy
RK10	Repair Kit
RK20	Repair Kit
TS60K	Tire Repair Kit

PATCH/PLUG QUILL-TYPE COMBINATION REPAIRS

PART#	REPAIR SIZE	STEM SIZE	BOX
Q6	2" (51mm)	1/4" (6mm)	24
PP6H	Patch/Plug Lead Wire Dipped S		
BD6	2" (51mm)	1/4" (6mm)	2

TUBE REPAIRS (PLASTIC BACKED)

PART#	DESCRIPTION	INCHES-MM	BOX/TUB
RB30	Medium Round	(2 1/8") (55mm)	30
RB20	Large Round	(3 1/8") (80mm)	20
WW7H	Round Tube Repairs		3 Sizes
WW8H	3 Sizes Round Radial Repairs		

UNIVERSAL ROUND REPAIRS (PLASTIC BACKED)

PART#	DESCRIPTION	INCHES-MM	BOX/TUB
WR0	Small Round	(1 9/16") (40mm)	35
WR2	Medium Round		10
WR4	Medium Round	(2 1/8") (55mm)	30

SPIRAL PROBE TOOLS

PART#	DESCRIPTION
TSPRB	Chrome Plated T-Handle spiral probe
PRBR	Replacement spiral probe for TSPRB
SPPG	Spiral Probe Tool

MARKING CRAYONS

PART#	DESCRIPTION
WB12	White Crayons
WB2H	White Crayons (2)
YC12	Yellow Crayons

CEMENTS

PART#	DESCRIPTION
SV8	Self-Vulc Cement, 8 oz. (235ml)
SV8BL	Blue Fast Dry Cement, 8 oz. (235ml)
SV32	Self-Vulc Cement, 32 oz. (945ml)
SV32BL	Blue Fast Dry Cement, 32 oz. (945ml)

BUFFING SOLUTION

PART#	DESCRIPTION
BU32	Redi-Buff, 32 oz. (945ml)

BEAD SEALER

PART#	DESCRIPTION
BS32	Black Bead Sealer, 32 oz. (945ml)

STITCHER

PART#	DESCRIPTION
110B	Ball bearing stitcher 1/8"



PRODUCT	SUPPLIER	PAGE
Adhesives.....	Norton, RapidFix.....	81, 101
Air Conditioning & Cooling.....	CPS, Rislone.....	26-27, 104
Air Fresheners.....	Car-Freshener.....	16
Air tools.....	Milton.....	73
Alignment Shim.....	Dorman.....	36
Anti-Freeze Tester.....	EZ Red.....	38
Antifreeze.....	Prestone.....	98
ATF Conditioner.....	Lucas Oil.....	68
Automotive fasteners.....	H Paulin.....	54
Batteries.....	Rayovac.....	102
Battery Blankets.....	Phillips & Temro.....	91
Battery Chargers.....	Schumacher.....	108-109
Battery Hydrometer.....	EZ Red.....	38
Battery Maintainer.....	Schumacher.....	109
Bed Liner.....	Plasti-Kote.....	96
Blades.....	Irwin Tools.....	61
Body Repair Kits.....	Strongarm.....	112
Booster cables.....	Pico.....	92
Boot Kits.....	Dorman.....	36
Bottle Jacks.....	Strongarm.....	112
Brake Cleaner.....	CRC.....	28
Brake Fluid.....	Flo-Perm, Lucas Oil.....	39, 69
Brake lines.....	FMSI.....	41
Brake pad abutment clips.....	Carlson.....	17
Brooms.....	M2 Professional.....	70-71
Brushes.....	M2 Professional.....	70-71
Cable Ties.....	Pico.....	95
Caliper Bolts.....	Carlson.....	17
Carpet Stain Remover.....	WD-40.....	120
Catalytic Converter.....	AP Exhaust.....	6
ChainCase oil.....	Lucas Oil.....	69
Chains.....	Ancra.....	4
Chemicals.....	CPS, CRC, FMSI.....	27, 28-29, 41
Cigarette lighter socket.....	Dorman.....	36
Clamps.....	AP Exhaust, Irwin Tools.....	6, 60
Clamps (Hose).....	Breeze.....	13
Cleaners.....	Permatex, Seafoam, WD-40.....	89, 110, 118
Cleaning Solutions.....	CRC.....	30
Clock.....	Bestbuy Distributors.....	100
Cloths.....	M2 Professional.....	70
Coiled Air Products.....	Grote.....	48
Cold Weld.....	Permatex.....	88
Compound.....	NLS Products.....	78
Corner Protectors.....	Ancra.....	3, 4
Couplers.....	Milton.....	72
Creeper.....	Torin Jacks.....	115
Crimp Tool.....	Pico.....	92
Cutters.....	Pico.....	94
De-icer, windshield.....	CRC.....	29



PRODUCT	SUPPLIER	PAGE
Degreaser.....	Bestbuy Pro.....	99
Degreasers.....	Permatex.....	89
Detailing.....	ArmorAll, Lucas Oil, Norton, Permatex.....	8, 69, 83, 89
Diesel Additives.....	Lucas Oil.....	68
Direct Injection Solutions.....	Kleen-flo.....	66
Door Lock Rod.....	Dorman.....	36
Drill Bits.....	Lenox.....	59
Driver Bits.....	Dynaline.....	35
Driver Kit.....	Dynaline.....	35
Dust Pan.....	M2 Professional.....	70
Dyes.....	Cliplight.....	19
Electrical.....	Grote.....	49
Engine Cleaner.....	Seafoam.....	110
Engine Degreaser.....	CRC.....	29
Engine Enamel.....	Plasti-Kote.....	96
Engine Repair.....	Rislone.....	106
Engine Stand.....	Torin Jacks.....	116
Engine Treatment.....	Rislone.....	103
Epoxy.....	J-B Weld, NLS Products.....	62-63, 77
Exhaust Fluid.....	Irving Blending & Packaging.....	57
Fender Covers.....	Eppco.....	38
Fibreglass Repair.....	NLS Products.....	77
Fittings.....	Continental.....	24-25
Flex Couplings.....	AP Exhaust.....	6
Floor Signs.....	M2 Professional.....	70
Fluid Film.....	NLS Products.....	74
Fuel Additives.....	CRC, Lucas Oil, Permatex, Rislone.....	28-29, 68-69, 89, 105
Fuel Cap Tether.....	Dorman.....	36
Fuel Filters.....	FRAM.....	42
Fuel line repairs.....	FMSI.....	41
Fuse Blocks.....	Cooper Bussmann.....	15
Fuse Caddies.....	Cooper Bussmann.....	15
Fuses.....	Cooper Bussmann, Pico.....	14, 93
Garage Floor Cleaner.....	Permatex.....	89
Gasket Maker.....	Permatex.....	86
Gear Oil.....	Lucas Oil.....	68
Gear Pumps.....	GPI.....	43
Glass Cleaner.....	Permatex, Bestbuy Pro.....	89, 99
Gloves.....	Groupe BBH, Kimberly-Clark, Norton.....	50-51, 65, 81
Glue.....	J-B Weld, Permatex.....	62, 88
Grease.....	CRC, Irving Blending & Packaging, WD-40.....	28, 57, 118
Hand Cleaners.....	Kimberly-Clark, Permatex.....	64, 88
Hand Sanitizer.....	Kimberly-Clark.....	64
Handy Paks.....	H Paulin.....	54
Head Gasket Fix.....	Rislone.....	104
Heat magnet.....	Phillips & Temro.....	91
Heaters.....	Phillips & Temro.....	90, 91
Hole Saw Kits.....	Lenox.....	59
Horns.....	Fiamm.....	39





