

Ancra	1-2	Kimberly-Clark	55-56
AP Exhaust	3	Lisle	57
Armor All	5-6	Loctite	58-60
Bernzomatic	7	Lucas	61
Bussmann	8-9	M2 Professional	62-63
Car Freshener	10	Mobil1	64
Cliplight	11-12	MotorVac	15-16
Continental	13	NLS Products	65-68
CPS	15-16	Norton	69
CRC	17-20	Permatex	71-74
Dorman	21	Phillips & Temro	75-78
Dupli-Color	22	Pico	79-81
Energizer	23	Prestone	82
Eppco	24	Bestbuy Pro (Professional Clean	ing)83
E-Z Red	24	PTC	84
Fiamm	24	Ralston	85
FMSI	25-26	RapidFix	86
Gorilla / Okeeffe's	27	Rislone	87-90
GPI	29-30	Rust Check	91
Grote	31-36	Scepter	92
Groupe BBH	37-38	Schumacher	93
Hopkins	39-40	Sylvania	95-96
H Paulin	41	Triple C Rubber & Plastics	97
Irontite	42	UView	15-16
Irving Blending & Packaging	43-48	WD-40	98-101
Irwin Tools	49-51	Worx Environmental Product	:s102
JB Weld	53-54		



# **Flatbed Accessories** Accessoires poor Remorque Plateforme

**Transport Chain** Chaîne de transport

**Bulk Chain** 



45880-11 3/8" x 200' Wt: 296 lbs.

45880-13

1/2" x 100' Wt: 521 lbs.

Clevis Hooks crochets de chape



45946-10

5/16" Wt: .85 lbs. 45946-11

3/8" Wt: 1.10 lbs 45946-13

1/2" Wt: .2.10 lbs 45946-12

1/4" Wt: .40 lbs

Grade 70 Transport Chain meets NACM Standards. Chaîne de transport de calibre 70 - répond aux normes NACM



Also available in a pail.

Aussi disponible dans un contenant de plastique.

**Chain Corner Protectors** Protèges - Coins chaîne

49377-10

Steel / Acier. Weight: 1.10 lbs. / .50 kg.



# Load Binders | Tendeurs à chaîne

Drop forged steel meeting FMCSA and DOT specifications. In three popular models. Acier estampé répondant aux normes FMCSA et DOT.

En trois modèles populaires.

Lever Load Binders | Tendeurs à chaîne à levier 45943-10

Accepts 5/16"-3/8" Chain (Accepte chaîne) WLL: 5,400 lbs.Wt. 9.0 lbs.

45943-10HD

Accepts 5/16"-3/8" Chain (Accepte chaîne) WLL: 6,600 lbs.Wt. 9.4 lbs.

45943-11

Accepts 3/8"-1/2" Chain (Accepte chaîne) WLL: 9,200 lbs.Wt. 11.9 lbs.


45943-12

Accepts 1/4"-5/16" Chain (Accepte chaîne) WLL: 2,600 lbs.Wt. 3.5 lbs.

# Recoilless Lever Load Binders | Tendeur à chaîne à levier sans recul

45943-14

Accepts 5/16"-3/8" Chain (Accepte chaîne) WLL: 5,400 lbs.Wt. 9.0 lbs.



Securely holds binder handle. Weight: .40 lbs. / 0.18 kg. Fixe en place la poignée du tendeur

Ratchet Load Binders | Tendeurs à chaîne à cliquet

45943-20

Accepts 5/16"-3/8" Chain (Accepte chaîne) WLL: 5,400 lbs.Wt. 10.4 lbs.

45943-20HD

Accepts 5/16"-3/8" Chain (Accepte chaîne) WLL: 6,600 lbs.Wt. 10.5 lbs.

45943-21

Accepts 3/8"-1/2" Chain (Accepte chaîne) WLL: 9,200 lbs.Wt. 11.8 lbs.

45943-23

Accepts 1/2"-5/8" Chain (Accepte chaîne) WLL: 13.000 lbs.Wt. 15.7 lbs.

45943-22

Accepts 1/4"-5/16" Chain (Accepte chaîne) WLL: 2,600 lbs.Wt. 3.5 lbs.

520 Beards Lane, Suite A, Unit #1, Woodstock, Ontario N4S 7W3 • 1-866-962-0055 ext. 212 • www.ancracargo.com

# Cargo Control Products Produits d'arrimage

# Ratchet Tie Downs | Courroie à Cliquet

Also available in 3 and 4 inch materials. Aussi disponible en hargeur 3 et 4 pouce.

We also offer the following products in Ancra Blue and Ancra X-Treme.

Nous offrons les produits suivant dans les matiaux Ancra Blue et Ancra X-Treme.



2-in. x 30-ft. Ratchet Strap w/ Flat Hooks. Courroie à Cliquet compris crochets plats WLL: 3,333 lbs./1,515 kg.



556

2-in. x 27-ft. Ratchet Strap w/ Flat Hook. Sangle à cliquet avec crochet plat. WLL: 3,333 lbs./1,515 kg.



556-WHK

2-in. x 27-ft. Ratchet Strap w/ Double J-Hooks. Sangle à cliquet avec double crochet en J. WLL: 3,333 lbs./1,515 kg.





15' Recovery Strap System with Snap Hooks Sangle de récupération de 4,6 m à mousquetons Also For Use on ATV's

Peut également être utilisée pour les motoquads 1,000 lbs Working Load Limit

454 kgs limite de charge maximale 3,000 lbs Break Strength

1,360 kg résistance à la rupture





# 95002

1" x 10' Ratchet Strap with S-Hooks, 2 pack Ensemble, de 2 courroies à cliquet 1" x 10' avec crochets type S



1" x 10' Ratchet Strap with S-Hooks, 4 pack Ensemble, de 4 courroies à cliquet 1" x 10' avec crochets type S



1" x 15' Ratchet Strap with S-Hooks, 4 pack Ensemble, de 4 courroies à cliquet 1" x 15' avec crochets type S



WLL: 5,400 lbs. / 2,450 kg.

41660-10-30



3-in. x 30-ft. Winch Strap w/ Flat Hook / avec crochet plat

41660-14-30



3-in. x 30-ft. Winch Strap w/ Chain Anchor / avec chaine et crochet

43795-10-30



4-in. x 30-ft. Winch Strap w/ Flat Hook / avec crochet plat

43795-11-30



4-in. x 30-ft. Winch Strap w/ Delta Ring / avec anneau Delta

43795-15-30



4-in. x 30-ft. Winch Strap w/ Chain Anchor / avec chaine et crochet



520 Beards Lane, Suite A, Unit #1, Woodstock, Ontario N4S 7W3 • 1-866-962-0055 ext. 212 • www.ancracargo.com







# www.apexhaust.com

# **FLEX COUPLING**

# WITHOUT NIPPLE EXTENSION

P/N W/O INNER LINER	P/N WITH INNER BRAIL	FLEX DLENGTH	OVERALL LENGTH	. INLET DIAMETER
8810	8810IB	4"	4"	1.77"
8811	8811IB	6"	6"	1.77"
8812	8812IB	8"	8"	1.77"
8813	8813IB	10"	10"	1.77"
8814	8814IB	4"	4"	2.02"
8815	8815IB	6"	6"	2.02"
8816	8816IB	8"	8"	2.02"
8817	8817IB	10"	10"	2.02"
8818	8818IB	4"	4"	2.27"
8819	8819IB	6"	6"	2.27"
8820	8820IB	8"	8"	2.27"
8821	8821IB	10"	10"	2.27"
8822	8822IB	4"	4"	2.52"
8823	8823IB	6"	6"	2.52"
8824	8824IB	8"	8"	2.52" #8817
8825	8825IB	10"	10"	2.52"
8826	8826IB	4"	4"	3.02"
8827	8827IB	6"	6"	3.02"
8828	8828IB	8"	8"	3.02"
8829	8829IB	10"	10"	3.02"

# WITH NIPPLE EXTENSION

P/N W/O         P/N WITH         FLEX         OVERALL INLET           INNER LINER         INNER BRAID LENGTH         LENGTH         DIAMETER           8835         8835IB         4"         8"         1.75"           8836         8836IB         6"         10"         1.75"           8838         8838IB         10"         14"         1.75"           8839         8839IB         4"         8"         2.00"           8840         8840IB         6"         10"         2.00"           8841         884IIB         8"         12"         2.00"           8842         8842IB         10"         14"         2.00"           8843         8843IB         4"         8"         2.25"           8844         8844IB         6"         10"         2.25"           8845         8845IB         8"         12"         2.25"           8846         8846IB         10"         14"         2.50"           8847         8847IB         4"         8"         2.50"           8849         8849IB         8"         12"         2.50"           8850         8850IB         10"         14"         2.	P/N W/O	P/N WITH	FLEX	OVEDALI	INLET
8836       88361B       6"       10"       1.75"         8837       88371B       8"       12"       1.75"         8838       88381B       10"       14"       1.75"         8839       88391B       4"       8"       2.00"         8840       88401B       6"       10"       2.00"         8841       8841IB       8"       12"       2.00"         8842       88421B       10"       14"       2.00"         8843       88431B       4"       8"       2.25"         8844       8844IB       6"       10"       2.25"         8845       8845IB       8"       12"       2.25"         8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8853       8853IB       8"       12"       3.00"					
8837     8837IB     8"     12"     1.75"       8838     8838IB     10"     14"     1.75"       8839     8839IB     4"     8"     2.00"       8840     8840IB     6"     10"     2.00"       8841     884IIB     8"     12"     2.00"       8842     8842IB     10"     14"     2.00"       8843     8843IB     4"     8"     2.25"       8844     8844IB     6"     10"     2.25"       8845     8845IB     8"     12"     2.25"       8846     8846IB     10"     14"     2.25"       8847     8847IB     4"     8"     2.50"       8848     8848IB     6"     10"     2.50"       8850     8850IB     10"     14"     2.50"       8851     8851IB     4"     8"     3.00"       8852     8852IB     6"     10"     3.00"       8853     8853IB     8"     12"     3.00"	8835	8835IB	4"	8"	1.75"
8838       8838IB       10"       14"       1.75"         8839       8839IB       4"       8"       2.00"         8840       8840IB       6"       10"       2.00"         8841       8841IB       8"       12"       2.00"         8842       8842IB       10"       14"       2.00"         8843       8843IB       4"       8"       2.25"         8844       8844IB       6"       10"       2.25"         8845       8845IB       8"       12"       2.25"         8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8836	8836IB	6"	10"	1.75"
8839       8839IB       4"       8"       2.00"         8840       8840IB       6"       10"       2.00"         8841       884IIB       8"       12"       2.00"         8842       8842IB       10"       14"       2.00"         8843       8843IB       4"       8"       2.25"         8844       8844IB       6"       10"       2.25"         8845       8845IB       8"       12"       2.25"         8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8853       8853IB       8"       12"       3.00"	8837	8837IB	8"	12"	1.75"
8840       8840IB       6"       10"       2.00"         8841       8841IB       8"       12"       2.00"         8842       8842IB       10"       14"       2.00"         8843       8843IB       4"       8"       2.25"         8844       8844IB       6"       10"       2.25"         8845       8845IB       8"       12"       2.25"         8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8838	8838IB	10"	14"	1.75"
8841     8841IB     8"     12"     2.00"       8842     8842IB     10"     14"     2.00"       8843     8843IB     4"     8"     2.25"       8844     8844IB     6"     10"     2.25"       8845     8845IB     8"     12"     2.25"       8846     8846IB     10"     14"     2.25"       8847     8847IB     4"     8"     2.50"       8848     8848IB     6"     10"     2.50"       8849     8849IB     8"     12"     2.50"       8850     8850IB     10"     14"     2.50"       8851     8851IB     4"     8"     3.00"       8852     8852IB     6"     10"     3.00"       8853     8853IB     8"     12"     3.00"	8839	8839IB	4"	8"	2.00"
8842       8842IB       10"       14"       2.00"         8843       8843IB       4"       8"       2.25"         8844       8844IB       6"       10"       2.25"         8845       8845IB       8"       12"       2.25"         8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8840	8840IB	6"	10"	2.00"
8843       8843IB       4"       8"       2.25"         8844       8844IB       6"       10"       2.25"         8845       8845IB       8"       12"       2.25"         8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8841	8841IB	8"	12"	2.00"
8844       8844IB       6"       10"       2.25"         8845       8845IB       8"       12"       2.25"         8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8842	8842IB	10"	14"	2.00"
8845     8845IB     8"     12"     2.25"       8846     8846IB     10"     14"     2.25"       8847     8847IB     4"     8"     2.50"       8848     8848IB     6"     10"     2.50"       8849     8849IB     8"     12"     2.50"       8850     8850IB     10"     14"     2.50"       8851     8851IB     4"     8"     3.00"       8852     8852IB     6"     10"     3.00"       8853     8853IB     8"     12"     3.00"	8843	8843IB	4"	8"	2.25"
8846       8846IB       10"       14"       2.25"         8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8844	8844IB	6"	10"	2.25"
8847       8847IB       4"       8"       2.50"         8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8845	8845IB	8"	12"	2.25"
8848       8848IB       6"       10"       2.50"         8849       8849IB       8"       12"       2.50"         8850       8850IB       10"       14"       2.50"         8851       885IIB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8846	8846IB	10"	14"	2.25"
8849     8849IB     8"     12"     2.50"       8850     8850IB     10"     14"     2.50"       8851     885IIB     4"     8"     3.00"       8852     8852IB     6"     10"     3.00"       8853     8853IB     8"     12"     3.00"	8847	8847IB	4"	8"	2.50"
8850       8850IB       10"       14"       2.50"         8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8848	8848IB	6"	10"	2.50"
8851       8851IB       4"       8"       3.00"         8852       8852IB       6"       10"       3.00"         8853       8853IB       8"       12"       3.00"	8849	8849IB	8"	12"	2.50"
8852 8852IB 6" 10" 3.00" 8853 8853IB 8" 12" 3.00"	8850	8850IB	10"	14"	2.50"
8853 8853IB 8" 12" 3.00"	8851	8851IB	4"	8"	3.00"
	8852	8852IB	6"	10"	3.00"
8854 8854IB 10" 14" 3.00"	8853	8853IB	8"	12"	3.00"
	8854	8854IB	10"	14"	3.00"

# **HANGERS**

#### **HANGER - UNIVERSAL WIRE** 339816 339896 339816S 339897 339818S 339898 339819S 339899 339820S #339818S #339896

# **UNIVERSAL CONVERTERS**

INLET/I.D.

602204 UNIVERSAL 2" W/O AIR TUBE 602205 UNIVERSAL 2 1/4" W/O AIR TUBE 602206 UNIVERSAL 2 1/2" W/O AIR TUBE 602207 UNIVERSAL 3" W/O AIR TUBE



# **EPA OBDII BY DESIGN**

	INLET/I.D.
608204	2" W/O2 SENSOR PORT
608205	2 1/4" W/O2 SENSOR PORT
608206	2 1/2" W/O2 SENSOR PORT
608214	2" W/O2 SENSOR PORT
608215	2 1/4" W/O2 SENSOR PORT
608216	2 1/2" W/O2 SENSOR PORT

# **CLAMPS**

	EXTRA HEAVY DUTY 2"
	EXTRA HEAVY DUTY 2 1/2"
	EXTRA HEAVY DUTY 2 1/4"
H234P	HEAVY DUTY 2 3/4"
H300	EXTRA HEAVY DUTY 3"
H312	EXTRA HEAVY DUTY 3" EXTRA HEAVY DUTY 3 1/2"
H312P	HEAVY DUTY 3 1/2"
H314	EXTRA HEAVY DUTY 3 1/4" EXTRA HEAVY DUTY 4"
H400	EXTRA HEAVY DUTY 4"
H400P	HEAVY DUTY 4" EXTRA HEAVY DUTY 4 1/2"
H412	EXTRA HEAVY DUTY 4 1/2"
H412P	HEAVY DUTY 4 1/2"
H500	EXTRA HEAVY DUTY 5"
	HEAVY DUTY 5"
H600	EXTRA HEAVY DUTY 6"
M112	DGM 1 1/2" U-BOLT
M134	
M158	DGM 1 5/8" U-BOLT
M178	DGM 1 7/8" U-BOLT
M200	DGM 2" U-BOLT
M212	DGM 2 1/2" U-BOLT
M214	DGM 2 1/4" U-BOLT
M218	DGM 2 1/8" U-BOLT
M300	DGM 3" U-BOLT
U112	STANDARD 1 1/2"
U114	STANDARD 1 1/4"
U118	STANDARD 1 1/8"
U134	STANDARD 1 3/4"
U178	STANDARD 1 7/8"
U200	STANDARD 1 1/2" STANDARD 1 1/4" STANDARD 1 1/8" STANDARD 1 3/4" STANDARD 1 7/8" STANDARD 2"
U212	STANDARD 2 1/2"
U214	STANDARD 2 1/4"

# SELECT+PLUS TECHSERIES

608704 608705 608706	Neck Size 2" 2 <sup>1/4</sup> " 2 <sup>1/2</sup> "	Body Dia. 4" Rd 4" Rd 4" Rd	Body 10" 10" 10"	Overall 14" 14" 14"
608714	2"	4" Rd	10"	14"
608715	2 <sup>1/4</sup> "	4" Rd	10"	14"
608716	2 <sup>1/2</sup> "	4" Rd	10"	14"
608734	2"	4" Rd	12"	16"
608735	2 <sup>1/4</sup> "	4" Rd	12"	16"
608736	2 <sup>1/2</sup> "	4" Rd	12"	16"
608744	2"	4" Rd	12"	16"
608745	2 <sup>1/4</sup> "	4" Rd	12"	16"
608746	2 <sup>1/2</sup> "	4" Rd	12"	16"



A monopoly on personal data puts jobs and businesses in the automotive aftermarket at risk.

Have your say: bit.ly/CanadianPetition



# **PROTECTANT**



118 mL 300 mL

WASH





473 mL



**Original Protectant** 946 mL



1.89 L #18000G



Matte Finish 473 mL



**CLEANS, SHINES** & PROTECTS

**FORMULA** 

FIGHTS FADING, AGING AND CRACKING

# **ODOUR ELIMINATION**



**Ultra Shine** 

473 mL

#32062



**CLEANERS** 

**Snow Foam** Car Wash 1.48L #19159



Car Wash 1.89 L #17485



Wash 715 mL #17740



Smoke X Air Freshener 99 g #19036



Complete Car Care Kit 5 Items #18378



Tire & Rim Car Care Kit 3+2 Bonus Items #18196

# TIRE & RIM



**Multi-Purpose** Cleaner 473 mL #11068



Remover 473 mL

#17259



Care Gel 532 mL

#10882



Premium 473 mL #18981



**Leather Care** 



**Quicksilver Tire** & Rim Cleaner 710 mL #17654



Extreme 710 mL #40340



Extreme Rim Cleaner Tire Shine Gel Tire Shine 530 mL #11504



Extreme 650 mL #78026

# **WIPES**



Original **Protectant** 30ct #10859

**Orange** 

Cleaning

**Wipes** 

25ct

#10925



**Matte Finish** 

**Protectant** 25ct

#18253

**Wipes** 20ct #18254















Wipes 30ct #10869





Glass & **GPS** 20ct #18269



Degreaser Wipes 30ct #18286





# CLEAN. SHINE. PROTECT.



WWW.ARMORALL.CA | FACEBOOK.COM/ARMORALLCANADA









# **BASIC TORCH**

## TS3500T

- Adjustable, Webbed Flame
- Trigger-Start Ignition
- Ergonomic Grip Handle
- Pressure Regulated for Consistent Performance when Inverted
- Compatible with Bernzomatic 14.1 oz Propane Fuel Cylinder



# ADVANCE PERFORMANCE TORCH TS4000T

- Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure Regulated for Consistent Performance when Inverted
- Durable, Cast Body Construction
- Compatible with 14.1 oz MAP-Pro and 14.1 and 16 oz Propane Fuel Cylinders



# **UTILITY TORCH**

## WT2301

- Adjustable, Webbed Flame
- Trigger-Start Ignition
- Durable, Stainless Steel Burn Tube
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 and 16 oz Propane Fuel Cylinders



# **OUTDOOR BACKYARD TORCH**

# JT850

- Adjustable, Wide Brush Flame
- Trigger-Start Ignition
- Slip-Resistant Handle with 36" Reach
- Compatible with 14.1 oz. or 16 oz. Propane Fuel: Sold Separately



# **MAKER DETAIL TORCH**

## ST2200T

- Adjustable, Precision Flame
- Trigger-Start Ignition
- Pistol Grip
- Continuous Flame Lock
- Includes 3 Interchangeable Tips: Micro Torch, Soldering Tip and Hot Blower
- Refillable with Butane Fuel



# **CLASSIC BRASS TORCH** UL2317

- Manual Ignition
- **Durable Brass Torch Head**
- Adjustable, Pencil Flame
- Best Used Upright
- Compatible with Propane Fuel, Sold Separately



# **CLASSIC BRASS TORCH KIT**

- UL100
- Adjustable, Pencil Flame
- Manual Start
- **Durable Brass Torch Head**
- Best Used Upright
- Compatible with Bernzomatic Propane Fuel, Included



# MAX PERFORMANCE TORCH TS8000

- Adjustable, Ultra-Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure Regulated for Consistent Performance when Inverted
- Durable, Cast Body Construction
- Compatible with Bernzomatic MAP-Pro® and Propane Fuel Cylinders, Sold Separately



# Bussmann series battery terminal and multi-pole automotive fuses offer service technicians and DIYers a convenient, alternative source to new car dealerships and online websites.

# **Battery terminal fuses**

Bussmann series battery terminal fuses The new Bussmann™ series battery terminal fuses (BTF) are original equipment equivalents to those installed in popular Chrysler®, Ford®, Lexus, Lincoln, Mercury, Mitsubishi, Nissan®, Scion, Subaru, Suzuki and Toyota® vehicles.



# **OEM** cross reference data

Bussmann series catalog no.	Volts	Fuse circuit amp rating(s)	OEM part no.	Vehicle make
BTF-1P-80	32 Vdc	80	82211AG150	Subaru
B1F-1F-80	32 Vuc	80	3673-950J00	Suzuki
BTF-1P-100	32 Vdc	100	MN164187	Mitsubishi
B1F-1F-100	32 Vac	100	3673-952J00	Suzuki
DTF 1D 100	201/4-	100	MN164188	Mitsubishi
BTF-1P-120	32 Vdc	120	3673-966J00	Suzuki
DTF 1D 140	201/4-	140	82620-33040	Lexus, Scion, Toyota
BTF-1P-140	32 Vdc	140	24380-JA70A	Nissan
BTF-2P-180120	32 Vdc	180, 120	68164797-AA	Chrysler
DTF 0D 000400	001/1	000 100	BR3Z-14526-AA	Ford
BTF-2P-200100	32 Vdc	200, 100	AE5Z-14526-BA	Ford, Lincoln, Mercury
BTF-2P-250125	32 Vdc	250, 125	AL3Z-14526-AA	Ford
BTF-3P-1206080	32 Vdc	120, 60, 80	82620-52080A	Scion, Toyota
BTF-3P-1208080	32 Vdc	120, 80, 80	82620-52060A	Scion, Toyota

# **Multi-pole automotive fuses**

The Bussmann™ series multi-pole fuses (MPF) are original equipment equivalents to those installed in popular Nissan®, Infiniti®, Toyota® and Lexus vehicles.





**OEM** cross reference data

Bussmann series catalog no.	Fuse circuit amp ratings	Color code	OEM part no.	Vehicle make
32 Vdc fuses				
MPF-433X	40, 30, 30	Pink	24370-C9902	Nissan, Infiniti
MPF-444X	40, 40, 40	Green	24370-C9900	Nissan, Infiniti
MPF-533X	50, 30, 30	Red	24370-C9906	Nissan, Infiniti
MPF-534X	50, 30, 40	Blue	24370-C9907	Nissan, Infiniti
MPF-633X	60, 30, 30	Yellow	24370-C9904	Nissan
58 Vdc fuses				
MPF2-324X	30, 20, 40	Yellow	24370-C991C	Nissan
MPF2-433X	40, 30, 30	Pink	24370-C991A	Nissan
WFF2-433A	40, 30, 30	FIIIK	90982-08308	Toyota, Lexus
MPF2-444X	40, 40, 40	Green	24370-C991B	Nissan, Infiniti
IVIFF2-444A	40, 40, 40	Green	90982-08299	Toyota, Lexus
MADEO FOOY	F0 20 20	DI	24370-C992A	Nissan, Infiniti
MPF2-533X	50, 30, 30	Red	90982-08300	Toyota, Lexus
MDEO FOAV	50.00.40	D1	24370-C992B	Nissan, Infiniti
MPF2-534X	50, 30, 40	Blue	90982-08301	Toyota, Lexus
MPF2-535X	E0 20 E0	Plack	24370-C992C	Nissan, Infiniti
INILL5-020V	50, 30, 50	Black	90982-08302	Toyota, Lexus
MPF2-555X	50, 50, 50	Maroon	90982-08303	Lexus



# by FATON

# **Bussmann Fuse Caddies and Trays**

Save Time. Save Space.



Fuse Caddy Features and Benefits

- Comprehensive mix of fuses ensure that you have the right fuses on hand
- Clear trays allow you to quickly see the type of fuse you need
- Compact design makes is easy to store
- Security latch and convenient handle keep fuses secure and portable
- Tray labels provide quick identification of the tray's contents

# #FUSE-CADDY1

With convenient folding handle and security latch, this five-tray capacity caddy contains 275 fuses in popular ratings.

CDY10TRY-ATC CDY10TRY-ATM CDY10TRY-ATM-LP CDY10TRY-MAX CDY5TRY-FMX



# **FUSE BLOCKS**

PART NO BP/FB4-ATC BP/FB6-ATC BP/FB8-ATC BP/FB10-ATC BP/FB4-ATM BP/FB6-ATM BP/FB8-ATM BP/FB10-ATM BP/FB4-ATR BP/FB6-ATR BP/FB8-ATR BP/FB10-ATR

# **DESCRIPTION**

ATC 4 TERMINAL FUSE BLOCK ATC 6 TERMINAL FUSE BLOCK ATC 8 TERMINAL FUSE BLOCK ATC 10 TERMINAL FUSE BLOCK ATM 4 TERMINAL FUSE BLOCK ATM 6 TERMINAL FUSE BLOCK ATM 8 TERMINAL FUSE BLOCK ATM 10 TERMINAL FUSE BLOCK ATR 4 TERMINAL FUSE BLOCK ATR 6 TERMINAL FUSE BLOCK ATR 8 TERMINAL FUSE BLOCK ATR 10 TERMINAL FUSE BLOCK





















U1P-10105



U1P-10655

side 1





CTK-52633-24





CTK-52641-24







CTK-52731-24 CTK-52733-24 CTK-52732-24

U1K-10100

New Car Scent,

Royal Pine,

Strawberry, and

Vanillaroma



side 2

8 each: Vent Wrap 4-packs: Black Ice. New Car Scent. and Vanillaroma 6 each: Vent Liquid 1-packs: Caribbean Colada, New Car Scent, and Golden Vanilla 10 each: Spray 3.5 oz: Black Ice and **New Car Scent** 4 each: Spray 3.5 oz: Strawberry and Vanillaroma 4 each: Fiber Can: ick Ice, Caribbean Colada, Cherry Blast, and

MRR-10000-AK



# UPS-06355 UPS-06386





# www.cliplight.com

# www.cliplight.com





HEMIMINI™ 114301

1000 lumens at 4 hours runtime 500 lumens at 8 hours runtime

- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours charge anytime
- Aircraft-grade aluminium chassis
- 180° swivel hook
- Mini-USB charger (100-240V)
- Optional magnetic cover available
- Replacement parts available



HEMIPLUS™ 2 114302

1200 Lumens at 4 hours run time 600 lumens at 8 hours run time

- 4400 mAh smart lithium ion battery, rechargeable in 4 hours charge anytime
- Aircraft grade aluminum chassis
- 360° metal hook
- Charging port
- Removable magnetic cover included
- Replacement parts available



# **SOUNDLIGHT PRO**

111122

LED: 20W COB

- Bluetooth speakers 2 x 3W
- Removable battery pack with 70 lumen light & USB port for charging devices
- 2000 Lumens 1 hour
- 1500 Lumens 1.5 hours
- 1000 Lumens 2.5 hours
- 500 Lumens 5 hours
- 60 Lumens 24 hours



# PURIFIER™ 170AIR

- Fresh Air Ozone Machine
- Incorporates the latest in ozone purification technology
- Eliminates mold, mildew, & bacteria from cabin interiors & rooms
- Removes even the most offensive & stubborn odors such as tobacco smoke
- Portable design AC (100-240 V) & DC power
- 10 hour programmable timer with LCD



# HEMIPLUS™

114303

1000 lumens at 8 hours run time

- 8800 mAh smart lithium ion battery
- Rechargeable in 4 hours charge anytime
- Aircraft grade aluminum chassis
- 360 degree swivel hook
- Optional 12V charger and magnet




# **CLIPSTRIP™**

111112

140 Lumens

- Powerful pocket light
- Strip array LED technology
- 180° swivel magnetic clip
- 3 AAA batteries included





# **INCANDESCENT**

101307/101315

- Grounded outlet handle
- 13 amp circuit breaker

101307 - 23 ft | 7 m SJOW 16/3 cable 101315 - 50 ft | 15.3 m SJOW 16/3 cable



# **INCANDESCENT**

100310/100315

• Grounded outlet handle 100310 - 32 ft | 10 m SJTW 16/3 cable 100315 - 50 ft | 15.3 m SJTW 16/3 cable



# **33 LED PIVOT**

24 458

160 Lumens

- 28 LED front | 5 LED top
- 360° swivel hook
- Magnetic pivoting base
- 3 AA batteries included



# **SPOTLIGHT MINI**

- 600 and 300 Lumens 5 W COB
- Magnetic base
- Adjustable joint for different angles
- Li-ion rechargeable battery 2600 mAh
- IP65 Waterproof
- Micro USB charger cable included
- Charger sold separately (PN 111111A)



# SUPER SEAL™

946KIT

- Pro A/C Stop Leak
- Permanently seals & prevents leaks
- Seals leaks in evaporators. condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
- Compatible with all oils & refrigerants
- Hose included



# **PAO 68 OIL & PAO 68 OIL +** DYE

51110/51111

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up 51110 - 34 oz | 1 L 51111 - 34 oz | 1 L + UV Dye



# **HEAVY DUTY TRI-TAP CORD REEL**

222315

- Tri-tap outlet
- 15 amp circuit breaker
- 50 ft. / 15.3m SJTW 12/3 cable



# **CHROME TRI-TAP CORD REEL** 222308

- Tri-tap outlet
- 13 amp circuit breaker
- 30 ft. / 9.2m SJTW 14/3 cable



909012B - MULTI-PURPOSE DYE 12 x 1/4 oz | 7.5 ml



900008 - **A/C DYE** 909008 - MULTI-PURPOSE DYE 8 oz | 240 ml







# www.continental-engineparts.com/na

# Shop Air Hose – Blue Rubber Airline Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion resistant rubber cover over fabric braided construction to provide long lasting service life.



Size	Description
65131	1/4" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65133	3/8" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65134	1/2" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS
65135	1/4" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65137	3/8" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65138	1/2" X 50 BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS

# Shop Air Hose – F5 Blue Low Temperature TPE Airline Assembly

F5 is the highest rating for a tornado. F5 Air Hose is designed for general shop air supply service up to 300 PSI. Light weight and flexible hose with high abrasion resistant, non-marking Low Temperature TPE



65176	1/4" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65177	1/4" X 50' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65178	3/8" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65179	3/8" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65182	1/2" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/2-14 NPT COUPLINGS

# Shop Air Hose – Red Rubber Flexsteel Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion and oil resistant rubber cover over steel braided construction to provide long lasting service life. Great for abusive applications including resisting spark burn through in welding shops.




Part#	Description
65143	1/4" X 25' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65144	3/8" X 25' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65145	1/4" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65146	3/8" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS





# **Digital Vehicle Inspections Made Easy**



# **OUR CUSTOMERS SAY...**

# **AutoServe1 DVI Increased ARO By 25%**

"Because customers have access to inspections on their phones they can reference suggestions more easily and often come back to finish previously deferred work."

- Chad Niezgocki, Shop Owner

# **Get Started Today**

Open the camera app on your phone, and hover over the code.



Open the camera app on your phone, and hover over the code to see a sample inspection.





**Have Questions? Contact Us** 1-800-268-3437 Info@AutoServe1.com www.AutoServel.com





# A/C OIL BOTTLES



**UNIVERSAL PAG OIL** W/ DYE AND EBOOST 488016P

CDS WIEW MOTORVAS

**UNIVERSAL ESTER OIL** W/ DYE AND EBOOST 488016E



488046PB PAG 46 8oz. Bottle

488046PBD PAG 46 8oz. Bottle with Dye

488100PB PAG 100 8oz. Bottle

488100PBD PAG 100 8oz. Bottle with Dye

# **MULTI-PURPOSE DYES**



**UNIT** 590160

**MULTI-PURPOSE DYE** 483208 - 8oz/240mL Bottle

**MULTI-PURPOSE DYE** B483206

MISTTM IN CAR HEALTHY AIR

MIST™ II ULTRASONIC CLEANING

MIST™ CLEANING

**MIST KILL-SHOT** 

590275C - 32oz

**RTU DISINFECTANT** 

**SOLUTION** 590250 - 100mL

**CLEANER** 

6 Bottles 1oz/30mL



**RADIATOR COOLANT DYE** 8oz (240mL) Bottle 483908

**RADIATOR COOLANT DYE** 

**RADIATOR COOLANT DYE** For use with regular (green) coolant

6 Bottles 1oz/30mL B483906



# **SPOTGUN A/C OIL INJECTION KITS & CARTRIDGES**

SPOTGUN™ R134A OIL **INJECTION KIT** 481500

SPOTGUN™ R1234YF OIL **INJECTION KIT** 481500YF (shown)



488046P PAG 46 Oil Cartridge 8oz.

488100P PAG 100 Oil Cartridge 8oz.

488046YF PAG 46 Oil Cartridge (For R1234YF) 8oz.

488104H Hybrid Electric Oil Cartridge OEM Approved 4oz.

# **LEAKGUARD A/C SEALER**



**BLACK (AAA) Kit** 

(Rechargeable) Kit

8oz AC Extendye Cart.

**SPOTGUN™** Injection Kit

471500YF - R1234yf hose

471500A - R134A hose

332005A

R134a Hose

414565A

R134a Hose

Storage Case

Storage Case

SPOTGUN™JR./UV Phazer™

4 x 1oz AC Extendye Cart.

UV Phazer Black Light (AAA)

SPOTGUN™/ UV Phazer™ BLACK

UV Phazer Black Light (Rechargeable)

SPOTGUN™ JR. "LEAKGUARD" **INJECTION KIT 480300** 

Spotgun Jr. Injection system

- 2 x (1oz/30mL) Leakguard

# **LEAKGUARD CARTRIDGES**



1oz./30ml 480301



8oz./240ml



LEAKGUARD ONE SHOT W/AC **EXTENDYE** 

1oz./30ml 480501

A/C LEAK DETECTION KITS

- cartridge
- R134a hose

# **LEAKGUARD WITH AC DYE**





# **UNIVERSAL A/C EXTENDYE**

# **CERTIFIED FOR USE IN R134A & R1234YF SYSTEMS**



A/C EXTENDYE CARTRIDGE FOR **SPOTGUN™ SYSTEM** 

499108A - Spotgun™ Cartridge 8oz/240mL



**BESTBUY** 

A/C EXTENDYE CARTRIDGES FOR SPOTGUN™ JR. SYSTEM 399006A (0.25oz)

399020A - 1oz. / 30ml 4x 30ml Services up to 40 vehicles



B499012A (.25oz) B499024A (1oz.)

A/C EXTENDYE



499008A - Bottle 8oz/240mL

# **GDI CLEANING**



**MOTORVAC® GDI INDUCTION SYSTEM CLEANER KIT** 400-2225

**CARBONCLEAN GDI INDUCTION CLEANER** 

(473ml) Bottle 400-2425



**GDI 2 PART SERVICE KIT** (MV1-MV2 WASH & RINSE) 400-0458

# **COMBUSTION LEAK TESTER**



**COMBUSTION LEAK TESTER KIT** 560000

REPLACEMENT COMBUSTION LEAK **TESTER FLUID** 

560500 - 16oz./480ml

# **MOTORVAC - CARBONCLEAN FUEL SYSTEM CLEANING**



**CARBONCLEAN MV3** 400-0020 8oz (236ml) Bottle 400-0126

32oz (946ml) Bottle



**CARBONCLEAN MV-5** 480ml Bottle 400-0050



**CARBONCLEAN MV-4** 8oz (236ml) Bottle 400-0030



**CARBONCLEAN MV-6** 480mL Bottle 400-0060

# **MOTORVAC - EVAP LEAK DETECTION**



**COOL SMOKE REPLACEMENT FLUID** (8oz/240ml) 400-1054

# **MOTORVAC - TRANSMISSION EXCHANGE KIT**



**TRANSTECH 2-STEP** ATF CLEANER AND PROTECTANT KIT 400-0137



**COOLANTCLEAN™** 2-STEP COOLANT **CLEANER AND CONDITIONER KIT** (Six kits - 2 x 12 oz.) 400-0138

**MOTORVAC - COOLANT** 

**EXCHANGE KIT** 



15



# CR© CRC Canada Co.



Brakleen® Original 75089 539 g aerosol 75091 19 L pail



Brakleen® Premium Non-Chlorinated 75088 397 g aerosol



Brakleen® Premium Non-Chlorinated With PowerJet™ Technology 75050 397 g aerosol



Disc Brake Quiet

75016 118 mL bottle

75017 255 g Aerosol

GDI IVD™ Intake Valve & Turbo Cleaner 75320x6 311 g aerosol



Synthetic Brake & Caliper Grease 75353 340 g tub with brush 75359 227 g brush top bottle





FiberLock™ Head Gasket & Block Repair 75224 946 mL bottle



CR© CRC Canada Co.

Posi-Trac™ Limited Slip Gear Oil Additive 742508 207 mL tube



Diesel Fuel Therapy Injector Cleaner Plus 75202 888 mL bottle 75203 3.785 L bottle



❸

Diesel Fuel Therapy Injector Cleaner With

Anti-Gel

75212 888 mL bottle

75213 3.785 L bottle

Diesel Fuel Anti-Gel 75221 355 mL bottle



Quick Flow™ Emergency Diesel-Gel Relief 75911



SensorKleen™ Mass Air Flow Sensor Cleaner 75110 312 g aerosol



Throttle Body Kleen™ 75078 340 g aerosol



Engine Degreaser 75025 425 g aerosol



Clean-R-Carb® 75081 454 g aerosol



With Acid Indicator 75097 312 g aerosol



White Lithium Grease 14200 284 g aerosol



Power Lube Multi-Purpose Lubricant 75005 312 g aerosol 75007 3.785 L bottle 75009 19 L pail



Knock'er Loose™ Penetrating Solvent 73020 369 g aerosol



Screwloose<sup>™</sup> Super Penetrant 75330 312 g aerosol 75222 326 g aerosol





Gasket Kleen™ 75021 340 g aerosol



Glass Cleaner 14100 510 g aerosol



Stainless Steel Cleaner 74424 510 g aerosol



De-Squeak Brake **Conditioning Treatment** 75080 319 g aerosol



Lectra-Motive™ Electrical Parts Cleaner 75018 539 g aerosol



Battery Protector 75046 213 g aerosol



**Heavy Duty Silicone** Lubricant 75074 213 g aerosol



**Dry Graphite** Lubricant 75101 320 g aerosol



Copper Anti-Seize Aerosol & Lubricating Compound 72095 340 g aerosol



Kool Tap FOAMY Cutting Fluid 74410 369 g aerosol



Chain & Wire Rope Lubricant 73050 284 g aerosol



Gasket Repair 74016 329 ml bottle



Fogging Oil 75027 369 g aerosol



QD™ Electronic Cleaner 75012 128 g aerosol 75102 312 g aerosol



Jump Start® Starting Fluid With Lubricity 75671 312 g aerosol



1Tank Power Renew® Gasoline Formula

TIANK



Fuel Stabilizer 75380 237 mL bottle



Fuel Injector & Carburetor Cleaner 75061 355 mL bottle



Zinc Mate™ 75054 369 g aerosol



Undercoating 75034 450 g aerosol





BESTBUY.

Ice-Off™ Windshield Spray De-Icer 75346 340 g aerosol



Bug Blast™ Wasp & Hornet Killer 72010 397 g aerosol



**Cutting Oil** 75500 340 g aerosol



Expansion Sealant 74077 340 g aerosol







# NOW AVAILABLE



Duster Aerosol Dust Removal System 74085 227 g aerosol



Leak Detector 74503 397 g aerosol



Compressor Oil 75133 3.785 L Bottle



TYME 1 Cold Parts Cleaner 1750565 3.78 L Bottle



Belt Dressing 75350 213 g aerosol



Empty Trigger Bottle 14021 710 ml sprayer



6-56 Marine Multi Purpose Lubricant 76007 312 g aerosol



Aluminex Clean & Shine 76332 946 ml Bottle

# BRĀKLEEN® Brake Parts Cleaner Non-Chlorinated

Introducing the newest Non-Chlorinated brake parts cleaner for Canada from the #1 brand worldwide. Specially formulated to remove even the strongest contaminants from brake linings and pads.

# **Innovative Features:**

- Low Odour
- ▲ Fast Cleaning
- Evaporates Quickly

# **Applications:**

- Brake Cylinders
- ▲ Brake Drums
- Brake Linings
- ▲ Brake Shoes
- Calipers
- ∠ Clutch Discs

- PowerJet<sup>™</sup> Technology for high output to blast through the toughest soils
  - Higher fill weight than competition means fewer cans, less waste
    - ∠ Safe for use on all brake systems
      - Professional use only, not intended for household use



ITEM #	CASE/ORDER#	UPC#	Container Size	Fill Weight	Units per Case
1752253	1752254	078254001258	20 oz	411 g	12







# IT'S OUR JOB TO MAKE YOUR JOB EASIER

Dorman releases hundreds of new aftermarket parts every year, so you aren't forced to buy from the original manufacturer. We redesign and reimagine OEM parts, so you can save time and money.



# **FURBOCHARGER ACCESSORIES**

- **#1 coverage** We offer the largest selection of direct replacements.
- **The parts you need** Our diverse inventory covers more than 80 million repair opportunities.
- **Upgraded components** Discover superior engineering and materials in our OE FIX components with a Limited Lifetime Warranty.



# LOADED KNUCKLES

- Fast Save 1-2 hours on straightforward jobs, and up to 8 hours on more complex repairs.
- **Simple** Bolt-on component; no need to use a hydraulic press or transfer old components.
- **Effective** Loaded knuckles are the result of extensive research, testing, and technician feedback.
- **Durable** Full-system solution means fewer comebacks; limited lifetime warranty.



Find out more at

DormanProducts.com





# **General Purpose Enamel** Multiple Colours Available

Multiple Colours Available



**General Purpose Lacquer** 





**Scratch Filler &** 

Primer





Filler & Sandable

**Primer** 

Item # CDA1600 Item # CDA1663 Gloss Black

School Bus Yellow

Item # CDAL1675 Gloss White

Item # CDAL1679 Item # CFP101 Silver Metallic Gray

Item # CFP102 Red Oxide

**Bed Liner** 

Item # CDAP170 Hi-Build 2-IN-1

**Engine Paint with CERAMIC™** Multiple Colours Available






Chevrolet

Orange-Red







**Wheel Coating** 

Multiple Colours Available





**Rust Protector** 

Multiple Colours Available



Item # CTR250 Bed Armor Gallon Kit Truck Bed Coating Aerosol

**Farm & Implement Paints** Multiple Colours Available



Item # CDE1601

Ford Blue















Item # 41932 John Deere Green

Item # 41934 John Deere Yellow

Gloss White

Item # 469005 Gloss Leather Brown

Item # 469035 Flat Black

Item # 469038 Item # 469042 Gray Primer Rust Converting Primer

**Caliper Paint** 

Multiple Colours Available

Flameproof™ Coating **Multiple Colours Available** 





www.duplicolor.com www.krylon.ca www.vhtpaint.com



Item # CSP101 Item # CSP102 Flat White Flat Black

Item # CSP731 Item # CSP734 Real Red Gloss Black





# Strong, long-lasting alkaline batteries guaranteed not to leak!



9V (12/pk) **EN22** AA (24/pk) **EN91** AAA (24/pk) **EN92 EN93** C (12/pk) **EN95** D (12/pk)



# PROFESSIONAL MECHANICS FENDER COVER Standard

FC1

- Expanded vinyl material
- 110 gauge thick
- Full length sewn in tool ridge
- Size: 34" x 26"



# **VISION HD FOCUS**

EPMZH21E

- Durable aircraft grade aluminum construction
- MAXVIZ Technology to deliver a wide, powerful beam and high-definition vision
- Features LED technology



# **METAL PEN LIGHT**

PLED23AEH

- Durable construction featuring a robust, metal clip
- Up to 4X Brighter than Standard LED Technology
- Features LED technology



# **WORK LIGHT**

HCAL41E

- Exceptionally durable construction for the most demanding jobs
- Latest LED technology provides clear, bright light
- Wide angle 180™ area light



# **TASK LIGHT**

TUF2AAPE

- Rugged polymer and durable over-mold maximize shock absorption
- Smart Dimming technology for customized light output and extended runtime
- Features LED technology



**BATTERY HYDROMETER** 



www.fiammcomponents.com

**ANTI-FREEZE TESTER** 

SP102



**AM80SX DUAL HORN** KIT WITH MULTIPLE OE **CONNECTORS** 72031



**AM80SX UNIVERSAL OE LOW HORN KIT** 72506



**AM80SX UNIVERSAL** OE HIGH HORN KIT 72505

www.ezred.com



# VISION HD+ FOCUS HEADLIGHT™ HDD32E

400 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on



# VISION HD+ FOCUS HEADLIGHT™ HDDIN32E

315 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on



**AM80SX UNIVERSAL OE DUAL HORN KIT** 72507




90 HIGH TONE DISC HORN 40310







# DESIGN • MANUFACTURE • DISTRIBUTE Problem Solving Automotive Hardware









- Pre Cut Brake Lines & Coils
- Cupro Nickel, 304 Stainless Steel, Poly Vinyl Fluoride, Passivated Green & Zinc
- 100's of Line Nuts, Unions & Adapters Available
- Bleeder Screws & Caliper Mounting Bolts
- Cutting, Flaring & Bending Tools



- Extensive Vehicle Coverage
- Oil Pan Drain Plugs (OE Designs)
- Drain Plug Gaskets (Large Selection)
- Repair Options
- Application Guide Available



- Fluid Line Repair & Replacement
- Fuel Injection Hose & Nylon Tubing
- Compression Unions & Brass fittings
- Quick Connectors & Joiners
- Retainer Clips
- Clamps





- R1234yf & R134a Service Equipment
- UV Dyes, Oils & Chemicals
- Line Splices, Block Off Caps & Hose to Tube Repair
- Barrier Hose & Aluminum Tubing
- O-Rings & Gaskets



# DESIGN • MANUFACTURE • DISTRIBUTE Problem Solving Automotive Hardware










- Hardware Repair Solutions
- Replacement Hardware
- Connectors, Fittings & Joiners
- Replacement Fluid Carrying Lines
- Line Flaring, Cutting & Bending Tools
- Application Guide Available





- Cupro Nickel Repair Lines
- Line Nuts & Fittings
- Repair Assortments
- Brass Fittings
- Repair Hardware

• Wheel Nuts



- E-Cat Line Codes: **CPICOR** EPICOR- FMH



WHI Solutions - FMI


- Solid Steel One Piece Chrome & Zinc Wheel Nuts
- Extensive Vehicle Coverage
- Available In Packages of 5, 10 & 25
- Coverage For OE, Steel & Aftermarket Rims

Assortments



- R1234yf & R134a Repairs
- Brake & Fuel Line Fitting
- Wheel Nut & Wheel Bolt
- Transmission & Power Steering
- Brass Fittings
- General Automotive Hardware

www.fmsiinc.com www.fmsiinc.com







## **ORIGINAL GORILLA GLUE**

Tough, expanding, sticks to everything glue. Incredibly strong and ideal for indoor and outdoor applications, Gorilla Glue is known for its industrial holding power and versatility, regardless of the surface.

5100201 - 2oz 51008T - 8oz

5100402 - 4oz



# **CLEAR GORILLA GLUE**

Clear Gorilla Glue is incredibly strong and is ideal for indoor and outdoor applications and bonds virtually everything.

4510103 - 1.75oz 4637502 - 3.75oz



## **GORILLA WOOD GLUE**

Gorilla Wood Glue is the reliable adhesive that woodworkers, carpenters and hobbyists trust for their woodworking projects. Gorilla Wood Glue's premium formula creates a cross-linking bond to provide superior strength indoors or out.

6200201 - 8oz



# **GORILLA CONSTRUCTION ADHESIVE**

Gorilla Construction Adhesive is a tough, versatile, and water resistant formula that offers instant grab, superior strength, and bonds virtually any surface!

GORILLA TAPE

WHITE GORILLA TAPE

6025001 - 30 yards

6010002 - 10 yards

8110003 - 9oz cartridge



**GORILLA TAPE TOUGH & WIDE** 

6003001 - 30 yards



**GORILLA TAPE TO-GO** 6101002 - 30 feet



**GORILLA TAPE CAMO** 6013902 - 9 yards



# **GORILLA SUPER GLUE**

Developed for long-lasting repairs in an instant, Gorilla Super Glue is designed with an impact-tough formula to handle bumps and drops with a strong, reliable bond.

7805201 - 20g bottle



# **GORILLA EPOXY**

Gorilla takes epoxy to the Gorilla tough level. Easy to dispense, and use, Gorilla Epoxy brings a strong, longlasting bond for household and automotive repairs, alike. The two-part, gap-filling formula easily bonds steel, aluminum, wood, ceramic, tile and much more.

4200602 - .85oz



# **GORILLA CLEAR GRIP**

Gorilla Clear Grip® is a flexible, fast-setting, crystal clear contact adhesive that creates a strong, permanent bond. Gorilla Clear Grip® is paintable and waterproof making it great for projects both inside and out! Build, Repair, Craft™

8140002 - 14oz



# **GORILLA SPRAY ADHESIVE**

Gorilla Spray Adhesive is heavy duty, multi-purpose and easy to use. While repositionable for up to 10 minutes, Gorilla Spray adhesive forms a clear, permanent bond that is photo safe.

6341502 - 14oz



No Run Control Gel Formula

7710101 - 3g tubes



# MOUNTING TAPE

6065102 - 1x60 inch

6155002 - Heavy Duty 1x60 inch



GORILLA TA

**SILVER GORILLA TAPE** 

105634 - 30 yards

105463 - 10 yards

# **WORKING HANDS® HAND CREAM** K1350001 - 3.4oz, jar

**GORILLA CLEAR REPAIR** FOR HEALTHY FEET FOOT CREAM











# Kimoby at a glance

- Two-way texting and multimedia messaging
- Automated messages and reminders
- · No setup fees, no contracts, no additional equipment required
- · Easy and non-disruptive implementation
- Mobile application available for iOS and Android devices

# **Bestbuy members can benefits** from Kimoby by:

# Generating more traffic

Use instant marketing campaigns to share offers and maintenance reminders with new and existing customers.

# Saving time

Spend less time on the phone with automated messages and speed up the job approval process.

# Offering a safe and contactless payment solution

Send text messages with payment requests to streamline your payment processes and reduce the risk of fraud.

## Attracting and retaining customers

Send automated review requests to your customers to build your online reputation, and attract new faces.

# **Get in touch!**




**Kimoby** 

(i) KimobySMS

www.kimoby.com









# EASY INSTALLATION - LOW MAINTENANCE - HIGH PERFORMANCE







# > 12V Modular Fuel Transfer Pump

Part No.	Model	Nozzle	Hose	Power Cord	Mount	Suction Pipe
162000-03	G20-012AD	Automatic	14 ft.	Installed	Spin Collar	Included
162000-02	G20-012MD	Manual	14 ft.	Installed	Spin Collar	Included
162000-01	G20-012P0	None	None	None	Spin Collar	None

<sup>\*</sup>Extended warranty coverage requires registration with GPI. Default warranty is 2 years.



Part No.	Model	Nozzle	Hose	Power Cord	Mount	Suction Pipe
110612-02	M-180S-AU w/filter kit	Automatic	12 ft.	Installed	Spin Collar	Included
110300-2	M-180S-AU	Automatic	12 ft.	Installed	Spin Collar	Included
110300-1	M-180S-ML	Manual	12 ft.	Installed	Spin Collar	Included

# SAVE TIME WITH THESE GPI UPGRADES:

Ouick-Fit Modular Connections

 Factory-Installed Power Cord  Spin Collar Mount

 Telescoping Suction Pipe

Visit gpi.net to learn more!

> 12V Fuel Transfer Pump

Part No.	Model	Nozzle	Hose	Power Cord	Mount	Suction Pipe	Nozzle Holder
110000-100	M-150S-AU	Automatic	12 ft.	Installed	Spin Collar	Included	Lockable
110000-99	M-150S-MU	Manual	12 ft.	Installed	Spin Collar	Included	Lockable
110000-107	M-150S-EM	Manual	10 ft.	Installed	Direct	Included	Standard
110000-103	M-150S-P0	None	None	Included⁺	Spin Collar	None	Lockable

<sup>†</sup>Customer installation required



Part No.	Model	Nozzle	Hose	Power Cord	Mount	Suction Pipe	Nozzle Holder
137100-01	EZ-8	Manual	10 ft.	Installed	Direct	Included	Standard

**30** L/min (8 GPM

147000-01 G8P

L/min

8 GPM

L/min

**15 GPM** 

> 12V Portable Fuel Transfer Pump

189 litres

- Pumps fluid on both the push and pull strokes for fast delivery

For use with: diesel fuel, kerosene, medium oil (up to 30W), and hydraulic fluid






High Pressure Performance | Ideal for use with a hose reel • Powder-Coated = Durable and corrosion resistant • Carbon Vanes = Long-life

customer service





• Eliminate dangerous leaks with flanged connections, O-rings, and meter mag drive

Part No.	Model	Nozzle	Hose	<b>Power Cord</b>	<b>Suction Pipe</b>
70000-03	V25-012AD	Automatic	18 ft.	Installed	Included
70000-02	V25-012MD	Manual	18 ft.	Installed	Included
70000-01	V25-012P0	None	None	None	None



# > 12V Modular Fuel Transfer Pump

Part No.	Model	Nozzle	Hose	Power Cord
170000-06	V25-012AD+XT	Auto	18 ft.	Installed
170000-05	V25-012P0+XT	None	None	None

> 115V Fuel Transfer Pump

-				
	Part No.	Model	Nozzle	Hose
ed	503000-09	PRO20-115AD/XTS	Auto	18 ft.
	503000-05	PR020-115P0/XTS	None	None

> 115V Fuel Transfer Pump Part No.

# Extreme Weather Accessories

504000-05 PR035-115P0/XTS None None

	Part No.	Description
	150100-501	XT Fuel Hose, 1 in. NPT x 18 ft.
100	906009-505	XT Automatic Nozzle



©2022 Great Plains Industries, Inc. All Rights Reserved. RET-1192















# SuperNova® | High Performance

Lightweight NexGen™ Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

# Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

# Grote Select<sup>™</sup> | High Value

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

# CTOD/TAIL/TIIDNI LAMDC

STOP/	TAIL/TURN LAMPS
PART #	DESCRIPTION
SUPERNO	OVA®
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER
54332	LED, 4" STOP/TAIL/TURN LAMP, RED
54333	LED, 4" STOP/TAIL/TURN LAMP, AMBER
HI COUN	<b>T</b> ®
G4002	G2 LED, 4" HI COUNT®, FEMALE, RED
G4003	G2 LED, 4" HI COUNT®, FEMALE, AMBER
GROTE SE	ELECT™
54342	LED S/T/T LAMP, LED 4", FEMALE, RED
54343	LED S/T/T LAMP, LED 4", FEMALE, AMBER
SUPERNO	OVA®
53962	LED, OVAL PLASTIC
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER
SUPERNO	OVA® 9 DIODE
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE
SUPERNO	OVA® NEXGEN
54162	RED LED OVAL STT LAMP
54163	YELLOW LED OVAL AUX LAMP
HI COUN	<b>T</b> ®
G6002	HI COUNT® 60 SERIES LED, RED
G6003	HI COUNT® OVAL LED AMBER
GROTE SE	ELECT™
54172	RED LED OVAL STT LAMP
54173	YELLOW LED OVAL AUX LAMP

# **CLEARANCE/MARKER LAMPS**

PART # DESCRIPTION

MICRONO	OVA® DOT		
49322	MICRONOVA® DOT, P2 W/GROMMET, RED		
49332	MICRONOVA® DOT, PC W/GROMMET, RED		
49333	MICRONOVA® DOT, PC/P2 W/GROMMET, AMBER		
49412	MICRONOVA® DOT, W/ADAPTOR BRACKET, RED		
49413	MICRONOVA® DOT, W/ADAPTOR BRACKET, AMBER		
49341	MICRONOVA® DOT, MARKER LAMP, ECE, WHITE		
49342	MICRONOVA® DOT, 12 VOLT, ECE, RED		
49343	MICRONOVA® DOT, 12 VOLT, ECE, AMBER		
MICRONOVA®			
47962	CLR/MKR, RED, LED, MICRONOVA® P2 WITH GROMMET		
47963	CLR/MKR, YELLOW, LED, MICRONOVA® P2 WITH GROMMET		
47952	CLR/MKR, RED, LED, MICRONOVA® P2 WITH BEZEL		
47953	CLR/MKR, YELLOW, LED, MICRONOVA® P2 WITH BEZEL		
47972	CLR/MKR, RED, LED, MICRONOVA® PC WITH GROMMET		
47973	CLR/MKR, YELLOW, LED, MICRONOVA® PC WITH GROMMET		
SUPERNOVA® 2"			
47112	LED MARKER, 2" ROUND SEALED, RED		
47113	LED MARKER, 2" ROUND SEALED, AMBER		
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED		
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED		
78433	LED, 2" ABS LAMP, AMBER		
HI COUN	T® 2"		
G3002	G2 LED, 2" HI COUNT®, RED		
G3003	G2 LED, 2" HI COUNT®, AMBER		
SUPERNO	OVA® BEEHIVE		
47212	LED MARKER, 2" BEEHIVE, RED		
47213	LED MARKER, 2" BEEHIVE, AMBER		
HI COUN	T® BEEHIVE		
G3092	RED 2" BEEHIVE LED LAMP		
G3093	YLW 2" BEEHIVE LED LAMP		
SUPERNO	OVA®		
47122	LED MARKER, 2 1/2" ROUND SEALED, RED		
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER		
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED		
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED		
78423	LED, 2.5" ABS LAMP, AMBER		
HI COUN	<b>T</b> ®		
G1032	G2 LED, 2.5" HI COUNT®, RED		
G1033	G2 LED, 2.5" HI COUNT®, AMBER		
HI COUN	T® 9 DIODE		
G1092	G2 LED, 2.5" HI COUNT® 4700, RED		
	0-150		

G2 LED, 2.5" HI COUNT® 4700, AMBER









# **Grote BriteZone™ LED Work Lamps**

# LED WORK LAMPS FOR BOTH WORK AND PLAY

With rugged, durable construction and LED power that far outshine BriteZone lamps get the job done.

Boating. Mowing. Off-roading. Working. Long after the sun goes down, you need a lamp that's as tough and tireless as you are.

Grote's BriteZone range has the LED lamp to shed light on any use - even tow trucks, garbage trucks and forklifts - without breaking the bank.

Value priced to meet your budget.













BZ331-5





PART #	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN				
BRITE ZONE LED WORK LAMPS							
BZ101-5	BRITE ZONE™ ROUND LED WORK LAMP	9-32	1600				
BZ111-5	BRITE ZONE™ SMALL ROUND WORK LAMP	12-36	1240				
BZ121-5	BRITE ZONE™ ROUND LED WORK LAMP WITH SWITCH	10-32	1900				
BZ131-5	BRITE ZONE™ ROUND LED WORK LAMP WITH SWITCH	9-30	4000				
BZ141-5	BRITE ZONE™ SMALL ROUND WORK LAMP	10-30	1750				
BZ201-5	BRITE ZONE™ SQUARE LED WORK LAMP	9-32	1100				
BZ211-5	BRITE ZONE™ SMALL SQUARE LED WORK LAMP	10-30	1100				
BZ221-5	BRITE ZONE™ SMALL CUBE LED WORK LAMP	10-30	4800				
BZ301-5	BRITE ZONE™ SLIM LED WORK LAMP	9-32	1400				
BZ321-5	BRITE ZONE™ RECESSED LED WORK LAMP	10-30	3600				
BZ331-5	BRITE ZONE™ SMALL RECTANGLE LED WORK LAMP	10-30	860				
BZ421-5	BRITE ZONE™ MAGNETIC LED WORK LAMP	12	1800				
BZ501-5	BRITE ZONE™ GO ANYWHERE LED WORK LAMP	12	1100				
BZ551-5	BRITE ZONE™ LED WORK LAMP	12-30	1200				
BZ601-5	BRITE ZONE™ MINI SQUARE LED WORK LAMP	12-36	775				

BZ321-5







# **Grote Trilliant® LED Work Lamps**

# THERE'S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

 Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles

Field tested to survive brutal on and off-road conditions















**DESCRIPTION** VOLTAGE EFFECTIVE LUMEN TRILLIANT T26 LED WORK LAMPS T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN 10 - 48 1800 64G01-5 64G11-5 T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN 10 - 48 1800 TRILLIANT CUBE WORK LAMPS TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE 12/24 1200 TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE 12/24 1200 63991-5 63W41 TRILLIANT® CUBE WORK LAMP, 3000 LUMENS, LONG RANGE, DEUTSCH 9 - 323000 TRILLIANT® CUBE WORK LAMP, 3000 LUMENS, CLOSE RANGE, DEUTSCH 63W61 9 - 32 3000 TRILLIAN 63Z01 TRILLIANT® LMX LED WORK LIGHTS, CLOSE/LONG RANGE HYBRID, DEUTSCH DT 9 - 32 7000 63Z61 TRILLIANT® LMX LED WORK LIGHTS, CLOSE/LONG RANGE HYBRID, DEUTSCH DT 9 - 32 5000

# **Grote LED Forward Lighting**

GROTE KEEPS YOU ON THE CUTTING EDGE OF TECHNOLOGY WITH LED HEADLIGHTS AND HEATED HEADLIGHTS





64H71-5 222



















PART # **DESCRIPTION VOLTAGE BEAM PATTERN** 7" LED HEADLIGHTS 7" LED SEALED BEAM HEADLIGHT 9 - 32 LOW BEAM, HIGH BEAM 90941-5 HEATED 7" SEALED BEAM HEADLIGHT ??? 12 - 30 LOW BEAM, HIGH BEAM 64H71-5 5" X 7" LED HEADLAMP 5" X 7" LED SEALED BEAM HEADLIGHT 9 - 32 LOW BEAM, HIGH BEAM 90951-5 LOW BEAM, HIGH BEAM HEATED 5" X 7" LED SEALED BEAM HEADLIGHT **₹**₹₹ 12 - 30 64H81-5 4" X 6" LED HEADLAMPS 94421-5 4" X 6" LED SEALED BEAM HEADLIGHT 9 - 32 LOW BEAM 4" X 6" LED SEALED BEAM HEADLIGHT 9 - 32 HIGH BEAM 94411-5 LOW BEAM 64J61-5 HEATED 4" X 6" LED SEALED BEAM HEADLIGHT **₹**₹₹ 12 - 30 HEATED 4" X 6" LED SEALED BEAM HEADLIGHT ??? 12 - 30 HIGH BEAM LED HEATED SNOW PLOW LAMPS LED HEATED SNOW PLOW LAMPS (PAIR PACK) ??? LOW BEAM, HIGH BEAM











77363

77365





# Grote's Warning and Hazard **Lighting Solutions**

Improve Visibility. Improve Safety. The Right Lighting Solution for Your Environment!



	PART #	DESCRIPTION				
	BACKUP ALA	RMS				
	73040	BACKUP ALARM 97DB, SAE J994 TYPE C, 12-24V				
	73310	BACKUP ALARM MULTI-FREQUENCY 97DB, SAE J994 TYPE C, 12-24V				
	BEACONS					
	79073	AMBER LED BEACON W/CLR DOME, CLASS I, 12-24V				
	78033	AMBER LED BEACON, SHORT DOME, CLASS I, 12-24V				
	78053	AMBER LED BEACON, TALL DOME, CLASS I, 12-24V				
	78853	AMBER LED BEACON, SHORT DOME, CLASS II, 12-24V				
	78863	AMBER LED VAC/MAG BEACON SHORT DOME, CLASS II, 12V				
	78063	AMBER LED BEACON, TALL DOME, CLASS II, 12-24V				
	78093	AMBER LED BEACON, COMPACT DOME, CLASS III, 12-72V				
	78103	AMBER LED MAGNETIC BEACON, COMPACT DOME, CLASS III, 12V				
	78113	AMBER LED MATERIAL HANDLING BEACON, CLASS III, 12-72V				
	DIRECTIONALS					
	78380	AMBER 30" LED WARNING STICK, CLASS I, 12V				
	77353	AMBER LED 4" ROUND WARNING LIGHT, CLASS II, 12V				
	77355	BLUE LED 4" ROUND WARNING LIGHT, CLASS III, 12V				
	77363	AMBER LED 6" OVAL WARNING LIGHT, CLASS II, 12V				
	77365	BLUE LED 6" OVAL WARNING LIGHT, CLASS II, 12V				
	78143	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12-24V				
	78163	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12V				
	78270	LED TRAFFIC DIRECTOR, LARGE, W/ ARROWS, AMBER				
	MINIBARS					
	78023	AMBER 16" LED MINIBAR, CLASS I, 12-24V				
	78133	AMBER 16" LED VAC/MAG MINIBAR, CLASS I, 12V				
	76983	AMBER 17" LED MINIBAR, CLASS I, 12V				
	77223	CLASS I COMPACT LED LIGHT BAR, PERMANENT MOUNT, AMBER, 12V/24V				
	77803	CLASS I COMPACT LED LIGHT BAR, MAGNETIC MOUNT, AMBER, 12V/24V				











# **Fuse Products**

Grote Electrical Connections and Accessories proudly introduces our new offering of Fuse and Circuit Protection products. Grote has over 200 SKU's available representing the most popular and in-demand fuse and circuit protection products including a variety of assortment packs.



# Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



# Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



# Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.



# **Trailer Connections**

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



# Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



# **Battery Connection Products**

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



# Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



# Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!







# **COATED AND CHEMICAL GLOVES**



# **051180C** 6-11 **NITRILE FOAM COATED GLOVES**

- Polyester shell 13 gauge
- Sanitized treatment Elastic knit cuff



051144 SM & LXL **LATEX FOAM COATED GLOVES** 

**DISPOSABLE GLOVES** 

Hi-vis polyester shell - 13 gauge

**792455** S-XL (Powder free)

**792455P** M-XL (Powdered)

Dispenser box contains 100 gloves

**4 MIL. NITRILE GLOVES** 

Ambidextrous



**051260C** 7-10 POLYURETHANE COATED GLOVES

- Polyester shell 13 gauge
- Elastic knit cuff



10 PACK OF NITRILE COATED GLOVES

Polyester shell



**758124B** S-XL LATEX COATED GLOVES

- Textured latex coated
- Polyester and cotton shell 13 gauge
- Elastic knit cuff



054056G14B & 054056G18 L **DOUBLE COATED PVC GLOVES** 

- Double coated PVC with rough finish
- Available in 14 in and 18 in

# 751185/10 L

Elastic knit cuff

**792457D** S-2XL

Dispenser box contains 50 gloves

6 MIL. NITRILE GLOVES

- Powder free
- Raised diamond textured

**792456D** S-2XL

# 7 MIL. NITRILE GLOVES **WORKTUFF**

- Dispenser box contains 50 gloves
- Powder free
- Raised diamond textured

# **792458D** S-2XL **8 MIL. NITRILE GLOVES**

- Dispenser box contains 50 gloves
- Powder free
- Raised diamond textured

# **WINTER GLOVES**



750760 S-XL LINED LATEX COATED GLOVES **HORIZON HORIZON** 

- Polyester shell 10 gauge
- Brushed cotton fleece lining
- Elastic knit cuff



**PVC WORK GLOVES** 

- Double coated PVC
- Foam and brushed cotton lining
- Sanitized treatment



713594ASRT L-XL **COWSPLIT WINTER GLOVES HORIZON** 

- Pile lined
- Pasted Cuff
- Assorted colors (caramel, black, navy)



**72360RFLBO** M-2TG **COWHIDE WINTER GLOVES HORIZON** 

- Cotton back with elastic
- Rubberized cuff
- Acrylic pile lining

# **EATHER AND PERFORMANCE GLOVES**



021600PLPP | L **021600PPXL** XL **COWHIDE WORK GLOVES** 

# **HORIZON**

- Cotton back with elastic
- Rubberized cuff
- 3 pieces palm & lined palm



789272DI | M-XL IMPACT PERFORMANCE GLOVES

- Synthetic leather palm Protection on back of the hand
- Silicone print on 3 fingers



- PU Diamond textured palm
- Spandex back
- Compatible with touch screens



**789268DI** M-XL IMPACT PERFORMANCE GLOVES **DICKIES** 

- Synthetic leather palm
- Protection on back of the hand
- Compatible with touch screens
- Assorted colors

# SAFETY GLASSES



**VISITOR SAFETY GLASSES** 

Blocks over 99% UVB and UVA rays

- Lightweight, frameless, integrated nosepiece, anti-scratch & anti-static

**140008** ONE SIZE









**140010** ONE SIZE **SAFETY GLASSES** 

- Soft nosepiece, anti-slip arm, anti-fog, anti-scratch & anti-static Blocks over 99% UVB and UVA rays



# A1PJ **3 STRANDS TWISTED POLYPROPYLENE ROPE ON REEL**

This rope is an affordable choice as a general-purpose rope, because it's lightweight and long-lasting. It is ideal for industrial, construction, commercial and household applications.

**A1PJ/316** - 3/16" X 2125' | 4.8 MM X 648 M **A1PJ/014** - 1/4" X 1300' | 6.4 MM X 396 M **A1PJ/516** - 5/16" X 975' | 7.9 MM X 297 M A1PJ/038 - 33/8" X 630' | 9.5 MM X 192 M **A1PJ/012** - 1/2" X 335' | 12.7 MM X 102 M **A1PJ/058** - 5/8" X 200' | 16 MM X 61 M A1PJ/034 - 3/4" X 125' | 19 MM X 38 M







# **TELESCOPIC SNOWBROOMS**

# ULTIMATE **POLAR VORTEX™** SNOWBROOM 14170

- 360° Pivoting head functions as broom or brush
- No scratch EVA foam works as a snowplow, extra wide frost blade, or squeegee

# **50" CROSSOVER SUPER-DUTY SNOWBROOM**

14039C Pivoting head swivels from broom to brush position with the push of a button.



# TELE SNOBROOM™ 511-E

Compact telescopic snow broom extends from 23" to 36".

# LONG REACH SNOWBRUSHES ideal for clearing snow from all vehicles

**ULTRA MAXX®** 999CT 35" long, ergonomic

**MEGA MAXX**® 989-34 34" long, superior MAXX® 35 889-35 35" extra long, superior

**MOSSY OAK® SNOWBRUSH** MOD24-886CB 31" long



# REGULAR REACH SNOWBRUSHES

# **EXTRA LONG SNOWBROOM**



# **COOL SNOW TOOL®**

26" long, 5 row wide. Sweeps snow and slush with little effort.



24" long. Ideal for clearing snow from all vehicles.



# **VALUE REACH SWEEP™**

25" long wooden snowbrush provides efficient snow removal.



# 51" ARCTIC PLOW™ WITH ICE **SCRAPER**

18833

Super wide 16+ inch "Push-Pull" foam head.

# **SAFETY**

# **ALUMINUM EMERGENCY SHOVEL**

17222C

BESTBUY

- Compact design for easy storage.
- Two in one handle design allows shovel to be used as a scoop.
- Extends to 30" for longer reach.

# TRAILBLAZER ELECTRONIC DEER ALERT 27512VA

Powerful electronic signal is 10X safer than traditional deer whistles.



# **PROFESSIONAL AUTOMOTIVE SQUEEGEES**



# **PROFESSIONAL AUTOMOTIVE SQUEEGEE**

12-810NY

- Plastic side guards protect glass
- 10" wide rust resistant head with durable scrub netting



# PROFESSIONAL AUTOMOTIVE **SQUEEGEE WITH HANDLE**

- Plastic side guards protect glass 10" wide rust resistant head
- with durable scrub netting 10NY-24A - hardwood handle 10NYRD-26A - plastic handle



# PROFESSIONAL SQUEEGEE **HANDLES**

- Threaded strong hardwood construction
- Fits all Hopkins professional automotive squeegee heads

112U - 30"


# **HEAVY DUTY FLOOR SQUEEGEES**




840-24/30/36 **General Purpose** 



841-24/30/36 Oil Resistant












846-30 Heavy duty 30" wide dual foam blade

# Heavy Duty 54" Floor Squeegee Handle 24" wide dual foam blade

**AUTOMOTIVE CLEANING TOOLS** 

92022SCBL 8" Wash Brush extends to 40"





40211CBL Synthetic Chamois



40061CBL Microfiber Drying Towels



45320CBL Microfiber 2in1 Wash Mitt



40208CBL **Evaporator Drying Towel** 



40059ASCBL Supreme Drying Towel



45606ASCBL Soft Touch Detailing Towel









H. Paulin & Co., a division of The Hillman Group Canada ULC

# **HANDY PAK MERCHANDISERS**



**MERCHANDISER** NO.022-065



**PLATED CAP SCREWS** and NUT MERCHANDISER NO. 022-064



**PIC A PACS SPINNER DISPLAYS** 





# **THORO-FLUSH**

- Opens & cleans out plugged heater CoresClears out gelled Dex-Cool with a simple
- Cleans cooling system in a single flush.
- Fuel Tank Cleaner. Use before installing a new fuel pump to prevent premature pump failure and warranty claims.
- Removes ethanol/bio fuel build up rust scale oils and other sludge from fuel tank.
- Safe for use on cast iron, aluminum, brass and plastic.
- Professionally recommended for over 60 years.

- Nettoie Tous Les Systêmes De Refroidissement
- Les Faisceaux De Chaufferette, Le Liquide De Refroidissement Dex-Cool, Les Refroidisseurs Pour Diêsel, Les Rêsidus De Biocarburan Et D'êthanol Des Rêservoirs De Carburant
- Peut être utilisé en toute sécurité pour les radiateurs, les systêmes de refroidissement et les rêservoirs de carburant en mêtal et en plastique

PART NO.	DESCRIPTION	CASE PACK
9112-16	Industrial Strength Radiator & Engine Cleaner, 16 oz.	12

# ALL WEATHER SEAL

- It blends with your existing Anti-freeze forming a microemulsion
- It only works where the leak is. No fear of
- plugging heater cores, etc.

  It can be used as a preventative to keep vehicles in service
- It works FAST! Within 10 min. of reaching operating temperature your leak will stop
- It works regardless of what material the leak is in. Rubber, Iron, Aluminum, Plastic, etc.,
- It is compatible with all the different kinds of anti-freeze products on the market today. Even the waterless anti-freeze and extended life versions.
- ARRÊTE Les Fuites De Liquide De Refroidissement
- Radiateur, joint de culasse, culasse de cylindre et bloc moteur. Moteurs à essence ou diésel.
- Formule PRÊTE A VERSER commode!
- Se melange a TOUT antigel pour arreter les fuites actuelles et futures.

PART NO.	DESCRIPTION	CASE PACK
9132-16	Head Gasket & Radiator Sealant, 16 oz.	12

# **CERAMIC MOTOR SEAL**

- · Permanently seal leaking head gaskets.
- · Seals cracked heads and blocks in aluminum or cast iron.
- · Coats the engine and prevents formation of rust and salt water corrosion.
- Seals porous castings in the cooling system.
- · Stops coolants leaks.
- Promotes heat dissipation for added power.
- \*Add to Radiator Only After Removing Anti-Freeze.
- SCELLE les systémes De Refroidissement Du Moteur
- · Fissures dans les culasses de cylindre, les blocs-moteurs, joints et les radiateurs aui fuient.
- Processus en trois étapes. Méianger avec de l'eau propre seulement.
- NE PAS mélanger avec de l'antigel.

PART NO.	DESCRIPTION	CASE PACK
9122-16	Ceramic Cooling System Sealer, 16 oz.	12











# **Passenger Car Motor Oils**



# Q.A.P. Premium Motor Oil Conventional



**Q.A.P PREMIUM MOTOR OILS** are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufactures requiring an API SP or ILSAC GF-6 product\*.

## Sizes & Order Codes

Size	5W-20	5W-30	10W-30
12 X 946 mL	FX0004115	FX0004215	FX0004315
4 X 5 L	FX0004130	FX0004230	FX0004330
205 L – Drum	FX0004150	FX0004250	FX0004350

# Q.A.P. Premium Motor Oil Synthetic



Q.A.P 100% SYNTHETIC MOTOR OILS are designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SP or ILSAC GF-6 product\*. For those vehicles requiring a dexos1™ Gen 2 formulation to be in compliance with GM OEM recommendations our Q.A.P 100% SYNTHETIC 0W-20 and 5W-30 grades are fully certified and registered.

## Sizes & Order Codes

Size	0W-16	0W-20 (dexos®)	5W-20	5W-30 (dexos®)	10W-30
6 X 946 mL	FX0004806	FX0004606	FX0004506	FX0004706	FX0004406
4 X 5 L	FX0004830	FX0004630	FX0004530	FX0004730	-
60 L - Keg	-	FX0004645	FX0004545	FX0004745	-
205 L – Drum	-	FX0004650	FX0004550	FX0004750	FX0004450

# Q.A.P. Premium Motor Oil Synthetic - European



Q.A.P European 100% SYNTHETIC 5W-40 is specifically formulated to meet the most stringent requirements of European manufacturers, including Volkswagen, Audi, Mercedes, BMW, and Porsche as well as European industry specifications (ACEA).

# Sizes & Order Codes

Size	5W-40
946 mL / 1 US QT	FX0001606
60 L - Keg	FX0001645
205 L – Drum	FX0001650

<sup>\*</sup> Products are backwards compatible to earlier API performance levels (except for Q.A.P. 100% Synthetic 0W-16)

# **Quality Engine Oils & Fluids**

# **Heavy Duty Diesel Oils**



# Bestbuy Pro CK-4 Conventional



# the EPA for 2017 and forward diesel engines. **Bestbuy Pro CK-4** was designed to provide improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy, oxidation resistance and enhanced drain intervals with regular used oil analysis.

Bestbuy Pro CK-4 next generation oil was formulated to exceed compliance levels set forth by

## Sizes & Order Codes

Size	15W-40
12 X 946 mL	FX0003415
4 X 5 L	FX0003430
18.9 L - Pail	FX0003440
205 L – Drum	FX0003450

# Bestbuy Pro CK-4 Syn Blend



# Bestbuy Pro Syn Blend CK-4 next generation oil was formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines. This oil was formulated to provide quantifiable improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy and oxidation resistance. Bestbuy Pro Syn Blend CK-4 is also backwards compatible making it ideal for large, small and mixed fleet operations where multiple service categories are represented.

## Sizes & Order Codes

Size	10W-30
12 X 946 mL	FX0003215
4 X 5 L	FX0003230
18.9 L - Pail	FX0003240
205 L – Drum	FX0003250
	<u> </u>

# Bestbuy Pro CK-4 Synthetic



# **Bestbuy Pro Synthetic 5W-40 CK-4** has exceptional cold cranking and cold pumping ability. Performance in these areas enables faster startup and wear protection when the engine is most vulnerable. **Bestbuy Pro Synthetic 5W-40 CK-4** is an advanced formulation designed to deliver exceptional protection for demanding operating conditions including industries such as Mining, Construction, Forestry, Trucking Operations and so much more.

# Sizes & Order Codes

Size	5W-40
4 X 5 L	FX0004030
18.9 L - Pail	FX0004040
205 L – Drum	FX0004050

# **Quality Engine Oils & Fluids**

# **Automatic Transmission Fluids (ATF)**



# Q.A.P. ATF DEX / MERC



Q.A.P DEX/MERC ATF is a premium product specially formulated for use in automatic transmissions manufactured in 2005 and earlier. General Motors, Ford and Chrysler vehicles requiring Dexron, II, III (GM) and Mercon® (Ford) fluid.

## Sizes & Order Codes

Size	DEX / MERC
12 X 946 mL	FX0000415
205 L – Drum	FX0000450

# Q.A.P. ATF DEXRON® VI



Q.A.P DEXRON® VI ATF is a premium synthetic transmission fluid designed to provide unparalleled performance in automatic transmissions in vehicles manufactured by General Motors. Enhanced resistance to oxidation, shear and viscosity stability prevents the formation of deposits for up to twice the service life of previous generation DEXRON® IIIH.

#### Sizes & Order Codes

Size	DEXRON® VI
12 X 946 mL	FX0001715
60 L - Keg	FX0001745
205 L – Drum	FX0001750

# Q.A.P. ATF Multi Vehicle



**Q.A.P MULTI VEHICLE ATF** is a premium multi vehicle transmission fluid designed to provide unparalleled severe duty operating performance in automatic transmissions. It has enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission due to high temperature instability.

# Sizes & Order Codes

Size	Multi Vehicle
12 X 946 mL	FX0001815
60 L - Keg	FX0001845
205 L – Drum	FX0001850

# **Quality Engine Oils & Fluids**

# **Gear Oils**



# Q.A.P. Gear Oils



Q.A.P GEAR OILS are extreme pressure (EP) automotive gear lubricants made from high quality, high viscosity base oils. Their special additives make them effective at providing high load-carrying protection with outstanding rust, corrosion and foam prevention. They offer a high level of protection in extreme wet and dirty environments. For applications such as automotive, heavy duty, construction, forestry, agricultural, transmissions, drive trains and stationary equipment.

# Sizes & Order Codes

Size	Gear Oils
12 X 946 mL	FX0000715
205 L – Drum	FX0000750

# **Hydraulic Fluids**



# BestBuy Pro Hydraulic



**BESTBUY PRO HYDRAULIC** is a product designed for various hydraulic systems. This oil is formulated to offer a wide operating temperature range and designed for use in colder temperatures. **BESTBUY PRO HYDRAULIC** is not recommended for use with pumps that contain silver-plated parts.

#### Sizes & Order Codes

Size	22	32	46	68
18.9 L - Pail	FX0003540	FX0003640	FX0003740	FX0003840

# **Diesel Exhaust Fluid**



# Q.A.P. DEF Diesel Exhaust Fluid



Q.A.P DEF is a 32.5% aqueous Urea Solution, AUS 32, a manufactured product of technically pure urea mixed with Demin quality water designed to meet the specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies.

## Sizes & Order Codes

Size	DEF
9.46 L – Single Carton	FX0002910
208 L - Drum	FX0002950

# **Quality Engine Oils & Fluids**

# Greases



# Q.A.P. HD Multi Purpose Grease



Q.A.P HEAVY DUTY MULTI-PURPOSE GREASE is capable high-performance grease for all chassis, wheel bearing, pin & bushing, ball and universal joints. It is an ideal solution to reduce the need for multiple products and reduce the risk of misapplication. Lithium complex thickener combined with high quality base oils and additive package giving it excellent mechanical stability and good resistance to water. The grease gives top-level protection from extreme pressure (EP) load wear.

## Sizes & Order Codes

Size	HD
30 X 14 oz Tubes - Case	FXG000111

# Q.A.P. Multi Purpose Grease



Q.A.P MULTI-PURPOSE LITHIUM GREASE is capable high-quality multipurpose grease for use in automotive chassis, universal joints, water pumps, roller, plain and AF bearings. Excellent shear stability over a broad temperature range and has a strong resistance to spin off and water resistance means it maintains protection.

## Sizes & Order Codes

Size	MP	
30 X 14 oz Tubes - Case	FXG000211	

# Cobra AFT Cobra Automatic Transmission Fluid designed to satisfy GM & Ford specs pre-2005 Size AFT

# Cobra DIFF



Cobra DIFF 80W-90 is recommended for most auto differentials as well as transmissions where the manufacturer specifies API MT-1. Always consult your owner's manual when choosing a compatible lubricant.

Size	80W-90
18.9 L - Pail	FBB0009840

FBB0008840

18.9 L - Pail

# **Cobra UTF**



Cobra UTF (Universal Tractor Fluid) is a multi-application lubricant used to lubricate the moving parts of off-highway mobile equipment. These fluids are used to lubricate the transmissions, differentials, final drive planetary gears, wet brakes and hydraulic systems of farm tractors and construction equipment that have a common fluid reservoir calling for a combination lubricant and power transmission fluid.

Size	UTF
18.9 L - Pail	FBB0008440

# Cobra Chain Oil



Cobra CHAIN Light and Heavy oils are designed especially for heavy-duty chain-saw use. Cobra CHAIN Light and Heavy oils are available in summer and winter grades. All grades are extremely tacky, which helps the oil resist drippage and throw-off, especially from high-speed chains. Cobra CHAIN Light and Heavy grades are dyed red to help chain-saw operators identify when the chain has enough lubrication

Size	Light	Heavy
4 X 3.78 L	FBB0011226	FBB0010926

# Cobra UniSolv



**Cobra UNISOLV** is a hydrocarbon solvent designed to have a good balance of solvency and evaporation rate. Cobra UNISOLV shows excellent solvency for all types of hydrocarbons, from heavy oils, greases and waxes to oil-based paints and inks.

Size	UniSolv
18.9 L - Pail	FBB0009140

# **Quality Engine Oils & Fluids**





# IRWIN TOOLS IN THE WAREHOUSE

# Vise-Grip® **Locking Tools**

IRHT82575

Description



# Fast Release™ Curved Jaw Locking Pliers

IRHT82573 10" Reduced Hand Span IRHT82574 7" 5"



## **Curved Jaw Locking Pliers**

4935576 10" Curved Jaw Locking Plier 4935578 7" Curved Jaw Locking Plier 4935579 5" Curved Jaw Locking Plier 10" Curved Jaw Locking Plier 502L3



# Fast Release™ Straight Jaw Locking

10" Reduced Hand Span IRHT82576 IRHT82577



# **Straight Jaw Locking Pliers**

10" Straight Jaw Locking Plier 7" Straight Jaw Locking Plier

> **For Complete Category Availability Consult the IRWIN® Tools Catalog**

# Vise-Grip® **Locking Tools (Cont'd)**

Description



# Fast Release™ Curved Jaw Locking Pliers with Wire Cutters

IRHT82578 10" Reduced Hand Span IRHT82580 7" IRHT82581 5"



# **Curved Jaw Locking Pliers with Wire Cutter**

702L3 7" Curved Jaw Locking Pliers with wire cutter 902L3 5" Locking Pliers

with wire cutter 1002L3 4" Curved Jaw Locking Plier with wire cutter



# Fast Release™ Long Nose Locking Pliers

IRHT82582 6" IRHT82583



# **Long Nose Locking Pliers**

1402L3 6" Long Nose Locking Plier 9" Long Nose Locking Plier 1502L3 1602L3 4" Long Nose Locking Plier

# Vise-Grip® **Locking Tools (Cont'd)**

Description



# Fast Release™ Locking C-Clamps with Regular Tips

IRHT82584 11" Reduced Hand Span IRHT82585 6"



# **Locking C-Clamps with Regular Tips**

6" Locking C-Clamp with 17 regular tips 19 11" Locking C-Clamp with regular tips 21 18" Locking C-Clamp with regular tips



## **Locking C-Clamps with Swivel Pads**

6" Locking C-Clamp with swivel pads 20 11" Locking C-Clamp with swivel pads 18" Locking C-Clamps with 22 swivel pads 24" Locking C-Clamp with 28 swivel pads 31 9" Locking C-Clamp with

swivel pads

# Vise-Grip® **Locking Tools (Cont'd)**

Description



# **Locking Wrenches**

10" Locking Wrench (10LW) 7" Locking Wrench (7LW) 4" Locking Wrench (4LW)







#### **Speciality Tools**

12" Large Jaw Locking Plier 12L3 23 8" Locking Sheet Metal Tool 9" Locking Chain Clamp Plier 27ZR 7" Locking Pinch-off Tool 29 Chain Extension for 20R 40EXT 18" Replacement Chain for 20R



# **Locking Tool Sets**

248

2 Piece Locking Pliers Set 5 Piece Original Locking Pliers 74

IRHT82591 3 Piece Fast Release Locking Plier Set

> 3 Piece Locking Wrench Set and Clamps T-Shirt Set

IRHT82593 5 Piece Fast Release Locking Plier Set

4935580 3 Piece Original Locking Plier Set

For Complete Category Availability Consult the IRWIN® Tools Catalog

# Vise-Grip® Tools (Cont'd)

No. Description



## **Replacement Springs**

40-08 Replacement Spring



# **GrooveLock Pliers**

Description 2078112 12" V Jaw GrooveLock Pliers 2078120 20" V Jaw GrooveLock Pliers 4935351 6" V Jaw GrooveLock Pliers 2078108 8" V Jaw GrooveLock Pliers 2078110 10" V Jaw GrooveLock Pliers 2078711 3 Piece GrooveLock Plier Set 2078116 16" V Jaw GrooveLock Plier 2078712 8 Piece GrooveLock Plier Set



# **Pipe Wrenches**

Description 274103 18" Cast Iron Pipe Wrench 24" Cast Iron Pipe Wrench 2074110 10" Cast Iron Pipe Wrench 274001SM 11" Quick Adjusting Wrench

# **Pliers**

No. Description





# **Long Nose Locking Pliers** 2078216 6" Long Nose Pliers

2078218 8" Long Nose Plier

# Vise-Grip® Tools (Cont'd)

Description



## **Long Bent Nose Pliers**

26 6 Long Bent Nose Pliers 26 6 Long Bent Nose Pliers 26 6 Pliers 27 1 Pliers 2078228 8" Long Bent Nose Pliers



# **Groove Joint V-Jaw Pliers**

2078510 10" Groove Joint V-Jaw Pliers 2078512 12" Groove Joint V-Jaw Pliers



# **Diagonal Cutting Pliers**

2078307 7" Diagonal Cutting Pliers 2078308 8" Diagonal Cutting Plier



## **Miscellaneous Pliers**

2078309 8" Multi-Tool 2078300 8" Self Adjusting Wire Strippers



**Plier Set** 

2078714 8 Piece Mini Pliers Set

# **IRWIN®**





# 2078209 North American Lineman's Plier Utility Knives & Blades

No. Description

Bi-Metal 5-Pack 2084100 **Utility Blades** 

Hi-Vis Retractable Utility Knife





50



# www.lenoxtools.com

# **LENOX VARI-BIT® STEP DRILL BITS**

		HOLE SIZES		SHA	NK SIZE	:
PART#	IN	ММ	# of Hole Sizes	IN	MM	
30912VB12	7/8, 1-1/8, 1-7/32, 1-1/4, 1-3/8	22.2, 28.6, 31.0, 31.8, 34.9	5	3/8	9.5	
30882VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2, 23.8, 25.4	9	3/8	9.5	
30888VB11	7/8, 1-1/8 (for 1/2 and 3/4 conduit)	22.2, 28.6 (for 12.7 and 19.1 conduit)	2	3/8	9.5	
30908VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16,	4.8, 6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5,				
	5/8, 11/16, 3/4, 13/16, 7/8	19.1, 20.6, 22.2	12	3/8	9.5	
30883VB3	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1	9	3/8	9.5	



30912VB12









30882VB2

30888VB11

30883VB3

# **LENOX HOLE SAW KITS & ACCESSORIES**



LENOX Contractor's BIG DADDY™ SPEED SLOT® Hole Saw Kit, 26 Piece 308042000G



LENOX Electrician's SPEED SLOT® Hole Saw Kit, 17 Piece 308021200L



**LENOX Standard Hole Saw Arbors** 1779801 2L T2 3.25 drill

# LENOX RECIPROCATING SAW BLADES



**LENOX Wood Bi-Metal Reciprocating Saw Blades**20582956R - 5/pk
20558B956R - 25/pk

20558B956R - 25/pk 20585156R - 5/pk 22752OSB956R - 50/pk

# **LENOX General Purpose Bi-Metal Reciprocating Saw Blades**Long Lasting, Fast Cutting and

Versatile 20580810R - 5/pk 227580SB110R - 50/pk



# **LENOX Metal Cutting**

Reciprocating Saw Blades 20487B818R - 25/pk 22751OSB618R - 50/pk 20566618R - 5/pk 20529B618R - 25/pk 20578818R - 5/pk 22754OSB818R - 50/pk





# Automotive training when and where *you* need it!



BEST Training provides Internet-based training to the automotive aftermarket. Participants have instant access to hundreds of hours of training, including Automotive Technical and Business related programming. Training lessons are presented as two-hour video based instruction. All lessons include supplementary training materials, including Student Learning Guides and Exams that augment the learning experience.

Students can access hundreds of training modules, at a schedule that best suits their needs. Programs can be taken at any time at the shop, at

home or wherever the student wishes to learn. WHEN and WHERE You Want It!

# BEST Training will include the following:

- Access to over 300 two-hour full motion video online training modules in English & French
- Training modules supported by Student Learning guides
- Post tests
- Recognition certificates
- CARSability assessment tests

# ASK YOUR BESTBUY MEMBER DISTRIBUTOR FOR MORE INFO!



ASK YOUR BESTBUY MEMBER DISTRIBUTOR HOW YOU CAN TAKE PART IN THE 2023 SUNSPLASH CUSTOMER PROGRAM!









J-B Weld 8265SCAN World's finest cold-weld compound.



J-B KwikWeld Professional Size 8271CAN Blister Quick-setting Cold-Weld™ Epoxy 10oz./ea



MarineWeld 8272CAN Two-part epoxy cold weld system specially formulated for marine applications.

WaterWeld



JB Original Syringe 50165CAN - 25ml Our strongest epoxy-5020 PSI for a strong, permanent bond



MarineWeld Epoxy Syringe White 25ml 50172CAN Great for boats, personal watercraft, deck and hull accessories and more



J-B KwikWeld™ 50176CAN Quick setting steel reinforced epoxy



J-B Weld Pro 8281CAN Blister 10oz./ea The Original J-B Weld two-part epoxy cold weld system in a 10 oz. pro size



SteelStik™ - 2 oz. 8267CAN Steel Reinforced Epoxy Putty Great for patching and repairing automotive and machine parts, plumbing, stripped threads and household repairs



Putty
8277CAN
Great for repairing plumbing, fuel tanks, tubs, showers, drains, boats and portable water tanks



Clear Silicone Sealant & Adhesive, General purpose 31310CAN - 85g Sets in 1 hour and will not shrink or crack



Hi-Temp Red Silicone 31314CAN - 85g Great for oil pans, valve covers, exhaust manifolds, differential covers and more



Blue Silicone 31316CAN - 85g Sensor safe RTV silicone gasketing material designed for use in mechanical assemblies



**J-B KwikWeld** 8276CAN Quick setting steel reinforced epoxy



Permanent Repair Cast 38236CAN 2x36"



Pipe Repair Cast 38248CAN 2x48"



ExhaustWeld 38572CAN 2" x 72" Repair Wrap High strength fiberglass wrap, with a specially formulated resin for high temperature resistant repairs.



Black Silicone
31319CAN
General
purpose black
RTV silicone
designed for
sealing and
bonding uneven
surfaces



**Ultimate Grey** 32327CAN



Sets in 1 hour and will not shrink or crack



Size 50240CAN 8oz Crystal clear epoxy sets in 5 minutes and cures in 1 hour

ClearWeld

**Professional** 



**High Heat Epoxy Putty - 2 oz.**8297CAN



**Epoxy Putty** 

8237CAN

Stick

J-B Plastic Weld™ 50132CAN - 25ml Two-part adhesive and epoxy filler system that provides for strong, lasting repairs



J-B Clear Weld™ 50112CAN - 25ml 50114CAN - 14ml Quick setting clear epoxy



J-B Plastic Bonder™ 50133CAN - Tan 50139CAN - Black High strength structural adhesive



Perma-Lock Threadlockers Medium Strength Blue

24206CAN - 6ml

24236CAN - 36ml



Perma-Lock Threadlockers High Strength Red

27106CAN - 6ml

27136CAN - 36ml



**SuperWeld** 33106CAN Brushable - 6g

33120CAN - 20g



J-B ExtremeHeat™
37901CAN
Organic repair
paste able to
withstand extreme
heat up to 1000°F





53

# Brands you trust for the work you do

Wiping, washroom and safety solutions



WypAll® Disposable Wipers provide the same great quality you've come to expect from Krew<sup>™</sup> Brand:

If curre	If currently buying this Krew <sup>™</sup> Product		
	Krew™ SKU	Description	
	33845	Krew <sup>™</sup> 200 General Purpose Towels, 3 Center-Pull Rolls/500 sheets each	
COCW 200	33920	Krew <sup>™</sup> 300 General Purpose Towels, 1 Brag <sup>™</sup> Box/176 sheets	
	33036	Krew <sup>™</sup> 400 Oil & Grease Shop Towels, 12 Quarterfold Packs/56 sheets each	
	33046	Krew <sup>™</sup> 400 Oil & Grease Shop Towels, 4 Center-Pull Rolls/200 sheets each	
1	33878	Krew <sup>™</sup> 500 Heavy Duty Shop Towels, 3 Center-Pull Rolls/275 sheets each	
55EN 600 67	33933	Krew <sup>™</sup> 500 Heavy Duty Shop Towels, 1 Brag <sup>™</sup> Box/180 sheets	
TOTAL CONTRACTOR OF THE PARTY O	33889	Krew <sup>™</sup> 600 Low Lint Shop Towels, 3 Center-Pull Rolls/225 sheets each	
STEW SOC	33944	Krew <sup>™</sup> 600 Low Lint Shop Towels, 1 Brag <sup>™</sup> Box/180 sheets	

Switch to this WypAll® Product*		
	Replacement WypAll® SKU	Description
	47758	WypAll® L20 Limited Use Towels, 3 Center-Pull Rolls/550 sheets each
Trada &	34607	WypAll® L20 Limited Use Towels, 1 Brag™ Box/176 sheets each
a mass	05701	WypAll® L40 Disposable Cleaning & Drying Towels, 18 Quarterfold Packs/56 sheets each
© 07	05796	WypAll® L40 Disposable Cleaning & Drying Towels, 2 Center-Pull Rolls/200 sheets each
-c7	41702	WypAll® X70 Extended Use Reusable Cloths, 3 Center-Pull Rolls/275 sheets each
-	55300	WypAll® X70 Extended Use Reusable Cloths, 1 Brag™ Box/200 sheets each
33201	33241	WypAll® Oil & Grease Cloths, 1 Jumbo Roll/717 sheets
arred)	33352	WypAll® Oil & Grease Cloths, 1 Brag™ Box/180 sheets

\*when advised by Customer Care













# How to exceed hygiene expectations in the 'new normal'

Single-use towels offer the most effective and most hygienic hand washing solution compared to jet air dryers.

# Towels are hygienic:

Paper towels are critical to proper hand hygiene, as they can remove up to **77% of the bacteria** that remains on hands after washing.



Jet air dryers blow water droplets containing bacteria from the hands as far as 6.5 feet and linger in the air for up to 15 minutes.



The inner surfaces of a jet air dryer can harbor 48 times more bacteria than found on a toilet seat.



Jet air dryers can actually increase bacteria by 42% on users' fingers during the drying process.

# Hard Roll Towel Systems

Code	Description	Ply	Size (WxL)	Qty/Unit	Units/Case	Oty/Case	Fits Dispenser
01000	Scott® Essential High Capacity Hard Roll Towels, 1.5" core	1	8.0" x 1,000'	1,000′	12 rolls	12,000′	09990
02000	Scott® Essential High Capacity Hard Roll Towels, 1.75" core	1	8.0" x 950'	950′	6 rolls	5,700′	09996
50606	Scott® Essential Plus+ Hard Roll Towels, 1.75" core	1	8.0" x 600'	600′	6 rolls	3,600′	48857

# **Bathroom Tissue Systems**

	Code	Description	Ply	Size (WxL)	Qty/Unit	Units/Case	Qty/Case	Fits Dispenser
	07805	Scott® Essential Jumbo Roll Tissue, 3.25" core	2	3.55" x 1,000'	1,000′	12 rolls	12,000′	09507
<u> </u>	48040	Scott® Essential SRB Tissue, 1.58" core	2	4.1" x 4.0"	550 sts.	40 rolls	22,000 sts.	09021
	17713	Cottonelle® SRB Tissue, 1.6" core	2	4.09" x 4.0"	451 sts.	60 rolls	27,060 sts.	09021

# Skin Care Systems

Code	Description	Fragrance	Delivery Format	Size	Oty/Case	Fits Dispenser
91565	Scott® Essential Green Certified Foam Skin Cleanser	Unscented	Manual Cassette	1.0 L	6	92145
91591	Scott® Essential Green Certified Foam Skin Cleanser	Unscented	Electronic Cassette	1.2 L	2	92148

# Kleenex® Facial Tissue

Code	Description	Ply	Size (WxL)	Qty/Unit	Units/Case	Oty/Case
21400	Kleenex® Facial Tissue, flat box	2	8.3" x 7.8"	100 sts.	36 bxs.	3,600 sts.









**REAR DISC BRAKE** ADJUSTER

28600 Rotates piston back into the caliper when replacing pads.

100 RAZOR BLADE SET

Standard Razor Blades.

Contains 100 carbon steel.

single edged razor blades.

Convenient Pack of



# **FILTER WRENCH**

63500

For Filters Up to 6" (152.4mm). Adjusts quickly to fit any spinon oil filter up to 6" diameter. Use with 1/2" drive or 3/4" wrench. Strong nylon belt.



# **DELUXE FEELER GAUGE**

68100

31 Blades. 1 Brass Blade .010".

Precision blades ensure accurate measurements. Blades from .0015" to .035" (.038 - .889mm) thickness are approximately 1/2" wide by 3 1/2" long.



# **OXYGEN SENSOR SOCKET**

12100

52150

Removes and Installs Oxygen Sensors on Most Domestic and Some Imports.



# **BATTERY BRUSH**

11120

Cleans dirt and corrosion from battery terminals and cable clamps.



# 65MM/14 FLUTE END CAP FW

61600

The new heavy duty design for the 65mm diameter 14 flutes oil filter canisters has been improved by adding heat-treated metal disc to the drive area and adding two solid welds to the surface to increase strength.



# AIR CONDITIONING / FUEL LINE DISCONNECT TOOL SET

37000

Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8".



## **HEAVY-DUTY TEST LIGHT**

28400

Quickly Tests Low Voltage up to 12 Volts.



# **SMALL FILTER WRENCH**

53700

Handle Swivels to Clear Obstructions. Range 2 7/8" to 3 1/4" (73 - 82.5mm).



# **LOCTITE 4060 GREY STRUCTURAL INSTANT ADHESIVE HYBRID** 2267079 - 25g

Structural adhesive with fast set time of an instant adhesive. Colour changes to indicate proper mix. Bonds metals, most plastics, rubber and wood. High gap fill. Excellent resistance to oil, fuel and ethanol.

Typical Applications: Interior trim pieces, underhood part repairs, custom fabrication



# **LOCTITE 4070 STRUCTURAL INSTANT ADHESIVE HYBRID**

2264448 - 10 ml Boxed kit with 3 Nozzles

The essential repair adhesive. Solves virtually any repair challenge when time is limited. Rapidly bond a variety of damaged vehicle components. High strength and impact resistance. Makes fast and easy repairs to many materials.

Typical Applications: Interior trim pieces, consoles, dash components, molded bumpers, trim repair, custom fabrication



# **LOCTITE LB 8008 C5-A ANTI-SEIZE LUBRICANT - COPPER**

38605 - 8oz. Brush-Top Can 38604 - 1lb. Brush-Top Can High temperature resistant

anti-seize and thread lubricant. Prevents seizing, galling and corrosion. Provides good electrical conductivity.



# **LOCTITE LB 8023 MARINE GRADE ANTI-SEIZE**

34395 - 8oz. Brush-Top Can Highly resistant to fresh and salt water wash out - under car applications. Extreme temperature & humidity resistance. Metal free, prevents galvanic corrosion.



# **LOCTITE EA 445 EPOXY MIXER CUPS**

**LOCTITE LB 8150 ANTI-SEIZE** 

38619 - 8oz. Brush-Top Can

38620 - 1lb. Brush-Top Can

Prevents seizing, galling and

corrosion. For use in assemblies

**LUBRICANT - SILVER** 

up to 1600°F (871°C).

37513 - Canister 10 pk of 4g Mixer Cups

Pre-measured epoxy in cups, bonds most materials. Excellent chemical resistance. Bonds in 5 - 15 minutes. Sandable & paintable.



# **LOCTITE LEATHER & VINYL REPAIR KIT**

2445836 - 1.25 fl. oz. Carded Kit Allows colour matched repairs for mending holes, rips & burns. Cures in 30 minutes.



# LOCTITE WINDSHIELD REPAIR KIT

37613 - 0.17 fl.oz. (5 ml) Carded Kit Easy to use & makes virtually undetectable repairs. 1-part, no-mix repair adhesive.









LOGITIE

# LOCTITE BLUE THREADLOCKER STICK - MEDIUM STRENGTH

37643 - 9g Carded Tube 37614 - 19g Carded Bottle Non-drip portable stick threadlocker, removable with hand tools. Locks & seals 1/4" to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.

LOCTITE 242 THREADLOCKER -



# LOCTITE RED THREADLOCKER STICK -HIGH STRENGTH

37701 - 9g Carded Tube Non-drip portable stick high-strength threadlocker. Locks & seals up to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.



# **LOCTITE 243 THREADLOCKER -**

**SURFACE INSENSITIVE** 1330902 - 6ml Carded Tube 1330906 - 36ml Carded Bottle Low drip, blue liquid threadlocker. Primerless for multi-metal or coated fasteners. Locks & seals 1/4" to 3/4" bolts. Removable with hand tools.



# **LOCTITE 262 THREADLOCKER -HIGH STRENGTH**

38637 - 6ml Carded Tube 38647 - 36ml Carded Bottle Red liquid threadlocker. High strength, withstands shock & vibration. Locks & seals up to 3/4" fasteners.



# **LOCTITE 263 THREADLOCKER -HIGH STRENGTH SURFACE INSENSITIVE**

2203451 - 6ml Carded Tube 2205310 - 36ml Carded Bottle Low drip, red liquid threadlocker. Primerless for multi-metal or coated fasteners. Resists shock & vibration. Locks & seals up to 1" bolts.



# **LOCTITE 620 BEARING MOUNT** - HIGH TEMPERATURE

38626 - 36ml Carded Bottle Green, high-strength retaining for press or slip-fit parts. Pins, bushings, bearings. 450°F temperature resistance. New or worn parts.



# **LOCTITE 277 THREADLOCKER -HEAVY DUTY/LARGE BOLTS**

38627 - 36ml Carded Bottle Red liquid threadlocker. Resists extreme shock & vibration. Locks & seals fasteners over 1".



# **LOCTITE 565 THREAD SEALANT -HIGH PERFORMANCE**

38635 - 50ml Carded Tube Locks & seals threaded metal pipe fittings. Controlled strength. Non-shrinking & fast cure. Resists common fluids, fuel, coolant, oils.



# LOCTITE 592 THREAD SEALANT -**HIGH TEMPERATURE**

38613 - 50ml Carded Tube Locks & seals threaded metal pipe fittings. 400°F temperature resistance. Parts may be repositioned up to 24 hours after assembly. Resists common fluids. fuel, coolant, oils.



# **LOCTITE SI 595 RTV CLEAR** SILICONE

38617 - 80ml Carded Tube 2636980 - 190ml aerosol 38618 - 300ml Cartridge Clear, multi-use adhesive sealant. Creates a tough, highly flexible silicone rubber seal. Waterproof.



# **LOCTITE 515 GASKET MAKER -**ANAEROBIC

38625 - 50ml Carded Tube Flexible gasket maker for use on rigid metal flanges with less than 0.015" gap. Flexes with flanges that move in service. Replaces pre-cut gaskets.



# LOCTITE HIGH FLEX FORM-IN-PLACE GASKET - ANAEROBIC

38628 - 50ml Carded Tube Blue gasket maker with added flexibility for flange movement. Replaces gaskets on rigid metal flanges with less than 0.010" gap.



# **LOCTITE 518 GASKET MAKER -**ANAEROBIC

2096058 - 50ml Carded Tube Gasket maker for rigid aluminum and metal flanges. Fills gaps up to 0.050". Replaces pre-cut gaskets.



# **LOCTITE SI 5900 READY GASKET -GASKET MAKER**

1093354 - 5oz Cartridge 2634173 - 190ml aerosol 2207527 - 300ml Cartridge Elastomeric rubber sealant makes leakproof gaskets in one minute. Immediate return to service. Bonds through oily surfaces. Resists oils & coolant. Sensor safe.



# **LOCTITE SI 5920 RTV COPPER SILICONE GASKET MAKER - HIGH PERFORMANCE**

38639 - 80ml Carded Tube 38640 - 300ml Cartridge Premium gasketing for 4-cylinder, high-performance or turbocharged engines. Operating temperatures to 700°F. Resists oils & coolant. Sensor safe.



# **LOCTITE SI 598 RTV BLACK** SILICONE GASKET MAKER

41241 - 80ml Carded Tube 2638166 - 190ml aerosol 41240 - 300ml Cartridge Black elastomeric rubber gasketing material. Retains high-flexibility & oil resistance properties. Sensor safe.



# **LOCTITE LB 8423 DIELECTRIC TUNE-UP GREASE**

37535 - 80ml Carded Tube Protects electrical connections from salt, dirt & corrosion. Ideal for spark plug boots, marine & automotive electrical connections, trailer wiring.












**POWER STEERING FLUID** 20824-6 (946ml)



SEMI-SYN 10/40 ATV 20720 (946ml)



SYN HD OIL **STABILIZER** 20130 (946ml)



BV-300F





BV-420 10" Bi-level Brush - Soft Green Flagged Fill - Soft Surfaces



Medium to Heavy Duty Corn Broom Heavy Duty Corn Boom - Stiff



BC-107C Heavy-Duty Corn Broom - Medium Sweep



**SAE 20W-50 MOTORCYCLE OIL** 20700 (946ml)



**SYNTHETIC SAE 20W-50 MOTORCYCLE OIL** 20702 (946ml)



**SLICK MIST** 20160 (710ml)




BT-112 Track/Switch Industrial Broom with Heavy Duty Forged Chisel



BA-3220 12" Vortex Angle Broom with 48" Handle - Long Fiber



BA-9708 Small Angle Broom with Handle BA-9708-D w/ Clip On Dust pan



HW-7000F Step-N-Go Mop Fiberglass Handle 60" HW-7001F Step-N-Go Mop Fiberglass Handle 54"



**SYNTHETIC** DOT 4 **BRAKE FLUID** 20827 (355ml)



**SYNTHETIC** DOT 3 **BRAKE FLUID** 20826 (946ml)



OCTANE **BOOSTER** 20026 (44ml)



**FUEL TREATMENT** 20020 (155ml)



Galaxy Combo: Plastic Pan, Angle Broom and Handle



DP-L800 Galaxy Lobby Dust Pan



DP-H614 Dust Pan, Plastic



Wire Scratch Brush - Long Handle



WA-US20 Urinal Screen with Puck - Lavender



**WF-7003** Floor Sign "Caution Wet Floor" – English/French/Spanish



WS-CS1021-P 10" Car squeegee with 20" Handle



TS-BT289-12 24 oz Round Bottle with TS5911R Trigger Sprayer 1.5cc / 24 oz







# **PROFESSIONAL CLEANING PRODUCTS**



FS-MH30-RD MOSS Heavy Duty, Oil Resistant Floor Squeegee with Natural Rubber - 30"/75cm - Red



24"/60 cm Polypropylene/PET Pushbroom Medium Sweep



PB-700-ST16 16" Street Broom with Brace & Handle



BD-1110-M54 10" Scrubbing Brush with Threaded Hole - Plastic Block -Comes with 54" Metal Handle - Assembled



FS-MH30 Floor Squeegee Heavy Duty Moss-30"/76cm - Use FH-W360-1T handle

PB-T18 - 18" / 45 cm

PB-T24 - 24" / 60 cm

Medium Sweep

Tampico All Purpose Pushbroom

PB-GB700-GB18 - 18"/45cm

PB-GB700-GB24 - 24"/60cm

Brace & Handle - Assembled

Ryno Push Broom - Stiff Sweep



FS-M22 Floor Squeegee Moss-22"/55cm Use FH-W360-1T handle



Floor Squeegee- Straight - 36"/91cm Use FH-W360-118T




PB-G24 - 24" / 60 cm Garage Concrete -Medium to Heavy Duty Sweep



PB-BT24 - 24" / 60 cm Blue Flagged Tip Fiber - Fine Sweep



PB-800-RB18 - 18"/45cm PB-800-RB24 - 24"/60cm Ryno Push Broom - Medium Sween Brace & Handle - Assembled



PB-351 Push Broom Brace



Venus - Large Indoor Curved Magnetic Broom with 48" White Metal Handle



16" Large Industrial Angle Broom Including Dust Pan



BA-3000 16" Hercules Large Angle Broom 48" handle



Mobil 1

Part No.

MOBIL5W20

MOBIL0W40

125386

124947

124033

MOBIL5W20 50251439

MOBIL10W30 50252846

MOBILOW20 50251426

50255582

50251429

50264160

50255962

50255453

Mobil 1 5W-20 (6 x 1L)

Mobil 1 10W-30 (6 x 1L)

Mobil 1 0W-20 (6 x 1L)

Mobil 1 5W-30 (6 x 1L)

Mobil 1 FS 0W-40 (6 x 1L)

Mobil 1 0W-16 (3 x 4.73L)

Mobil 1 EP 5W-30 (3 x 4.73L)

Mobil 1 ESP X2 0W-20 (6 x 1L)

Description

# **Specifications and Approvals**

LUBRICANTS

**BRENNTAG** 

- World's leading synthetic motor oil brand
- Chosen by many of the world's leading OEMs/carbuilders/car manufacturers
- Keeps your engine running like new
- Outstanding wear protection to help extend engine life
- Prevents harmful sludge and deposits
- Flows quickly to protect at start-up, even down to -37° C
- Protects high engine temperatures up to 260° C



# **Mobil Super Synthetic**

Part No.		Description
125517	50265177	Mobil Super Syn 0W-20 (6 x 1L)
125518	50265086	Mobil Super Syn 5W-30 ( $6 \times 1L$ )
124412	50267125	Mobil Super Syn 5W-20 (3 x 4.73L)
124839	50262946	Mobil Super Syn Euro 5W-40 (6 x 1L)

# Mobil Delvac



Part No	). D	Pescription
124815	50262955	MOBIL DELVAC 1 ESP 5W-30 (3 x 4.73L)
124547	50262479	MOBIL DELVAC 1 ESP 0W-30 (6 x 1L)
122878	50252847	MOBIL DELVAC 1300S Semi-Syn 10W-30 (4 x 3.785L)
105492	50252558	MOBIL DELVAC 1300S Semi-Syn 15W-40 (4 x 3.785L)
125146	50264101	MOBIL DELVAC HDEO 10W-30 (4 x 3.785L)
125151	50264098	MOBIL DELVAC HDEO 15W-40 (4 x 3.785L)



# **Mobil ATF**

Part No.		Description
123036	50256639	MOBIL ATF +4 (6 x 1L)
124715	50256772	MOBIL 1 Syn - LV ATF (6 x 1L)
123003	50254696	MOBIL ATF D/M (6 x 1L)

- Full synthetic motor oil
- Approved for GM dexos1<sup>™</sup> use for 5W-30 and 0W-20 viscosities
- Extend engine life in vehicles of all ages
- Protect against sludge and wear
- Protect against high engine temperatures
- Mobil Super Syn Euro 5W40 have the following approvals: BMW Longlife 01, MB-Approval 229.3 and 229.5, VW 502 00 and 505 00
- Mobil Delvac™ 1 ESP diesel engine oils are formulated to deliver exceptional performance
- Mobil Delvac<sup>™</sup> 1300 Super is an advanced, synthetic blend, diesel engine oil
- Mobil Delvac HDEO and Mobil Delvac 1300 meet the requirements of API CK-4, CJ-4 service categories
- Meet the demands of Mack EOS-4.5, and Volvo VDS-4.5 service classification

For more information call

1-800-414-6626

or email us at

orderdesk@brenntag.ca







# NLS PRODUCTS

ORIGINAL Stock #	Size	BLACK Stock #		
1450	145 g	N/A		
3300	333 g	6300		
3700	3.79 L	6400		
4300	18.9 L Pail	6500		
4500	208 L Drum	6600		
5207	237 mL Brush Top Can	N/A		



All ORIGINAL Stock numbers above are Canadian Food Inspection Agency Approved (CFIA #N184).

# **RUST'S WORST ENEMY • WOOL WAX FORMULA**

Powerful Rust & Corrosion Protection, Excellent Vehicle Undercoating, Superior Lubricant & Long-Term Penetrant. Environmentally Friendlier, Solvent Free and Non-Toxic.

# For Many Uses:

Auto · Truck · Farm · Home · Marine · Forestry · Mining · Industrial · RVs · Buses · Trailers Chains · ATVs · Aircraft · Military · Salt Trucks · Cable · Battery Terminals · Tools Fertilizer Spreader · Electrical Connectors

The Most Universal Product You Will Ever Use!!



# **Premium Heavy Duty Tire Sealant**

NLS Products Stock #	Size
95544	946 mL
95555	3.78 L w/pump
95566	18.9 L Pail
95577	Combo 18.9 L Pail (w/pump)
95588	1 - Pump for 95566



# **Extends The Life Of Your Tire!**

# Runs Tires Approx. 35% Cooler! Maintains Consistent Tire Pressure! Helps Eliminate Flats! Lasts The Life Of The Tire!

Ideal for Trucks, Farming, Lawn & Landscaping, ATV's, Trailers, Buses, Cars, RVs, Bicycles, Mining, Forestry & Construction Heavy Equipment.

For Air or Nitrogen filled or Tubeless Tires. Provides Better Fuel Economy.

Non-Flammable • Non Explosive

- Permanently seals punctures
- · Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- · Seals most bead and rim leaks



Box 790, Bobcaygeon, ON K0M 1A0  $\cdot$  www.nlsproducts.ca  $\cdot$  mail@nlsproducts.ca



# **Heavy Duty • Pure Blend Fast Penetrating Oil**

Frees Frozen & Rusted Parts. Environmentally Friendlier.
Canadian Food Inspection Agency Approved (CFIA #N184)
• Solvent Free • Non Hazardous

BreakThru®, Fast Penetrating Oil, is a highly refined oil-based product that infiltrates components quickly. Frees Frozen - Rusted Parts! No Silicone or Teflon. **For Many Uses:** 

Bolts · Engine Parts · Hinges · Locks · Bearings · Bicycle & Motorcycle Chains Chains · Rollers Wheels & Other Moving Parts

Aluminum · Chrome · Steel Surfaces · Guns
Fishing Equipment · Industrial Machinery
Relays, Switches · Tools & Many More.

NLS Products Stock #	Size
C10	370 g







NLS Products Stock #	Size
8312 (Auto)	
8612 (Marine/RV)	90 mL
8812 (Industrial)	

A series of premier adhesives in six popular SKU's (12/case) to cover most of your GLOOING needs. "Gloozit®" is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT". Once cured GLOOZIT® remains flexible, is able to withstand temperature changes as well as the expansion and contraction of dissimilar materials. GLOOZIT® bonds virtually everything.

Apply at room temperature.

Recommended ambient & surface temperature of 4°C (40°F) to 32°C (90°F).





Brake Conditioning Treatment
Brake Squeal Treatment for rotors/drums.
No Solvents, Hydrocarbons or Silicones.
OEM Approved!

Prevents rust, oxidation of rotors/drums, stops seizing of lugs nuts & threads.

NLS Products Stock #	Size
9900	255 g





# TECH / STEEL

Steel Reinforced Epoxy Putty · Steel Hard in 15 minutes and Full Cure in 1 Hour. Permanently Adheres To:

AUTO/TRUCK: Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks

**HOME:** Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork

**FARM:** Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment **MARINE:** Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks

**HOBBIES:** Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys

**PLUMBING:** PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

NLS Products Stock #	Size
16002	65 g
6004	130 g





# THE RUST STOPS HERE!

**Primer & Rust Treatment In One Product.** Rust Destroyer® is a PATENTED primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, alumium, tin and core tan steel. It converts active

rust to a passive form on contact. An absorbing action in the primer film simultaneously raises the rust from the surface and envelops all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.



- Heat resistant up to 800°F (427°C)
- Apply directly over rust
- No sand blasting
- No scraping to bare metal
- Works with most top coat paint
- No washing before or after application
- No sanding glossy finishes to improve adhesion

NLS Products Stock #	Size	Avg. Cvg.
73013	340 g	15 sq. ft.
73005	18.9 L	1500 sq. ft.





X-Treme Tape<sup>®</sup> (25 mm x 3 m x 20 mils) For Quick Emergency Repairs!

- No Adhesive, Bonds Only to Itself · Won't Melt Up to +260°C (+500°F) · Stretches to 3x's its Length Insulates to 8000 Volt
  - Forms a Permanent Air & Water Tight Seal

NLS Products Stock #	Size	Description
5100	3 m	X-Treme Tape® Automotive - Black
5200	3 m	X-Treme Tape® Marine / RV - White





**Coolant Acronyms:** Inorganic Acid Technology (IAT)
Nitrite Organic Acid Technology (NOAT) Hybrid Organic Acid Technology (HOAT) Organic Acid Technology (OAT)

# Auto Fluid Diagnostic Test Strips



**AUTOMOTIVE & LIGHT TRUCKS** RADCHEK TEST STRIPS FOR EXTENDED LIFE & CONVENTIONAL COOLANTS **TESTS: Reserve Alkalinity, pH levels** & Glycol (freeze point / boiling point). TESTS: IAT. NOAT. HOAT. OAT

# 1570 70 STRIPS / BOTTLE



pH BRAKE FLUID TEST STRIPS Synthetic & Conventional DOT 3, 4, & 5.1 TESTS: Automotive and Heavy Duty Brake Fluids. Provides reliable results to determine the pH condition of the Brake Fluid. Dip and read in 30 seconds.

# 80700 **70 STRIPS / BOTTLE** 



FLUID MOISTURE TEST STRIPS FOR 5 OILS - ATF, ENGINE (GAS & DIESEL) OIL, POWER STEERING, HYDRAULIC, ALL BRAKE FLUIDS,

Synthetic & Conventional DOT 3, 4, & 5.1 Fluid Diagnostic Test Strips assess the health of the fluid and identifies when

Detects moisture content from 0 - 5%.

10 STRIPS / CARD

**TESTS FOR COOLANT PRESENCE IN ENGINE (Gas & Diesel) OIL** & AUTOMATIC TRANSMISSION FLUID Highly unique, quick & affordable measure.

Detects coolant presence from 0 - 6%.

80900 **50 STRIPS / BOTTLE** 

# Heavy Duty Fluid Diagnostic Test Strips



STANDARD HEAVY DUTY

Specific Range:

Nitrite 0 - 3200

ppm

Ppm

Nitrite 0 - 3200

Ppm **COOLANTS** TESTS 4 COMPONENTS: pH levels. Glycol, Molybdate & Nitrite up to 3200 ppm. **TESTS: OAT. NOAT. HOAT** 

# 2050 **50 STRIPS / BOTTLE** 



Testing The 3 O's! ORGANIC ACID (OAT), NITRITE ORGANIC ACID (NOAT) & HYBRID ORGANIC ACID (HOÁT) **ELC HD TEST STRIPS Essential Test: Carboxylate Acid Inhibitors,** Glycol, Nitrite & pH. Protect against liner pitting, corrosion

80240 25 STRIPS / BOTTLE

RED HD ELC COOLANT TEST STRIPS
for pH, Glycol & Nitrite.
Essential to test Nitrite level
up to 4000 ppm in Red HD ELC.

Provides added ranges for evaluation of protection for the supplemental additives in the cooling system for Nitrite. TESTS: OAT, ŇOÁT & HOAT

# 80200 **50 STRIPS / BOTTLE** 

**LOW LEVEL - WEAR METAL IONS TEST STRIPS TESTS: Wear Metal Ions in Coolant,** 

Engine (Gas & Diesel) Oils, Differential, Power Steering, Transmission & Brake Fluid at very low content.

Any abnormal presence of **METAL IONS** allows immediate corrective action. Test Range from 10 - 1000 ppm.

# 80800 **50 STRIPS / BOTTLE** 



**HEAVY DUTY** HYDROCARBON TEST STRIPS Use to detect the presence of Oil in Diesel Exhaust Fluid (DEF), **ALL Coolant & Water.** 

80508 **50 STRIPS / BOTTLE** 



Box 790, Bobcaygeon, ON K0M1A0 · www.nlsproducts.ca · mail@nlsproducts.ca







# NORTON SAINT-GOBAIN

#### NON-WOVEN PADS, ROLLS AND DISCS

The competition hasn't even scratched the surface when it comes to performance like this.

When you use a Norton Bear-Tex pad, you want it to grab what you're scuffing. You want it to cut fast and last long. That's what you get with top-performing Norton Bear-Tex pads. The perfect mix of consistently-graded grain in an advanced resin system makes for an amazingly fast cut with a finish that's noticeably better than other pads. What does this mean for you? A super fast cut without wild scratches. Whether using a Norton Bear-Tex maroon pad for an aggressive cut, a Norton Bear-Tex gray pad for a fine scratch or a Norton Bear-Tex gold pad for pearls and metallics, you won't find a better pad.



#### **FEATURES & BENEFITS**

- · High-quality non-woven fiber lasts longer than competitive pads
- Even grain distribution on two sides results in a very consistent scratch pattern, and delivers extra long life on both sides
- Available in a wide range of grits for every step in the paint preparation process
- Can be used wet or dry for maximum versatility in all applications
- Rolls are perforated every 3" for easy tearing for just the size needed
- Perfect for use with Norton Scuff Gel to clean, degrease and abrade in one step



DESCRIPTION	FEATURE	COLOR	PART #	PKG/CASE
4-1/2" x 9" Thin-Fle	x Pad			
Primer Prep		Maroon	636425 <b>06166</b>	25/4
Color Prep		Gray	636425 <b>06167</b>	25/4
Clear Blend Prep		Gold	662611 <b>13519</b>	10/10

4" x 30' Thin-Flex Roll Boxed										
Primer Prep	Perforated Every 3"	Maroon	776960 <b>75500</b>	1/3						
Color Prep	Perforated Every 3"	Gray	776960 <b>75502</b>	1/3						
4" x 30' Scuff Roll	Plastic Wrap									
Primer Prep	Perforated Every 3"	Maroon	636425 <b>03009</b>	1/1						
Color Prep	Perforated Every 3"	Gray	636425 <b>02999</b>	1/1						
6" x 9" Scuff Pad										
Primer Prep	Perforated at Middle	Maroon	662610 <b>58000</b>	20/3						
Non-Abrasive	Perforated at Middle	White	662610 <b>58001</b>	20/3						
Color Prep	Perforated at Middle	Gray	662610 <b>58002</b>	20/3						
Clear Blend Prep	_	Gold	662610 <b>58005</b>	10/3						
6" Thin-Flex Disc										
Primer Prep		Maroon	666233 <b>34770</b> *	25/4						
Color Prep		Gray	666233 <b>34771</b> *	25/4						
Clear Blend Prep		Gold	662611 <b>13517</b> *	10/4						
* For best results, the	recommended back-up	pad is 63642.	5-06145.							
6" Scuff Disc										
Non-Abrasive/Clean		White	776960 <b>98087</b>	10/1						

#### **OUALITY** THAT PAYS TO

www.facebook.com/NortonAbrasivesNA | www.youtube.com/NortonAbrasives | www.nortonabrasives.com













#### PERMATEX® BLUE MEDIUM STRENGTH THREADLOCKER

24200 - 6ml Carded Tube 24240 - 36ml Carded Bottle

24250 - 50ml Bottle

24215 - 10g Carded Tube Gel Twist Medium strength, general purpose



#### PERMATEX® RED HIGH STRENGTH **THREADLOCKER**

26200 - 6ml Carded Tube

26240 - 36ml Carded Bottle

26250 - 50ml Bottle

27115 - 10g Carded Tube Gel Twist High strength threadlocker.



#### **PERMATEX® THREAD SEALANT**

59206 - 6ml Carded Tube

59234 - 50ml Carded Tube

**PERMATEX® HIGH PERFORMANCE 565** 56550 - 50ml Carded Tube

**PERMATEX® MAXIMUM TEMPERATURE 567** 

56750 - 50ml Carded Tube Locks and seals threaded fittings.



#### THE RIGHT STUFF® BLACK **INSTANT SEAL GASKET**

THE RIGHT STUFF® RED

**INSTANT SEAL GASKET** 

30878 - 147mL Cartridge

instant seal gasket. Ideal for

high performance and high

**PERMATEX® ANAEROBIC** 

51550 - 50mL Carded Tube

51850 - 80mL Carded Tube

Use for gasketing close fitting,

rigid-machined flanges with

gaps of 0.25mm (0.01"). Ideal

for rigid cast aluminum parts.

51580 - 300mL Cartridge

51845 - 300mL Cartridge

Red, high temperature,

temperature parts.

**GASKET** 

Hybrid Strength Threadlocker





#### THE RIGHT STUFF® GREY INSTANT **SEAL GASKET**

30870 - 147mL Cartridge 34310 - 300mL Cartridge Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Ideal for rigid cast aluminum parts.



#### THE RIGHT STUFF® BLACK **90-MINUTE GASKET**

30873 - 80mL Carded Tube Provides the quickest return-toservice time of any gasket in an 80mL squeeze tube. Creates a reliable, long lasting elastomeric rubber gasket.



#### **PERMATEX® GASKET SEALANTS**

58912 - 80mL Tube - Form-A-Gasket #1

58922 - 80mL Tube - Form-A-Gasket #2

80017 - 473mL Can - Aviation Form-A-Gasket #3

58981 - 118mL Can - High Tack® Sealant

80546 - 255g Aerosol - Spray-A-Gasket®

58985 - 255g Aerosol - Copper Spray-A-Gasket®

Gasket sealants for use in dressing/sealing pre-

formed gaskets





intermittent.



#### **PERMATEX® RED HIGH TEMP RTV GASKET**

59403 - 80mL Carded Tube 59413 - 300mL Cartridge Formulated for high temperature applications or heavy-duty use.



#### **ULTRA COPPER® HIGH TEMPERATURE GASKET**

59703 - 80mL Carded Tube 59713 - 300mL Cartridge Designed for high performance parts or where operating temperatures are higher.

#### **ULTRA BLACK® GASKET MAKER**

59803 - 80mL Carded Tube 59813 - 300mL Cartridge Superior adhesion to oily surfaces with long term durability. Remains flexible.

#### **ULTRA GREY® GASKET MAKER**

59903 - 80mL Carded Tube 59913 - 300mL Cartridge Performs under higher torque loads associated with engines having closely spaced bolt patterns.





#### PERMATEX® COLD WELD **EPOXY ADHESIVE**

14600 - 2x28g Carded Tubes 84119 - 25mL Carded Syringe 84319 - 56g Carded Stick Fast setting, 2-part adhesive and filler used to repair broken metal parts. Forms a permanent bond and can be drilled, sanded, filed and painted.



#### **PERMATEX® 5 MINUTE CLEAR EPOXY**

84111 - 25mL Carded Syringe 84114 - 14mL Carded Syringe

caulkina.



84162 - 25mL Carded Syringe Easy to use 2-part dispensing syringe. Multi-purpose adhesive. Can be drilled, machined and painted. Clear appearance.



#### **PERMATEX® 2 TON EPOXY**

84116 - 25mL Carded Syringe A general-purpose high strength epoxy designed to bond together ridged materials for a permanent hold. Repositionable up to 15 minutes and is clear in color. Bonds ceramics, fiberglass metal concrete, and more!



#### PERMATEX® PLASTIC WELDER™

84125 - CREAM- 25mL Carded Syringe 84126 - BLACK - 25mL Carded Syringe Forms a tough durable bond to hard and semi-flexible plastics, aluminum, fiberglass and more. Structural adhesive designed for general purpose bonding including automotive trim, bumpers, and clips.



#### **PERMATEX® SUPER GLUE INSTANT ADHESIVE**

49502 - 2g Carded Tube 49512 - 28g Carded Bottle 30030 - 2g GEL Carded Tube Automotive grade cyanoacrylate super glue. High performance super glue provides a stronger, faster acting and longer lasting bond.









#### **PERMATEX® SILVER ANTI-SEIZE**

76762 - 113g Can 76765 - 241g Aerosol 76764 - 454g Can

A highly refined blend of aluminum, copper and graphite lubricants. Prevents galling, corrosion and seizing due to weathering or chemicals. Temperature range: -60°F to 1600°F

(-51°C to 871°C).



#### **PERMATEX® NICKEL ANTI-SEIZE**

77124 - 227g Brush-Top Can 77164 - 454g Brush-Top Can Protects metal parts from seizing and galling at temperatures up to 2400°F (1316°C). Recommended for extreme pressure and temperature conditions, and for use with stainless steel, titanium and nickel alloys.



#### PERMATEX® GREEN SILICONE BRAKE **PARTS LUBRICANT**

24120 - 80mL Tube 24121 - 236mL Can Silicone formula brake parts lubricant. Formulated to lubricate caliper pins, sleeves, clips, slides and other brake parts. Will not cause rubber components to swell. Temperature range: -50°F to 550°F (-46°C to 288°C).



Silicone formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not cause rubber compo-







#### PERMATEX® COPPER ANTI-SEIZE

09127 - 227g Brush-Top Can 09124 - 454g Brush-Top Can Prevents seizing, corrosion and galling where high temperatures exist. Contains micro-fine copper flakes and is fortified with rust and corrosion inhibitors. Temperature range: -30°F to 1800°F (-34°C to 982°C).



#### PERMATEX® PURPLE CERAMIC **BRAKE PARTS LUBRICANT**

24126 - 236mL Can Synthetic formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not wash out. For metal-to-metal contact only.



#### **PERMATEX® ORANGE SILICONE CERAMIC BRAKE PARTS LUBRICANT**

24127 - 28mL Carded Tube 24122 - 236mL Can nents to swell. Meets JIS K 2228 with EPDM and Nitrile rubbers.



#### PERMATEX® DIELECTRIC TUNE-UP **GREASE**

22066 - 28g Carded Tube 22064 - 85g Carded Tube 22065 - 85g Power Can Necessary for an effective tune-up on high energy ignition services. Prevents voltage leak around any electrical connection.



**BESTBUY** 

#### **PERMATEX® BATTERY CLEANER SA-8**

80369 - 163g Aerosol Spray on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt and grime instantly.



#### **FAST ORANGE® PUMICE LOTION HAND CLEANER**

25102 - 221mL bottle 25117 - 443mL bottle 25217 - 1.89L bottle 25219 - 3.78L bottle Biodegradable, petroleum solvent-free hand cleaner. Freshsmelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



#### **FAST ORANGE® SMOOTH LOTION** HAND CLEANER

23102 - 221mL bottle 23117 - 443mL bottle 23217 - 1.89L bottle 23218 - 3.78L bottle Biodegradable, petroleum solventfree hand cleaner. Fresh-smelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



#### **FAST ORANGE® XTREME PUMICE HAND CLEANER**

25619 - CHERRY - 3.78L bottle 25616 - ORANGE - 443ml Bottle 25618 - ORANGE - 3.78L Jug Professional strength hand cleaner tackles the toughest grease and grime.



#### **FAST ORANGE® HAND CLEANER WIPES**

25050 - 25CT Pouch 25051 - 72CT Bucket Removes the toughest grease, tar, grime, ink, paints, sealants and adhesives. Pre-moistened, dual textured wipes. Textured one-sidefor heavy-duty cleaning, smooth on the other side for general purpose cleaning.



#### **SPRAY NINE® HEAVY-DUTY CLEANER/DISINFECTANT**

C26822 - 650ml Bottle C26832 - 946mL Bottle C26804 - 4L Jug C26820 - 20L Pail C26845 - 208L Drum Cleans the toughest grease. grime, stains and bacteria where others fail.



#### **GREZ-OFF® PARTS CLEANER**

C12532 - 946ml Bottle C12501 - 3.78L Jug C12520 - 20L Pail C12545 - 208L Drum Powerful water-based parts cleaner. Use undiluted for spray-and-wipe cleaning or use in Parts Washer systems and Immersion Tanks.



#### **SPRAY NINE® GLASS &** STAINLESS STEEL CLEANER

C23319 - 600g Aerosol Cleans dirt, dust, fingerprints, smudges and light grease from glass, stainless steel and metal surfaces.



#### **SPRAY NINE® GARAGE FLOOR CLEANER**

C11525 - 11.3kg Pail Powerful concrete cleaner formulated to cut through stains and heavy deposits, lifting away grease, grime and dirt. Ideal for garages, work shops, driveways and walkways.



#### **RAINX® ORIGINAL GLASS TREATMENT**

36231 - 207mL bottle 36232 - 473mL bottle Dramatically improves wet weather driving visibility. Apply to exterior glass and raindrops will fly off the windshield while driving. Helps improve visibility by repelling rain, sleet and snow.



#### **BLACK MAGIC® TIRE SHINE AND FOAM CLEANER**

36081 - Tire Shine - 425g aerosol 36201 - Tire Foam #1 - 510g aerosol 36202 - Tire Foam #2 - 510g aerosol Tire Foam cleans and shines in one step. Just spray on and walk away. Tire Wet® leaves a streak-free high gloss shine.





## PHILLIPS & TEMRO industries

#### **COOLANT DAM**

Simple tool that holds coolant inside the engine when other components are removed for repair or replacement.



#### BENEFIT

- Creates a vacuum, holding coolant inside the engine without hand pumping or running the engine
- Quickly converts the unit from vacuum to a pressure tester
- No need to drain the block for simple repairs

Model T-1000 Coolant Filling

#### WHEN TO USE

- Changing Heater Hoses
- Changing Fan Sensors
- Changing Temperature Sensors
- Installing Shut-off Valves for Fuel Warmers & Separators
- Replacing Cab Heater Cores
- Replacing Heater Control Valves

#### TANK CIRCULATION HEATER

Provide dependable pre-heating for engine starts in all temperatures by circulating warmed coolant throughout the engine.

#### Applications:

Diesel & Gas Gensets, Compressors, & Agriculture



Part No.	Volts	Watts	Amps	Inlet/Outlet	Cord Length	Tank Size	Plug Type	UL Listed	CSA
Regulating	g Thermo:	stat – On 6	0°F (16°C)	/ Off 80°F (27°C	<u>:</u> )				
3305028	120	750	6.3	5/8"	5' (1.5m)	Small	А	No	Yes
3305040	120	1000	8.3	5/8"	5' (1.5m)	Small	А	No	Yes
3305052	120	1500	12.5	3/4"	5' (1.5m)	Large	А	No	Yes
3305004	120	2250	18.8	3/4"	7' (2m)	Large	С	No	Yes

#### **HYDRALINERS**

Pre heat the hydraulic system with or without the engine running by utilizing the engine coolant.

Part Number	Tube Immersion Length	Total Length	Surface Area Nominal	BTU/hr Nominal (1)	Typical application (ambient air temp) to -20°F / -29°C (2)	Typical application (ambient air temp) to -40°F / -40°C (2)
H-4000-16	15"	18"	250 in <sup>2</sup>	Water 10,000	Up to 50 US gallons	Up to 19 US gallons
H-4000-16-STOR	381 mm	457 mm	16 dm <sup>2</sup>	Oil 5,000	190 Liters	72 Liters
H-4000-20	19"	22"	315 in <sup>2</sup>	Water 13,000	Up to 63 US gallons	Up to 25 US gallons
H-4000-20-STOR	483 mm	559 mm	20 dm <sup>2</sup>	Oil 6,500	239 Liters	90 Liters
H-4000-24	23"	26"	385 in²	Water 16,000	Up to 77 US gallons	Up to 30 US gallons
H-4000-24-STOR	584 mm	660 mm	24 dm²	Oil 8,000	292 Liters	113 Liters

Tube immersion lengths are available from 7" to 23". View the complete line in the Arctic Fox catalog at www.phillipsandtemro.com.



#### IN-LINE FUEL HEATERS

Coolant based heat exchanger that prevents fuel gelling and maintains uptime, easily retro-fitted and optional 120V electric preheat available.

Part No.	Coolant Port	Fuel Port	Tube Length	Tube O.D.	Total Length	Surface Area	Pre Heat Option
I-909BT-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	15.5"/394mm	100"²/645.2cm²	No
I-909BTEH-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	18.5"/470mm	100"²/645.2cm²	120 VAC
I-1518BT-B100	1/2" NPT	1" NPT	18.0"/457mm	2.375"/60mm	25.5"/648mm	320"²/2064.5cm²	No

View the complete line of fuel and fluid heaters in the Arctic Fox catalog at www.phillipsandtemro.com.



SERIES 41



#### **Applications:**

Industrial, Agriculture, and Off-Road

#### Foaturos

- Thermostatically controlled: Opens at 190°F (88°C), closes at 151°F (66°C)
- Vertical installation only. Dimensions: 2-3/4" x 8-1/2" (7cm x 21.6cm)
- Heavy Duty 3-wire 5 ft. (1.52m) attached cord, 2000W heater has 22" attached cord
- Rugged cast aluminum construction is corrosion and impact resistant



Part No.	Watts	Volts	Amps	Plug Configuration	Inlet/Outlet Size	Replacement Element	Thermostat
2204010	750	120	16	А	5/8"	2204061	2204266
2204029	1000	120	12	А	5/8"	2204088	2204266
2204037	1500	120	8	А	5/8"	2204096	2204266
3300091	2000	120	6	С	5/8"	3300093	2204266
	_						

View the complete line of circulation heaters in the Zerostart catalog at www.phillipsandtemro.com.

## LIT PLUGS 🐠

#### **Applications:**

 Automotive industry and Light Truck

#### **Features:**

- LED Light is visible from 50' to monitor from a distance
- Visual que that indicates power to the heater
- Offered on popular aftermarket block and cartridge heater kits
- Cord may be purchased separately and added to existing heater

CSA approved



#### Replacement Cords

Lit Cord	Std Cord	Cord Length
3600116	3600006	5" (1.52m)
3600117	3600005	5" (1.52m)
3600118	3600001	5" (1.52m)
3600119	3600082	5" (1.52m)
3600119	3600083	5" (1.52m)



Model year application available in the Zerostart catalog at www.phillipsandtemro.com.

#### **CARTRIDGE HEATERS**

Fits Dodge, Jeep and Chrysler Applications



Part No. 3100128 Replacement Cord: 3600120



Part No. 3100131 Replacement Cord: 3600121

Model year application available in the Zerostart catalog at www.phillipsandtemro.com.



75



## FLEXIBLE PAD HEATERS ....



Part No.	Watts	Volts	Amps	Pad Size	Oil Pan Capacity	Hydraulic Fluid	Application	
3400031	125	120	1.0	3" round	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Small to Mid-Size Cars & Sedans. Examples: Kia, Honda, Hyundai.	
3400030	50	120	0.4	3.5" x 1.25"	1 – 3 U.S. Qts (1.0 – 1.9 L)	n/a	Transmissions, Home Generators, ATV, Snowmobiles, Gear Boxes & Small Engines.	ada mass
3400032	125	120	1.0	6" x 1.5"	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Ribbed Oil Pans & Automatic Transmissions. Examples: Toyota 4Runner & European Cars.	
3400033	250	120	2.1	3.75" x 4.25"	5 – 13 U.S. Qts (4.7 – 12.3 L)	10 to 30 Gallons	Most 6 Cylinder & Small Block V8 Engines. Marine Applications.	
3400034	500	120	4.2	5" x 7"	13 – 27 U.S. Qts (12.3 – 25.5 L)	20 to 50 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.	
3400035	1000	120	8.3	6" x 10.75"	26 – 48 U.S. Qts (24.6 – 45.4 L)	50 to 100 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks.	A Sec Market
3400036	60	120	0.5	5.5" x 8.5"	BATTERY WARMER (non-stick pad)	n/a	All Cars & Trucks. Most Batteries.	
3400038	180	120	1.5	13" x 20.5"	BATTERY WARMER (non-stick pad)	n/a	Large Battery Pad Warmer Fits under 3–4 Group 31 Batteries	Tanas Tanas



#### **HEAT MAGNET®** Part No. 3400017

- 200 Watt 120 Volt AC
- Built-in thermostat maintains optimum temperature—will not exceed 250°F (121°C)
- Dimensions 4-3/8" (11cm) (L) x 2-1/2" (6.3cm) (W) x 3" (7.5cm) (H) (including handle)



## BLANKET STYLE BATTERY HEATERS Us



- 120 Volt AC operation
- Blanket style heater warms battery core to 60° –70° above ambient temperature for quick starts
- Thinsulate™ thermal insulation helps maintain battery temperature in warm or cold weather
- All battery blanket heaters are 5". (12.7cm) tall, 1/2". (1.1cm) thick

Part No.	Thermostat	Length	Wattage	Cord Length	Fits Batteries
rait ivo.	memostat	Lengui	wattage	cora Length	i its batteries

2800055		28"	50	30"	Group 22NF, 26, 26R, 51, 51R, 70
2800073	60°-80°F (16-27°C)	34"	50	72"	Group 22NF, 26, 26R, 51, 51R, 70
2800063		36"	80	30"	Group 24, 24F, 24H, 24R, 24T, 25, 27, 27F, 27H, 31,34,34R, 35,74,38
2800074	60°-80°F (16-27°C)	42"	65	72"	Group 24, 24F, 24H, 24R, 24T, 25, 27 27F, 27H, 31,34,34R, 35, 74, 38
2800075	60°-80°F (16-27°C)	50"	80	72"	Group 30H, 31
2800076	60°-80°F (16-27°C)	66"	130	72"	Group 4D, 6D
2800071		72"	160	30"	Group 31, Series - Parrellel Systems
2800077	60°-80°F (16-27°C)	74"	160	72"	Group 8D
ment of the second	and the second second				

Thinsulate<sup>™</sup> is a registered trademark of 3M corporation.



#### **INTERIOR CAR HEATER**



#### Part No. 2600900

- Ideal for use in passenger, light-duty, and recreational vehicles
- 900 Watts 120 Volt AC 3,000 BTU
- Mounts on floor or under dash. Mounting bracket included
- Compact size: 7" (17.6 cm) (L) x 4.5" (11.3 cm) (W) x 2.75" (7 cm) (H)
- Cord length: 7.5 ft. (2.3 m)
- Includes a blower fan











**BLK & RED TEST CLIPS** 839BP

**GENERAL PURPOSE** 

RELAY

40/30A 12V DC

925-11



1 NEG & 1 POS STUD/POST 879FBP

**WEATHER** 

**RESISTANT** 

**SEALED RELAY** 

40/30A 12V DC



6-1/0 UNI **BATTERY TERM** 880-31

PLUG-IN C/

3786BP - 15A

3787BP - 20A

3788BP - 30A

**BREAKER** 



1-4/0 HD UNI **BATTERY TERM** 880HDBP

**CIRCUIT** 

**BREAKER** 

3794-11 - 30A

3795-11 - 40A

3796-11 - 50A



MARINE BATTERY **TERMINAL** 899PBP - POS 3/8" 898NBP - NEG 5/16"

**CABLE TIES 50LB.** 



**4GA TUB LUG** 4239PR - 3/8" 4238PR - 5/16"



**ANS / AMI HIGH AMP FUSE HOLDER** 9710-11



STANDARD BLADE **FUSES** 965BP - 15A BLUE

966BP - 20A YELLOW

968BP - 30A GREEN

**MICRO 2 FUSES** 

10210-14 - 10A RED

10215-14 - 15A BLUE

10220-14 - 20A YELLOW



STANDARD BLADE **ADDACIRCUIT** 982-11



**BATTERY TERMINAL FUSE 58V** 9875-11 - 30A 9876-11 - 40A

9877-11 - 50A

10305-14 - 5A TAN

10310-14 - 10A RED

10315-14 - 15A BLUE



**BLADE FUSES** 9945-14 - 10A RED 9946-14 - 15A BLUE 9947-14 - 20A YELLOW



MICRO 3 10300-11



**ADDACIRCUIT** 16GA 15A





927-11



**PERFORMANCE CABLE TIES** 

7295-36 - 7.5" 7296-36 - 11" 7297-36 - 14" 7298-36 - 14" HD Rated TO -40°C Increased UV protection



**7 PIN JUNCTION** BOX 990E



**BLACK** 

7066-0C - 7.5"

7067-0C - 11"

7068-0C - 14"

**VINYL GROMMET** 6121BP - 25/64" 6124BP - 3/4" 6125BP - 1/2"

1700CS - RED, 22-18 GA

1800CP - BLUE, 16-14 GA 1900CP - YELLOW, 12-10 GA



**RUBBER INS CLAMP** 1/4"MNT HOLE

15" HEAVY DUTY

7068HD-0C - UV BLACK

7068HDC - NATURAL

CABLE TIES

7314PK - 1/4" 7315PK - 3/8" 7316PK - 1/2"



**MICRO FUSE LINK** 10420-11 - 20A BLUE 10425-11 - 25A WHITE 10430-11 - 30A PINK

LP ADDACIRCUIT

9950-11



**SLOTTED MICRO FUSE LINKS** 10450-11 - 15A GREY 10451-11 - 20A BLUE 10452-11 - 25A WHITE



MICRO 2

10200-11

16GA 10A

**BLACK** 

**ADDACIRCUIT** 

CONVOLUTED **SPLIT LOOM** 5140PK - 1/4" 5141PK - 3/8" 5142PK - 1/2"



**SPLIT TUBING** 8423-0-44 - 1/8" 8424-0-44 - 1/4" 8426-0-44 - 1/2"



15A. 125V 8956-11 - FEMALE 8957-11 - MALE



PERFORMANCE SELF FUSING TAPE

3469-0-31 3469-5-31

No adhesive, tape fuses upon itself.



## RING INSULATED CONNECTORS - #10 - VINYL

**BUTT CONNECTORS - VINYL INSULATED** 

1705CS - RED, 22-18 GA







1805CS - BLUE, 16-14 GA 1905CP - YELLOW, 12-10 GA



**MAX BLADE FUSES** 220-11 - 20A YELLOW



**IN-LINE MAX FUSE HOLDER** 206-11



**MAGMAFLO 4:1 HEAT SHRINK TUBING** 

8361-43 - 6mm 8362-43 - 8mm 8363-43 - 12mm 8364-43 - 18mm



2:1 FABRIC HEAT **SHRINK TUBING** 

8391-34 - 3/4" 8393-34 - 11/2" 8394-34 - 2" 8396-34 - 2.75"



**2W DEUTSCH DT** HOUSING/LOCK 7990-11 - RECEPTACLE 115BP - 15A BLUE 7991-11 - PLUG



120BP - 20A YELLOW



**IN-LINE MIN FUSE HOLDER** 131-11 16GA 15A



**ADD CIRCUIT** 230-11 - 30A GREEN 240-11 - 40A ORANGE



8GA 60A



**ANS HIGH AMP FUSES** 



9720-11 - 50A 9721-11 - 80A



8330-A - 3/16" 8331-A - 1/4" 8332-A - 3/8" 8333-A - 1/2" 8335-43 - 1"



**VINYL DIPPED SWITCHES** 

9427-11 - SPST - 12V 25A 9428-11 - SPDT - 25A 12V / 12A 24V 9429-11 - MOM SPDT - 25A 12V / 12A 24V



79

**FEMALE MINI FUSE LINK** -LOW PROFILE 9586-11 - 30A PINK

9587-11 - 40A GREEN



**AMP FUSES** 

9700-11 - 80A

9701-11 - 100A

9702-11 - 125A



BESTBUY.



981-11

**ANL HIGH AMP FUSES** 

9812-11 - 150A

9815-11 - 300A

9816-11 - 325A

**ANL HIGH AMP** 

**FUSE HOLDER** 9800-31



9723-11 - 125A



**METAL BAT HANDLE SWITCH** 9432-11 - 12V 20A













**METAL BAT SWITCH** 9435BP

12V 25A



6-24V @ 50A



**SOLENOID SWITCH** 9497-11 12V 85A



**PVC TAPE 66'** 3466-0E - BLACK -10 TO 80°C (14 TO 176°F)



PTFE THREAD SEAL TAPE RATED -190°C TO 280°C



**CAMÉLÉON 8.7" & STRIP TOOL KIT W/A,A1,B DIES** 410-91



**66' COLD WEATHER TAPE** 3468-31 -18 TO 105°C

(0 TO 220°F)



**NO CLEAN LIQUID** FLUX 2OZ 6156-11



**CAMÉLÉON DIE** 

420-31 - CM DIE 10-20 GA

427-31 - K4 DIE 16-20 GA

421-31 - B1 DIE 4-6 GA

**SOLDER PELLET** 6157-12 - 6GA GREY 6161-12 - 2GA GREEN 6164-12 - 2/0GA ORANGE



**4 IN 1 BUTANE TORCH** 8257-31 Use as a torch, soldering iron, hot air blower or shrink tube tool.



16G 12" LEAD TRAILER CABLES 1871BP - 2 Pins 1873BP - 4 Pins



**OEM TERMINAL CRIMP TOOL** 187-11 24-14 AWG

**6POLE 35A** 

9475-11 - Plug-No Spring

9477-11 - Socket Car End

9476-11 - Plug-with Spring



22-10 AWG



**4 IN 1 MINI CRIMP TOOL** 370-11 12-20 AWG



**WIRE STRIP TOOL** 455-11 26-10 AWG



**3 CONDUCTOR SERVICE CORD 100'** 8905C - 14/3 GA

Black - Green - White





**7W RV BLADE TO 4W FLAT** 7717-11



#9482-BP #9483-BP #9490-31

**7POLE RV** 9482BP - TRAILER PLUG 9483BP - TRAILER SOCKET 9490-31 - SOCKET BRACKET



8059-C


2/0 AWG







8210-0-29 - 10GA BLACK 8212-1-29 - 12GA BLUE 8214-2-29 14GA BROWN



#### PRESTONE® COR-GUARD" ANTIFREEZE/COOLANT



#### **5X MORE EFFECTIVE AT PROTECTING AGAINST CORROSION**<sup>‡</sup>

- Cor-Guard<sup>™</sup> stops the spread of corrosion
- #1 Branded Engine Protection that delivers longer engine life\*
- Guaranteed for all makes, all models of ANY car or light-duty truck

Concentrate 50/50 #71621 #71175

#### PRESTONE® DEX-COOL™ EXTENDED LIFE ANTIFREEZE/COOLANT





 For GM Vehicles calling for dexcool™ approved coolants

Concentrate 50/50 #71118 #71159

#### PRESTONE® 50/50 PREDILUTED ASIAN ANTIFREEZE/COOLANT



#### **FORMULATED FOR ASIAN VEHICLES**

- Compatible with Asian-based POAT technologies
- Formulated for use in Toyota<sup>®</sup>, Lexus<sup>®</sup>, and Scion® vehicles\*

50/50 #78007

#### PRESTONE® 50/50 PREDILUTED ASIAN ANTIFREEZE/COOLANT



#### **FORMULATED FOR ASIAN VEHICLES**

 Formulated for use in Honda<sup>®</sup>, Acura<sup>®</sup> Nissan®, Infiniti®, Subaru®, and Suzuki® vehicles\*

50/50 #78015

#### PRESTONE® 50/50 PREDILUTED EUROPEAN ANTIFREEZE/COOLANT



#### FORMULATED FOR EUROPEAN VEHICLES

 Formulated for use in Audi®, BMW®. Jaguar<sup>®</sup>, Volvo<sup>®</sup>, Mini<sup>®</sup>, Porsche<sup>®</sup>, Saab<sup>®</sup>, VW®, and Mercedes® vehicles\*

50/50 #78023

#### PRESTONE COMMAND® HEAVY DUTY NITRITE FREE **EXTENDED (ELC) LIFE ANTIFREEZE/COOLANT**



#### **FORMULATED FOR HEAVY DUTY VEHICLES**

 Compatible with ANY Nitrite Free OAT Extended Life heavy duty antifreeze/ coolant

> 50/50 #74097

#### PRESTONE COMMAND® HEAVY DUTY EXTENDED LIFE (ELC) ANTIFREEZE/COOLANT



#### FORMULATED FOR HEAVY DUTY VEHICLES

 Compatible with ANY NOAT Extended Life heavy duty antifreeze/coolant

50/50 #74055

#### CELSIUS® BY PRESTONE EXTENDED LIFE ALL MAKES **ALL MODELS ANTIFREEZE/COOLANT**



#### **FORMULATED FOR ALL VEHICLES**

 All makes, all models of ANY car or light-duty truck

50/50 Concentrate





## WASH & WAX CONCENTRATE



41205 - 4L

#### Description:

A super concentrated, liquid WASH & WAX formulated to quickly and effectively clean all finishes without scratching. Unique foaming action and wax lubricates surface to help prevent unwanted scratches.



CONCENTRATE

PRESSURE WASHER

**CLEANER / DEGREASER** 

28320 -20L

28316 -4L

## CLEANER / DEGREASER



#### Uses:

Automobiles. garages, marine, RVs, ATVs, motorcycles, household

29416 -201

26416 -4L

25416 -990ml

# GLASS CLEANER

27416 -990ml

28416 -4L



#### For use on:

Windows, mirrors, counter tops, appliances, stainless steel, chrome, fixtures, plexi glass

BESTBUY







**Power Train Components** 

YOUR PARTNERS FOR PROFIT!

## TRAILER HUB, BRAKE, BEARING & SEAL GUIDE

PT442251

PT442251

PT442109

PT203025

PT442251

PT203025

PT203025

Hub | Cotter Key

## **TRAILER HUB KITS**

- Kits include pre-assembled bearings and seals for a complete repair
- Fix the cause; not just the symptom. If the bearing is bad, so is the hub. So replacing both is the best long term solution.

Description

Fits 1-3/8" to 1-1/16" Spindle

with 5 on 5" Bolt Pattern

Fits 1-3/8" to 1-1/16" Spindle

with 5 on 5-1/2" Bolt Pattern

Fits 1-1/4" Taper to 1-3/4" Spindle

with 6 on 5-1/2" Bolt Pattern

Fits 1" Spindle

with 4 on 4" Bolt Pattern

Fits 1-3/8" Taper to 1-1/16" Spindle

with 5 on 4-1/2" Bolt Pattern

Fits 1" Spindle

with 5 on 4-1/2" Bolt Pattern

Fits 1-1/16" Spindle

with 5 on 4-1/2" Bolt Pattern

• Trailer Hub Kits are field serviceable

PTC

58550

58555

365566

411250

581750

512590

511655



ust Cap	Bearing	PTC Hub Kit Replaces
1	PTL68149 PTL68111 PTL44649	Dexter 84550BX E-Trailer AKHUB550-35-K
	PTL44610	
1	PTL68149 PTL68111 PTL44649 PTL44610	Dexter 84555UC1 E-Trailer AKHUB555-35-K
1	PT15123 PT25580	Dexter 8-213-SUC1 Red Neck 84655 UC 1
1	PTL44643 PTL44610	Dexter 008-091 Bass Pro 13100 Red Neck 34822
1	PTL68149 PTL68111 PTL44649 PTL44610	Dexter 008-248 Bass Pro 13511 Red Neck 84545

Red Neck 348225bx

Redtrailer 155b Shipshape 13210

Red Neck 8-259-UCI

Redtrailer 156B Shipshape 13311 Valmar 80582 Carryon 155

PTI 44643

PTL44610

PTL44649

PTL44610

# **ELECTRIC TRAILER BRAKE ASSEMBLIES AND DRUMS**

• Brake Assemblies include: backing plate, shoe linings, magnets, actuating lever, adjusting screw & spring hardware

PTC	Description	Side	Capacity	Bolt Pattern
331010-1	10" x 2-1/4", Electric Brake Assembly	Right	3,500 lbs	4 bolt
331010-2	10" x 2-1/4", Electric Brake Assembly	Left	3,500 lbs	4 bolt
363233-1	12" x 2", Electric Brake Assembly	Right	6-7,000 lbs	5 Bolt
363233-2	12" x 2", Electric Brake Assembly	Left	6-7,000 lbs	5 Bolt

<sup>\*\*</sup>Note: Seals and bearings sold separately





#### YOUR WASTE MANAGEMENT & POLYETHYLENE FILM SOLUTION PROVIDER









- Our strongest pure recycled line of black garbage bags
- UL Ecologo® Certified UL-126 Garbage Bags
- Our eco-friendly value line of clear and coloured garbage bags
- UL Ecologo® Certified UL-126 Garbage Bags

										5
Item No.	Strength	Size	Bags/ Case	Colour	Item No.	Strength	Size	Bags/ Case	Colour	Ite
278101	Extra Strong	26 x 36	125	Black	295210	Regular	20 x 22	500	White	44
278301	Extra Strong	30 x 38	125	Black	296400	Regular	35 x 47	200 T	ransparent	
278501	Extra Strong	35 x 50	100	Black	297108	Strong	26 x 36	200	Blue	
278701	Extra Strong	42.5 x 48	75	Black	297308	Strong	30 x 38	200	Blue	

- Our film is packed in clear PE sleeves with product identification labels both inside and outside the sleeve
- Linear rich formula provides superior strength

Item No.	Strength	Size	Colour	
442400	Heavy	20' x 100'	Clear	

- · High quality blend of virgin and recycled resin
  - Contains up to 80% post-consumer and post-industrial recycled content

Item No.	Strength	Size	Bags/ Case	Colour
EP3550XSB	Extra Strong	35 x 50	100	Black
EP3038XSC	Extra Strong	30 x 38	125	Black
EP3547XSC	Extra Strong	35 x 47	100	Black
EP4248XSC	Extra Strong	42 x 48	75	Black



Open to Bestbuy Member Distributor customers. A son or daughter of the owner or employee.

Spring and fall scholarships awarded.

Ask your Bestbuy Member Distributor for more info!

## www.rapidfix.com





RapidFix combines an Instant Adhesive with a Welding Powder and together they repair almost anvthing!

The RapidFix Dual Adhesive System has a wide range of applications. It can bond almost any material to itself or to another material.

Will not dry out in the container

- High Strength-bonds in seconds
- Bonds instantly to most materials
- RapidFix can be filed, ground, drilled and painted instantly
- Adhesive dries crystal clear

#### On The Go.



On the road, make emergency repairs to rubber, plastic, glass, metal, fiberglass, and more. Makes super-strong bonds quickly and easily.



#### Save time and money by making easy repairs rather than costly replacements. Fill holes, then sand, drill, and paint a repair instantly.

At Work.

At Play.

#### At Home.



Around the house, garage, or workshop, repair wood, plastics, rubber, ceramics, tile, glass, metals, fiberglass and more.



On water, in the woods, or riding the trail, take RapidFix with you. With endless versatility you can make repairs that may keep you from being stranded.











#### RISLONE BLOCK SEAL LIQUID COPPER INTAKE & RADIATOR STOP LEAK

31109

Seals larger leaks regular stop leaks won't. One step formula permanently repairs leaks in gaskets, radiators, heater cores, intake manifolds, blocks, heads and freeze plugs. Use on cars, trucks, vans, SUV's and RV's. One "1" Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required. It will not harm the cooling system when used properly. Use with all types of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT / HOAT) coolant.



#### RISLONE BLOCK SEAL HEAD GASKET FIX

The easiest solution to stop head gasket coolant leaks. No draining of the cooling system is required. This formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps & cracks and harden to permanently stop leaks. This seals because of the extreme heat inside the combustion chamber (2760°C) that works as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself. Your vehicle is a good candidate for this product if it can idle for 20 minutes without overheating or having to add coolant. Use on ALL water cooled gasoline and diesel engines. Heavy duty formula works on aluminum and cast iron heads & blocks, along with sealing all other engine cooling system leaks better than a traditional stop leak. This includes repairing head gaskets, cylinder heads, intake gaskets, cracked blocks and freeze plugs. Use with ALL types of antifreeze including conventional green or blue (Silicate-Based) and extended life red/orange or yellow (OAT/HOAT) coolant.



#### RISLONE HIGH MILEAGE COOLING SYSTEM REPAIR

31150

Twice the performance of other products by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. In addition, Cooling System Repair contains Xtreme Cool™ which stops overheating and reduces water temperature. Works on all 4, 6, 8, and 10 cylinder vehicles and in any gasoline, turbocharged and diesel engines. . Use with ALL types and colours of antifreeze coolant and / or water. For most vehicles leaks stop instantly. For many vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.



#### RISLONE LIQUID ALUMINUM RADIATOR & HEATER CORE STOP LEAK

The best radiator stop leak money can buy. Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. Liquid Aluminum contains Xtreme Cool™ which stops overheating and reduces water temperature. Liquid Aluminum™ is part of the next generation stop leak line. It will safely and easily seal leaks in plastic, aluminum and metal (copper / steel) radiators, heater cores, gaskets and freeze plugs. Works in cars, trucks, vans, SUV's and RV's. Use with all types of coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based OAT / HOAT antifreeze and/or water. . For most vehicles leaks stop instantly.



#### RISLONE PELLETIZED RADIATOR STOP LEAK

Seals internal, external and coolant-to-oil leaks. It is specially formulated to seal larger leaks better than other stop leak products. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Lubricates water pump seal and inhibits the formation of rust and scale. Compatible with both conventional green (silicate-based) and extended life red/orange or yellow (OAT) antifreeze.

- Protects the Entire Cooling System
- Stops Current and Future Leaks
- Inhibits Rust and Corrosion
- Lubricates Water Pump Seal
- Helps Control Electrolysis
- Use on Car, Trucks, Vans SUV's & RV's
- Rhizex pellets dissolve in minutes to seal radiator & other cooling system leaks



#### RISLONE RADIATOR STOP LEAK CONCENTRATE

31197

Rislone has millions of tiny particles to permanently seal internal and external leaks in plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Works with ALL types of antifreeze coolant and/or water.

Stops & Seals Coolant Leaks
 Seals Leaks in Radiators, Gaskets, Heater Cores & Freeze Plugs.



#### RISLONE JACK OIL WITH STOP LEAK

- Works in all floor and bottle jacks
- Mixes with all approved types of hydraulic jack oils
- Repairs jack leaks
- Also works with all snow plow fluids

This product was designed to seal leaks caused by wear and time. If you often need to add oil to your jack, it probably has a leak. The product revives old jacks and prevents leakage on new jacks. Non corrosive. Does not create blocking. Does not foam.



#### RISLONE HYDRAULIC SEAL HYDRAULIC STOP LEAK & CONDITIONER

32820

Hydraulic Seal contains a premium high quality durable field proven zinc based additive package along with viscosity modifiers to restore thermal stability and anti-wear additives in the hydraulic system. This additive package has been tested to provide excellent results in Group I, II and III OEM & aftermarket hydraulic petroleum and synthetic fluids. Reduced wear also reduces contamination, heat and downtime, while also improving equipment and fluid life. Additional rust and oxidation inhibitors provide stability improvements which reduces the formation of sludge, varnish andacids keeping the system clean extending service life. Can be used in tractor or equipment with wet brake systems. CAUTION: Do not use in DOT 3, 4, 5 hydraulic brake systems.



#### **RISLONE ENGINE TREATMENT**

34102

The product that made Rislone famous. It used to be called "a tune-up in a bottle," and was the very reason the phrase "tune-up" was invented. No joke — this is where all that started.

Fast forward to today: eating clean and healthy foods ensures that our bodies perform at their best. The cleaner we keep our system, the better it runs. This is true for our cars as well. A cleaner engine is a better-lubricated engine with less friction and wear. Our famous, award-winning Rislone Engine Treatment does just that. This product contains high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. It's like a healthy diet for your car.











#### RISLONE HIGH MILEAGE ENGINE REPAIR

34110

The common element between all of the engine components is the oil. Oil is the life-blood of the engine and is pumped under pressure to all the moving parts. The two main parts needing oil for lubrication are the bearings and pistons. As the engine ages and gains more miles, the oil alone can't do the job. Internally, parts don't fit as tightly as they originally did which causes noise and loss of power. Bearings wear down, seals leak, lifters tick, blow-by passes around tired rings, and power is lost. When installed, Engine Repair helps to stop and prevent these problems and will also extend the useful life of your engine. Engine oils are generally used to reduce friction between moving parts. In addition to lubricating, motor oil must cool, provide corrosion protection and be a method of removing contaminants.



#### RISLONE HIGH MILEAGE ENGINE REPAIR

34235

Your vehicle is a good candidate for this solution if it does not consume more than one liter of oil per day. We have designed this product to work in all gasoline and diesel engines including turbocharged, EcoBoost™, hybrid and even racing engines. This covers 3, 4, 5, 6, 8 and 10 cylinderengines in all cars, trucks, vans and SUV's. Our product can also be used in heavy-duty applications referencing the appropriate dosage level. This applies to a wide range of other motor applications too: tractors, boats, RV's, motorcycles (including wet clutch), ATV's, lawn equipment.



#### RISLONE REAR MAIN SEAL REPAIR CONCENTRATE

34240

Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Rislone Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic oil.

- Rislone World's Most Trusted Stop Leak Brand Since 1921
- Stops ALL Oil Leaks
- Seals Timing Cover, Cam Seal, Rear Main, and Other Hard to Stop Oil Leaks

Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.



#### RISLONE RING SEAL SMOKE REPAIR

34416

Stops Blue Exhaust Smoke; Reduces Oil Burning; Seals Worn Pistons & Rings; Add to Engine Oil Anytime Seeing smoke? Don't panic. Simply put your car through the Rislone Regimen to get it back to its healthy state. Our Ring Seal Smoke Repair is formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused by blow-by.

Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Rislone's Ring Seal Smoke Repair contains viscosity improvers that thicken the oil film, filling these gaps. It also provides a seal for worn pistons and rings and cushions engine parts to reduce wear and friction. In other words, it's a car lifesaver in a bottle.



#### RISLONE HIGH MILEAGE TRANSMISSION REPAIR

34540

Reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining.

- Restores Performance
- Reduces Heat, Friction & Stabilizes Fluid
- Stops Leaks, Slipping & Rough Shifting
- Adds Protection



#### RISLONE HIGH MILEAGE POWER STEERING REPAIR

4650

Unique dual cavity bottle contains a combination of the best performance additives to repair the most common power steering fluid related problems. For most vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.

- Restores Performance
- Reduces Noise & Smoothes Out Hard Steering
- Stops Leaks and Reconditions Rack & Pinion
- Adds Protection



#### RISLONE HY-PER FUEL COMPLETE FUEL SYSTEM CLEANER GAS

34700

Improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, dry gas, gas treatment and octane booster. Use with All: Unleaded, Oxygenated and Ethanol containing gasoline. Works with all Fuel Injected, Direct Injected, and Carbureted Engines.

- Increases power, performance, mileage and saves gas by cleaning & lubricating the complete fuel system.
- Helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation.



#### RISLONE CAT COMPLETE FUEL, EXHAUST & EMISSIONS SYSTEM CLEANER

34720

CAT COMPLETE™ Fuel, Exhaust & Emissions System Cleaner has high-performing detergents and heavy duty cleaning solvents that effectively scrub and remove contaminants, soot, carbon buildup, and oily residue from the fuel injectors, combustion chambers, turbo, EGR, catalytic converters, oxygen sensors and the exhaust system. These along with other active chemical agents, react with the gases created in the combustion process to remove the remaining inorganic deposits. This process restores their function and with regular use maintains efficiency.



#### RISLONE HY-PER DIESEL COMPLETE FUEL SYSTEM CLEANER

34740

Improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular fuel injector cleaner, upper cylinder lubricant, fuel stabilizer, anti-gel, diesel treatment and Cetane booster. Use with All: ULSD Diesel, regular Diesel and Bio Diesel. Works with all Direct Injected, IDI, Intercooled, and Turbocharged engines.

- Increases power, performance, and mileage and saves fuel by cleaning & lubricating the complete fuel system.
- Decarbonizer Removes sticky internal deposits as well as "coking" hard deposits.
- Cold Flow Improver
- Water Remover Sulfur Substitute and Friction Modifier Helps eliminate black smoke, fuel gelling, clogged injectors, rough idle and hard starting.







## CANADA'S RUST CONTROL EXPERTS

#### **RUST INHIBITOR**

- 1043 180 g
- 1054 350 g
- 1044 4 L
- ✓ Protects NEW & OLD Metals
- ✓ Deep Penetrating and
- Long Lasting ✓ Lubricates and Prevents Seizing

(RUST INHIBITOR)

• 1045 - 18.9 L

✓ Penetrates into Crevices

✓ Prevents Rust & Corrosion

✓ Protects Seams & Joints

✓ Displaces Moisture

• RC 5010 - 830 mL

INNER PANEL PROTECTANT



#### **COAT&PROTECT**

- 10025 350 g
- 10024 4 L
- For New and Used Vehicles Prevents Rust & Corrosion
- Non-Drying
- **Resists Severe Weather** Conditions



## **RUST KILLER**

- 11001 236 mL
- 11000 350 g
- / Rust Preventive Coating
- **Provides a Primed Surface** for Topcoats
- **Apply Directly Over Rust** No Sanding Required



#### **COAT&PROTECT**

- CP 6010 830 mL (Amber)
- 9997B 18.9 L (Black)
- 10023A 18.9 L (Amber)
- For New and Used Vehicles
- Prevents Rust & Corrosion
- Non-Drying
- Resists Severe Weather Conditions



#### **RUST CONVERTER**

- 11005 236 mL
- 11006 283 a
- ✓ Converts Rust to
- a Paintable Primer Primer on All Metal Surfaces
- **Leaves Protective Coating**



#### **ASPHALT UNDERCOATING**



11010 - 510 g

- / Against Rust & Chipping Caused by Stones and Debris Renair Scars and Tears
- / Ideal for Chassis and Wheel Wells ✓ Mutipurpose Car/Truck & Recreational Vehicles

#### RUBBERIZED **ASPHALT UNDERCOAT**



11011 - 550 g

- √ Flexible When Dry to **Resist Chipping**
- Soundproof and Insulates / Ideal for Trunks, Floor Pans, Frames & Under Carriages

#### HI-BUILD STONE SHIELD **UNDERCOAT**



11008 - 550 g

- √ Formulated for Professionals
- for Maximum Protection
- ✓ Durable yet Resilient to



10026 - 420 g

- ✓ Ideal for Rocker Panels
- / Optimum Rubber Content ✓ Paintable when Dry
- Resist Chipping

#### RUST CHECK **COUNTER DISPLAY RUST COAT**



- √ Heavy Duty Rust and Corrosion Protection ✓ Lubricates and Prevents Seizing
- ✓ Long Lasting and Deep Penetrating



**BXRCCD** 

✓ Counter Display with Header Holds 24 Cans

#### **2022 NEW PRODUCTS**

#### SALT OFF WASH **SALT & BRINE NEUTRALIZER**

- 110021 650 mL (R.T.U.)
- 110022 2 L
- 110023 3.78 L
- ✓ Neutralizes Road Salt and Brine from Vehicles, Trucks, RV's, and Equipment without Harming Painted or Finished Surfaces
- √ Concentrated Formula Can be **Diluted for Many Other Uses**



#### **ENVIRO RUST WASH** SAFE AND EASY RUST REMOVER **AVAILABLE IN LIQUID & GEL**

- 11004 1 L (Liquid)
- 11012 3.78 L (Liquid) 10013 - 1 L (Gel)
- 10014 3.78 L (Gel)
- √ Safe and Easy to Use
- Non Corrosive No VOC's



# **PROFESSIONAL ANTI-CORROSION GUN KIT**

- RC460-HD
- 1L Container.
- 45 Degree Hook Wand, 90 Degree Hook Wand. **Round and Flat** Spray Nozzle



1-888-RUSTIES (787 - 8437)

- ✓ Gun Kit with
- 360 Degree Flex Wand.



www.rustcheck.com



**20 LITRE RV GASOLINE CONTAINER** 03609



**GASOLINE CAN** 

07079 - 10L 07081 - 5L 07539 - 25L 07622 - 20L



**SCEPTER** 

10 LITRE ECO **GAS CAN** 07378



6 LITRE + 2.25 L GAS / **OIL COMBO CAN** 

03615



**DURAMAX 14 GALLON** WHEELED GASOLINE CONTAINER 06792



**20 LITRE KEROSENE** CAN 07624



**SCEPTER GAS CAN** STOPPERS, 3-PK 08499



**20 LITRE RV DIESEL CONTAINER** 03711



**20 LITRE DIESEL** CAN 07649



**ECO REPLACEMENT SPOUT** 00072US



**JERRY CAN PARTS KIT** 03647



**JERRY CAN MULTI-PACK** 03583



JERRY CAN **FLEXIBLE SPOUT** 03629







## www.batterychargers.com

#### 1.5 AMP BATTERY CHARGER

SC1300 Keeps 6 & 12 volt batteries charged. Fully automatic.





250A 12/24V AUTOMATIC BATTERY CHARGER/ **ENGINE STARTER** SC1352

250A 6/12V BATTERY CHARGER/ENGINE STARTER SC1325



#### **BATTERY LOAD TESTER**

BT100

Test load, battery condition, starter motor draw and complete charging system diagnosis.



10A 6V/12V FULLY AUTOMATIC BATTERY **CHARGER** SC1358

15A 6V/12V FULLY **AUTOMATIC BATTERY CHARGER** SC1359



1100 PEAK AMP JUMP STARTER

**+ PORTABLE POWER** SJ1328

1.5 AMP AUTOMATIC "BATTERY COMPANION" WITH 3 LEDS AND QUICK **DISCONNECT** SC1355

**50A 12V FULLY AUTOMATIC BATTERY CHARGER/ENGINE STARTER** 

SC1361



**BATTERY CHARGER** SC1339







# **10A 12V FULLY AUTOMATIC**



# BESTBUX

Head Office & Mississauga DC 3355 American Drive Mississauga, ON L4V 1Y7











# SilverStar® ULTRA

#### **FARTHEST Downroad and Whiter Light\***

- Whiter light\*
- Most light downroad\*
- More sideroad visibility\*
- For ULTRA night vision
- Does not increase glare

#### SWITCH TODAY. SEE BETTER TONIGHT.

## SilverStar<sup>®</sup>

#### **FARTHER Downroad** and Whiter Light\*

- More light downroad\*
- Improved sideroad visiblity\*
- Does not increase glare

**XtraVision**®

• Does not increase glare

More downroad\*

**FARTHER Downroad\*** 



## zXe® Gold

#### **Our Whitest Halogen Headlight**

- HID Attitude All the look and feel of HID in a Xenon-powered halogen bulb
- Perfect balance of style and performance
- · Cobalt blue nano coating technology delivers our whitest halogen\*
- Unique golden cap





#### **HID Attitude // Xenon Fueled**

- · Perfect balance of style and performance
- Cobalt blue nano coating technology delivers our whitest halogen\*
- Mirror Top alloy coating



#### SYLVANIA LED HEADLIGHTS

Direct LED replacements\* for existing halogen bulbs. No filament to break. No glass. Just pure white light to enhance nightime driving experience.



#### 2 YEAR\* **WARRANTY**



## **ZEVO® LED HEADLIGHTS**

LED replacement bulbs\* for halogen low beams and fog lights. 6000K cool white light. Advanced heat sink design for maximum performance and life.

#### 3 to 5 YEAR\* **WARRANTY**











H11

SYLVANIA



H8/H16





5202/2504







\*May not fit all vehicles. Heatsink requires 25mm of extra

clearance. Your vehicle may require an adapter and/or

anti-flicker harness. Warranty: See www.sylvania-

automotive.com/autoinfo or packaging for details



#### **SYLVANIA LED**

- Direct Replacement for incandescent bulbs
- Outlasts incandescent bulbs · Low power consumption



#### **ZEVO® LED SUPER BRIGHT**

- LIFETIME WARRANTY\*\* Direct Replacement for incandescent bulbs
- Super bright Superior quality
- SYLVANIA



## **Triple C Rubber and Plastics**













**PYRAMID WHEEL** CHOCK 671-1047 6 x 10 x 8



**CONTOUR WHEEL CHOCK WITH HOOK** 671-1048 8 x 7 x 10"




**SLIDE OUT SILICONE 311G** 02238





02261 3-IN-ONE.

**TRAILER HITCH LUBE 283G** 



• Reduces the need for frequent reapplication

• Safe on multiple surfaces including metal, plastic and rubber



WHEEL CHOCK WITH **SAFETY HANDLE** 671-1050 8 x 10 x 7.5"




**HEAVY DUTY TRIPLE HEADER MUD FLAP** 671-4093 24 x 24 / 27 / 30" Stock one mud flap, cuts down to 2 other sizes



3-IN-ONE. 02245

plastic

**WINDOW & TRACK DRY LUBE 283G** 




- Safe to use on most materials, including vinyl and plastic (except clear polycarbonate and polystyrene)
- Helps keep your RV windows and doors sliding smoothly and silently





• Contains UV inhibitors which help prevent cracking and fading

• Long lasting water resistant formula helps reduce friction and wear




**MUD FLAPS** 671-4580 24 x 18" 671-4590



**CHEVRON MUD FLAPS** 671-4583 24 x 30"

671-4585 24 x 36"

671-4588 24 x 24"




#### PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!

Advertise Your Company!



**MUD FLAPS** 671-8156-01 9 x 16"

Fits large cars, Pickup trucks, SUVs, Jeeps, and Vans.



**TRIPLE HEADER** MUD FLAP 671-8093-01 24 x 24 / 27 / 30"

Your company name and logo!





**BUG & TAR REMOVER** 425G

- Removes black streaks
- Safe on most surfaces





**INDUSTRIAL STRENGTH DEGREASER 425G** 02220

- Water-based formula that makes equipment run smoother. last longer and look like new
- Quickly removes grease, oil, dirt and grime
- Deep penetrating action and a powerful stream that sprays up to five feet













www.wd40.ca www.3inone.com www.3inone.ca







100





#### **WATER RESISTANT** SILICONE LUBRICANT 01179

- Lubricates, waterproofs and protects
- Quick-drying with no messy residue
- Effective temperature range from -73° C to 260° C.







#### **HIGH PERFORMANCE** WHITE LITHIUM GREASE 01180

Ideal for metal-to-metal applications that require heavy-duty lubrication and protection against rust and corrosion.

- Won't freeze, melt or run off
- Effective in temperatures from -18° C to 149° C (0° F to 300° F)







**MULTI-PURPOSE DRIP** 01135 88.7ml

01138 236ml

3-IN-ONE®, with its special drip spout, is perfect for applications that require precise control for lubrication and rust prevention.



3

OIL



# **MOTOR OIL DRIP**

- Engineered for HP motors or larger
- Special blend of high-grade oils that's equivalent to SAE 20
- Oil formulation is ideal for lubricating the moving parts of electrical motors





#### **RUST RELEASE** PENETRANT SPRAY 01178

- Fast acting
- Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together





#### **MACHINE AND ENGINE DEGREASER FOAMING SPRAY** 01206

#### SPECIALIST.

- Deep penetrating foaming action
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new
- Powerful stream sprays up to 5 feet

**SPRAY & STAY GEL** 





01216

• Marksman Twist Spout

02252

01141

01142

- 15cm spout extension for hard to reach places
- Ergonomically shaped for ease of use and balance





# **DIRT & DUST RESISTANT**

#### **DRY LUBE PTFE SPRAY** 01209

Quick drying PTFE formula provides superior lubrication and long-lasting corrosion protection with no oily residue.

- Resists dirt, dust and oil
- Ideal for releasing molded parts





#### **LUBRICANT** 02221

- Prevents rust for up to 1 year
- Thick gel lubricant
- Stays where you spray it
- 12x longer lasting lubrication
- No drip. No mess
- Ideal for vertical surfaces
- 50-state VOC compliant





**GARAGE DOOR LUBE** SILICONE LUBRICANT **HIGH PERFORMANCE PENETRANT** 01140 WHITE LITHIUM GREASE

PRODUCT BENEFITS AND FEATURES:

3-IN-ONE Garage Door Lube - 311g

High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess. Works fast, quick

3-IN-ONE Silicone Spray - 311g

- Ideal for metal-to-metal applications, preventing rust and corrosion, sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, high performance lubrication
- Quick drying, no mess formula
- 3-IN-ONE Penetrant Spray 311g
- Fast acting formula, loosens stuck parts, frees rusted nuts and bolts
- Ideal for use on nuts, bolts, threads, links, chains and rusted things that are stuck and won't move
- 3-IN-ONE White Lithium Grease Spray 290g
- Dries fast and leaves a clear, non-staining film without stickiness or messy residue, safe for temperature ranges between - 73 ° C to 260 ° C, non drip formula, water and heat resistant
- Prevents rust and corrosion; long lasting, heavy duty lubricant





## THE SAFER WAY TO POWER CLEAN:

SPECIALIST. NEW INDUSTRIAL-STRENGTH CLEANER & DEGREASER

All-new water-based, non-aerosol formula proven to be more powerful, safer, and easier to use than other degreasers.

- Powerful bio-solvent action with no messy diluting
- Won't harm sensitive surfaces like aluminum, copper and glass 01231 - 709ml, Refillable
- 01233 946ml
- 01235 3.78L











## www.wd40.ca www.3inone.com www.3inone.ca

#### **WD-40® MULTI-USE PRODUCT**

WD-40® Multi -Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture, dissolves adhesives and lubricates just about anything.









01161 - 85g

01218 - 155g

01111 - 311g

01432 - 325g Smart Straw

01110 - 3.785L

01204 - 18.9 Litre Pail

01627 - 408g EZ-Reach™

01122 - 342g Bonus Can

01118 - 205L Drum







- Removes even tough OLD stains!
- Removes tough carpet stains without scrubbing!
- Works great on Red Wine, Blood, Grape Juice, Cola, Coffee and many more!

00927 - 496g 00932 - 650ml Regular









## 2000 FLUSHES AUTOMATIC TOILET BOWL CLEANER

- 2000 Flushes® is the FIRST longlasting anti-bacterial automatic toilet bowl cleaner
- Improved, concentrated tablet delivers continuous cleaning action to sanitize, clean and deodorize

90102 - 100g Blue Plus Detergent

90616 - 35g Chlorine

90801 - 100g Blue Plus Bleach







Premium Performance • Safer For Users • Green Certified • Cost Effective

WORX® BIODEGRADABLE POWDER HAND CLEANER AND DISPENSERS	CODE	UNIT \ CASE
Biodegradable Hand Cleaner 1.85 oz (52.5 g)	11-1224	24 \ Case
Biodegradable Hand Cleaner 1 lb (454 g)	11-1104	4 \ Case
Biodegradable Hand Cleaner Stand-Up Pouch 3 lb (1362 g)	11-2300	4 \ Case
Biodegradable Hand Cleaner Stand-Up Pouch 4.5 lb (2040 g)	11-2450	4 \ Case
Biodegradable Hand Cleaner 6.5 oz (184 g)	11-1650-12	12 \ Case
Biodegradable Hand Cleaner - Shop Dispenser (Use with 11-9930 \ 11-2300 \ 11-2450)	11-9995	1 \ Unit
Easy-Fill Dispenser	11-9997	1 \ Unit
Biodegradable Hand Cleaner Promo-Pak (Incl. One 3lb Bottle plus Dispenser)	10-PK80	1 \ Unit
Biodegradable Hand Cleaner - 1 lb Dispenser Kits	11-9965	4 \ Case
WORX® WATERLESS HAND CLEANERS AND DISPENSERS	CODE	UNIT \ CASE
Waterless-Bit Hand Cleaner 3.38 oz (100 ml)	26-1024	24 \ Case
Waterless-Bit Hand Cleaner 16 oz (473 ml)	26-0616	6 \ Case
Waterless-Bit Hand Cleaner 32 oz (945 ml)	26-0432	4 \ Case
Waterless-Bit Hand Cleaner gal (3.78 I)	26-0401	4 \ Case
Waterless-Bit Hand Cleaner - Dispenser Waterless (gal)	26-9999	1 \ Unit
WORX® POWER CLEAN WATERLESS SOAP AND DISPENSERS	CODE	UNIT \ CASE
Power Clean Waterless Hand Soap 100 ml (24 x 3.38 oz)	42-1024	24 \ Case
Power Clean Waterless Hand Soap 13 oz (384 ml)	42-0613	6 \ Case
Power Clean Waterless Hand Soap 32 oz (945 ml)	42-0432	4 \ Case
Power Clean Waterless Hand Soap Gallon (3.78 l/gal)	42-0401	4 Gal
WORX® POWER CLEAN LIQUID HAND SOAP AND DISPENSERS	CODE	UNIT \ CASE
Liquid Hand Soap 3.38 oz (100 ml)	47-1024	24 \ Case
Liquid Hand Soap 13 oz (384 ml)	47-0613	6 \ Case
Liquid Hand Soap 32 oz (945 ml)	47-0432	4 \ Case
Liquid Hand Soap gal (3.78 l/gal)	47-0401	4 \ Case
Automatic Wall Mount Liquid Dispenser (600 ml)	47-9999	1 Each
WORX® POWER CLEAN FOAM HAND SOAP AND DISPENSERS	CODE	UNIT \ CASE
Foam Hand Soap 13 oz (384 ml)	48-0613	6 \ Case
Foam Hand Soap 32 oz (945 ml)	48-0432	4 \ Case
Foam Hand Soap gal (3.78 l/gal)	48-0401	4 \ Case
Automatic Wall Mount Foam Dispenser (600 ml)	48-9999	1 Each
WORX® POWER CLEAN LIQUID HAND SANITIZER	CODE	UNIT \ CASE
Liquid Hand Sanitizer 13 oz (384 ml)	49-0613	6 \ Case
ATTAX SURFACE CLEANERS	CODE	UNIT \ CASE
Heavy-Duty Surface Cleaner gal (3.78 l)	18-0401	4 \ Case
ATTAX DEGREASERS	CODE	UNIT \ CASE
Heavy-Duty Spray Degreaser 16 oz (450 g)	19-1216	12∖ Case

'WORX®...No Other Brand Offers More!'

#### www.worx.ca

Copyright ©2022 WORX Environmental Products Inc. ® All rights reserved





## Did you know we also carry these great brands?





















