

Prices valid May 1st - June 30th, 2022



Super Coolant HPC100C - 473ml



Fuel System Cleaner HPF200C - 443ml



Oil Supplement HPL201C - 946ml





Head Gasket Fix 31111 680g



Original Protectant Wipes 10859 25 wipes



Cleaning Wipes 10869 25 wipes



Glass Wipes 10850 20 wipes

RISLONE.



Leather Wipes 10856 20 wipes





RhinoRamps MAX Vehicle Ramp -Pair 11912MI



RhinoRamps Vehicle Ramp -Pair 11909MI





Heat Shrink Butt Connectors

5800CS 22-18 AWG

5900CS 16-14 AWG

6000CS 12-10 AWG



Weather Resistant Pre-Wired Switch SPST 9459-11 24V @ 15A/12V @ 25A





Master Battery Disconnect 9450-11 12V DC 350 AMPS



Wheel Stud Installer 22800



Exhaust Removal Pliers 38350





24mm Harmonic Balancer Socket77070



Spill-Free Funnel 18 piece 24780



Disconnect Pliers, 45 Degree 37140



Flexible Hose Clamp Tool 17300



Spill-Free DEF Kit with GM Adapter 24210



Heavy Duty Repair Cords



ST1933 - 4" 60/box

ST1934 - 8" 30/box





Submersible LED Trailer Lighting Kit - without Clearance/Marker 65880-5







7 Way RV To 4 Pole Flat 82-2146

SPOTGUN™ Injection Kit

471500YF - R1234yf hose





MULTI-PURPOSE DYE

483208 - 8oz/240mL Bottle



UNIVERSAL PAG OIL W/ DYE and EBOOST 488016P



A/C EXTENDYE 499008A - Bottle 8oz/240mL



LEAKGUARD ONE SHOT w/ AC EXTENDYE

1oz./30ml 480501

SPOTGUNTMJR./UV PhazerTM BLACK (AAA) Kit 332005A

4 x 1oz AC Extendye Cart. UV Phazer Black Light (AAA) R134a Hose Storage Case



A/C EXTENDYE Cartridge for SPOTGUN™ SYSTEM

499108A - Spotgun™ Cartridge 8oz/240mL



414565A 8oz AC Extendye Cart. UV Phazer Black Light (Rechargeable) R134a Hose Storage Case



Combustion Leak Tester Kit 560000







AIRLIFT™ Kit & Cooling System Replacement Parts 550000



A/C EXTENDYE CARTRIDGES for SPOTGUN™ JR. SYSTEM 399020A - 1oz. / 30ml 4x 30ml

Services up to 40 vehicles



UV PHAZER BLACK

413065 - Rechargeable 413075 - AAA batteries





1oz./30ml 480301 8oz./240ml 480308



UV PHAZER™ NEO™ 413025





COBRA UTF FBB0008440 18.9L



BESTBUY PRO HYDRAULIC 18.9L

46

FX0003740

68

FX0003840



Strong, long-lasting alkaline batteries guaranteed not to leak!



EN91 AA (24/pk)

EN92 AAA (24/pk)

EN93 C (12/pk)

EN95 D (12/pk)

EN22 9V (12/pk)



O'KEEFFE'S GIFT PACK

100919

Includes:

- Working Hands Hand Cream
- For **Healthy Feet** Foot Cream
- Lip Repair Cooling Relief





WD-40® Multi-Use

311g 01111











Rose Thorn U1P-17308

UTP-1/30

Sliced U1P-17332

Supernova U1P-17303



- Powerful Rust & Corrosion Protection
- · Excellent Vehicle Undercoating
- Superior Lubricant





3700 - 3.79 L

4300 - 18.9 L



#6300 - 333 g

#6400 - 3.79 L

#6500 - 18.9 L



TECH / STEEL

Steel Reinforced Epoxy Putty.

- Steel Hard in 15 Minutes
- Fully Cured in 1 hour
- 500°F temperature resistant
- · Sets up under water
- Impervious to chemicals

16002 - 65 g

6004 - 130 q





For quick emergency repairs!

· High quality, special silicone compound wrap which adhears to itself

5100 - 3 m

5200 - 3 m





(freeze point / boiling point). TESTS: IAT, NOAT, HOAT, ÓAT

1570 - 70 strips





Premium Heavy Duty Tire Sealant

95544 - 946 mL

95555 - 3.78 L w/pump

95566 -18.9 L Pail

95577 - 18.9 L Pail w/pump



- · Sealant & Adhesive
- · UV Resistent
- · Remains flexible once cured
- · Bonds to virtually anything

#8312 - 90 mL

#8612 - 90 mL

#8812 - 90 mL





Heavy Duty · Pure Blend Fast Penetrating Oil

· Frees Frozen & Rusted Part

C10 - 370 q







- · No sand blasting required.
- · Heat resistant up to 427°C (800°F)

73013 - 340 g



Metalizing rotor & drums treatment to prevent brake squeal.

- · OEM approved
- · Extends you brake life
- Waterproof









R1234YF, R134A & R12 SAFE HYDROCARBON REFRIGERANT

PART NUMBER **AR4247HP**

- Reduces vent temp 3°C 5°C
- Non-ozone depleting
- No ODS licence required to install
- Large molecule No leak/Slow leak formula

R1234YF INSTALLATION HOSE



Low side 24" extended installation hose with guage, suitable for installing hydrocarbons, sealants and oil charges.

R134A & R12 SAFE SYSTEM SEALERS

PART NUMBER AR4237HP

Kool-Air One Sealant (Metal) PART NUMBER

AR4238HP

Kool-Air Two Sealant (O-Ring)



AR4237HP

- 1oz of metal sealant
- 2oz of premium Repla 134

AR4238HP

- 1oz of rubber sealant
- 2oz of premium Repla 134




EXTREME ULTRA LEAK STOP - R1234YF, R134A, EV & HYBRID SAFE SEALANT (O-RING & METAL) (NON CLOGGING)

CARTDRIGE ADAPTERS

flex hose

PART NUMBER 7201

Leak Stop for Vehicle A/C Systems



7201: Extreme Ultra Leak Stop - R1234yf, R134a,R12, EV & Hybrid Vehicles

AR4223: 1234vf Install Adaptor (Required to Install 7201 In R1234vf System) AR4222: R134a Install Adaptor (Required to Install 7201 In R134a System)

PART NUMBER **AR4222**



Flex Hose + R134a Black Adapter

R134a

flex hose 4

Flex Hose + R1234yf Green Adapter

PART NUMBER

R1234yf

4PK/6PK EXTREME ULTRA LEAK STOP - W/ ADAPTERS : SAFE FOR EV & HYBRID VEHICLES

PART NUMBER 7201K4

CONTENTS OF 7201K4 7201K4: 4PK Extreme Ultra Leak Stop - R1234yf, R134a, & R12 W/ Adapters CONTENTS OF 7201K6 7201K6: 6PK Extreme Ultra Leak Stop - R1234vf, R134a, & R12 W/ Adapters



- · Permanently fixes small leaks in all A/C system components
- Polymer-free: does not clog A/C components and recovery equipment.

A/C Performance Enhancer

- Extends compressor lifetime and reduces its noise. · Works safely on metal and rubber components
- The professional choice for preventative maintenance.
- Injection adapters included.



PART NUMBER


AR4222


PART NUMBER 7201K6

COOL-SHOT ULTRA - R1234YF ,R134A, EV & HYBRID SAFE - SYSTEM ENHANCER (NON CLOGGING)

CARTDRIGE ADAPTERS

PART NUMBER 7202





7202: Cool-Shot Ultra

AR4223: 1234vf Install Adaptor (Required to Install 7201 In R1234vf System) AR4222: R134a Install Adaptor (Required to Install 7201 In R134a System)



Flex Hose + R134a Black Adapter

PART NUMBER **AR4223**



Flex Hose + R1234yf Green Adapter

4PK/6PK cool-shot ultra - w/ adapters : safe for ev & hybrid vehicles

PART NUMBER 7202K4

CONTENTS OF 7202K4 7202K4: 4 PK Cool-Shot Ultra - R1234yf, R134a, & R12 W/ Adapters CONTENTS OF 7202K6 7202K6: 6 PK Cool-Shot Ultra - R1234yf, R134a, & R12 W/ Adapters



- 1 cartridge (0.2oz) to restore the original efficiency of A/C system.
- Removes oil fouling.
- Reduces the energy consumption of the system.
- Safe for all A/C system components.
- Extends compressor lifetime and reduces its noise.
- Visible if exposed to any UV lamp.



PART NUMBER 7202K6

R134A & R12 SAFE SYSTEM RECHARGE ASST

PART NUMBER AR4231

Kool-Air Two O-Ring Charge Assortment

- 1 x 0-Ring Sealant (AR4238)
- 2 x Premium Repla 134 (AR4247)
- 1 x Installation Hose w/Gauge (AR4252L)



PART NUMBER **AR4232**

Kool-Air One Metal Charge Assortment

- 1 x Metal Sealant (AR4237)
- 2 x Premium Repla 134 (AR4247)
- 1 x Installation Hose w/Gauge (AR4252L)



PAG Lubricant For Vehicle A/C Systems

PREMIUM PAG OIL

- 46, 100 & 150

PART NUMBER PART NUMBER PART NUMBER

50616-1

PAG 100 W/UV Dye

8oz/237ml

Compatible with R134a, R1234yf, R12, Hybrid& ElectricSafe

1 Oil for all Vehicles inc. Hybrid & EV'S



R134A & R12 SAFE SYSTEM OIL RECHARGE PART NUMBER

AC Oil Charge 49620MHP (40z/114g)



- · 2oz of universal oil
- · 2oz of premium Repla 134/1234vf
- UV dye/ leak finder
- Systém conditioner prevents leaks



R1234YF PAG46-H OIL

PART NUMBER 27262

R1234YF PAG 46-H A/C Oil

(R1234yf only) 8oz/237ml

- NOT FOR USE IN HYBRID & EV'S



50615-1

PAG 46

W/UV Dve

8oz/237ml





50617-1

PAG 150 W/UV Dye

807/237ml

Don't just seal it, K-Seal it!™



K-Seal™ ST9501 K-Seal is a one-step permanent multipurpose system for coolant leak repair.



Spray Nine® Cleaner/Disinfectant C26822 - 650ml



J-B KwikWeld 8276CAN Quick setting steel reinforced epoxy



SCOTT® Bathroom Tissue 48040 - 2-ply

Sold by case of 24



Wipers L40 Centre Pull 05796 Sold by case of 2



PROFESSIONAL* Scott Perforated

(2) Kimberly-Clark

Roll Towel 41482

