



Commodities at a Glance

2025





Ancra.....	1-2	Kimberly-Clark.....	49-51
Armor All.....	3-4	Little Trees.....	52
Bernzomatic	5	Loctite	53-55
Cliplight.....	6-7	Lucas	57-58
Continental.....	8	M2 Professional.....	59-60
CPS.....	9-10	Milton	61-64
CRC.....	11-12	Mobil1	65
Dayco.....	13	MotorVac	9-10
Dominion Sure Seal.....	14-16	NLS Products.....	66-68
Docap.....	17	Norton	69-71
Dupli-Color	18	Permatex.....	72-75
Energizer	19	Phillips & Temro.....	76-79
Fiamm.....	20	Pico	80-82
FMSI.....	21-24	Prestone	83-86
Gorilla / Okeeffe's.....	25	Rislone	87-90
GPI.....	27-28	Rust Check.....	91
Grote	29-34	Sylvania.....	92-93
Groupe BBH.....	35-36	Triple C Rubber & Plastics.....	94
Hopkins	37-38	Total.....	95-98
H Paulin	39	UView.....	9-10
Irontite	40	Walker	99-102
Irving Blending & Packaging	45-44	WD-40.....	103-105
Irwin Tools / Lenox	45-46	Worx Environmental Products.....	106
JB Weld	47-48	Bestbuy Pro Cleaning Products.....	107



CARGO CONTROL PRODUCTS

Winches		
PART#	DESCRIPTION	WEIGHT
42313-10	Standard Winch Bar	5.0lbs / 2.27kg
42313-12	Standard Combination Box End	6.5lbs / 2.95kg
48101-143	Bottom Mount 3-Bar, Weld-On	11.3 lbs./5.13 kg WLL: 6,000 lbs./2,730 kg
48101-103	Side Mount 3-Bar, Weld-On	9.5 lbs./4.3 kg WLL: 6,000 lbs./2,730 kg
43565-127	Web Storable Bottom Mount C Track Slider	8.3 lbs./3.8 kg. WLL: 6,000 lbs./2,730 kg



Winch Straps WLL: 5,400 lbs. / 2,450 kg	
PART#	SIZE
41660-14-30	3-in. x 30-ft. Winch Strap w/ Chain Anchor
43795-11-30	4-in. x 30-ft. Winch Strap w/ Delta Ring
43795-15-30	4-in. x 30-ft. Winch Strap w/ Chain Anchor



Corner Protectors		
PART#	DESCRIPTION	WEIGHT
49584-10	12" Long plastic, suitable for webbing up to 4"	47 lb./.21 kg.
43986-10	4" Long plastic, suitable for webbing up to 4"	.06 lb./.03 kg.
49377-10	Steel suitable for chain	1.9 lbs. / .86 kg
49756-10	Steel suitable for chain & straps	1.26 lbs. / .57 kg.



Clevis Hooks	
45946-10	5/16" Wt: .85 lbs.
45946-11	3/8" Wt: 1.10 lbs
45946-13	1/2" Wt: .210 lbs
45946-12	1/4" Wt: .40 lbs



Chain w/ Clevis		
45881-10-16T	5/16" x 16' WLL: 4,700 lbs.	
45881-10-20T	5/16"x20'WLL:4,700lbs.	
45881-11-16T	3/8" x 16' WLL: 6,600 lbs.	
45881-11-20T	3/8" x 20' WLL: 6,600 lbs.	
45881-13-20T	1/2" x 20' WLL: 11,300 lbs.	



Load Binders		
Drop forged steel meeting FMCSA and DOT specifications. In three popular models.		
LEVER LOAD BINDERS		
45943-10	Accepts 5/16" -3/8" Chain	WLL: 5,400 lbs.Wt. 9.0 lbs.
45943-11	Accepts 3/8"-1/2" Chain	WLL: 9,200 lbs.Wt. 11.9 lbs.



Ratchet Load Binders		
45943-20	Accepts 5/16" -3/8" Chain	WLL: 5,400 lbs.Wt. 10.4 lbs.
45943-20HD	Accepts 5/16" -3/8" Chain	WLL: 6,600 lbs.Wt. 10.5 lbs.
45943-21	Accepts 3/8"-1/2" Chain	WLL: 9,200 lbs.Wt. 11.8 lbs.



Ratchet Tie Downs Also available in Ancra Blue and Ancra X-Treme, 3 & 4 inch materials.	
PART#	DESCRIPTION
45982-11	2-in. x 30-ft. Ratchet Strap w/ Flat Hooks.
45982-43	2-in. x 30-ft. Ratchet Strap w/ Wire Hooks.



Ratchet Tie Downs 1-in. x 16-ft. WLL: 1,000 lbs./454 kg.	
PART#	DESCRIPTION
43887-10	Mini Ratchet Strap w/ Wire Hooks and floating D Rings



PART#	DESCRIPTION
95002	1" x 10' Ratchet Strap with S-Hooks, 2 pack
95005	1" x 10' Ratchet Strap with S-Hooks, 4 pack
SL91	1" x 15' Ratchet Strap with S-Hooks, 4 pack



Eye to Eye Polyester Lifting Slings	
PART#	SIZE
20-EE1-9801X3	1" x 3' Eye/Eye 1 Ply Sling
20-EE1-9801X4	1" x 4' Eye/Eye 1 Ply Sling
20-EE2-9802X3	2" x 3' Eye/Eye 2 Ply Sling



Please see catalog for more!



armorall.ca



armorall.ca



WIPES



ORIGINAL PROTECTANT WIPES
10859 - 30 wipes
18254 - 20 wipes



MATTE FINISH PROTECTANT
18253
25 wipes



EXTREME SHIELD PROTECTANT
19160
25 wipes



GLASS WIPES
10850 - 30 wipes
18269 - 20 wipes



ORANGE CLEANING WIPES
10925
25 wipes



LEATHER WIPES
10856
30 wipes



CLEANING WIPES
10869 - 30 wipes
18255 - 20 wipes



4-PACK WIPES
10881
115 wipes



**CLEAN.
SHINE.
PROTECT.**

GREAT VALUE

PROTECTANT



ORIGINAL PROTECTANT
10125 - 118ml
11300 - 300ml
78021 - 473ml
78024 - 946ml
18389 - 1.89L



MATTE FINISH
18209
473ml



ULTRA SHINE
32062
473ml

WASH



SNOW FOAM CAR WASH
19159
1.48L

CAR WASH
17485 - 1.89L
17740 - 715ml



SMOKE X AIR FRESHENER
19036
99g



COMPLETE CAR CARE 5PC KIT
18378



FOAM CANNON KIT
19444

ODOUR ELIMINATION

KITS

CLEANERS



MULTI-PURPOSE CLEANER
11068
473ml

OXI MAGIC CARPET & UPHOLSTERY CLEANER
10926
650ml

LEATHER CARE GEL
10882
532ml

PREMIUM LEATHER CARE
18981
473ml

QUICKSILVER TIRE & RIM CLEANER
17654
710ml

EXTREME RIM CLEANER
40340
710ml

EXTREME TIRE SHINE GEL
11504
530ml

EXTREME TIRE SHINE
78026
650ml

TIRE & RIM



FLAME COMMANDER™ TORCH
TS3700T

- Adjustable Swirl Flame
- Trigger Start Ignition
- Enhanced 3/4 turn control knob for easy on/off
- Ergonomic, Soft Touch Grip Handle
- Pressure regulated
- For use at any angle
- Compatible with Bernzomatic 14.1 oz or 16 oz Propane Fuel Cylinders
- Limited 3-Year Warranty



DURACAST™ 4000 TORCH
TS4000T

- Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure regulated
- For use at any angle
- Durable, Cast Body Construction
- Compatible with 14.1 oz MAP-Pro® and 14.1 oz and 16 oz Propane Fuel Cylinders
- Limited Lifetime Warranty



PURIFIER™
170AIR

- Fresh Air Ozone Machine
- Incorporates the latest in ozone purification technology
- Eliminates mold, mildew, & bacteria from cabin interiors & rooms
- Removes even the most offensive & stubborn odors such as tobacco smoke
- Portable design - AC (100-240 V) & DC power
- 10 hour programmable timer with LCD



UTILITY TORCH
WT2301

- Adjustable, Webbed Flame
- Trigger-Start Ignition
- Durable, Stainless Steel Burn Tube
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 and 16 oz Propane Fuel Cylinders
- Limited 3-Year Warranty



FIRESTARTER™ BACKYARD TORCH
JT850

- Adjustable, Wide Brush Flame
- Trigger-Start Ignition
- Slip-Resistant Handle with 36" Reach
- Compatible with Bernzomatic 14.1 oz. and 16 oz. Propane Fuel Cylinders
- Limited 3-Year Warranty



INCANDESCENT

- 101307
23 ft | 7 m SJOW 16/3 cable
- Grounded outlet handle
 - 13 amp circuit breaker



SOUNDLIGHT PRO
111122

- LED: 20W COB
- Bluetooth speakers - 2 x 3W
 - Removable battery pack with 70 lumen light & USB port for charging devices
 - 2000 Lumens 1 hour
 - 1500 Lumens 1.5 hours
 - 1000 Lumens 2.5 hours
 - 500 Lumens 5 hours
 - 60 Lumens 24 hours



FIRESTARTER™ BUTANE TORCH
ST2200T

- Adjustable, Precision Flame
- Trigger-Start Ignition
- Pistol Grip
- Continuous Flame Lock
- Refillable with Butane Fuel
- Child Safety Lock
- Limited 3-Year Warranty



CLASSIC BRASS TORCH
UL2317

- Adjustable, Pencil Flame
- Manual Ignition
- Durable Brass Torch Head
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 oz and 16 oz Propane Fuel Cylinders
- Limited 3-Year Warranty



SUPER SEAL™
946KIT

- Pro A/C Stop Leak
- Permanently seals & prevents leaks
- Seals leaks in evaporators, condensers, accumulators, O-rings, gaskets, metal lines, & rubber hoses
- Compatible with all oils & refrigerants
- Hose included



PIVOT
111114

- 240 Lumens
- Strip array technology
- 5 LED flashlight
- Magnetic pivoting base and back
- 3 AA batteries included



CLASSIC BRASS TORCH KIT
UL100

- Adjustable, Pencil Flame
- Manual Ignition
- Durable Brass Torch Head
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 oz Propane Fuel Cylinder Included
- Limited 3-Year Warranty



DURACAST™ 8000 TORCH
TS8000T

- Adjustable, Ultra-Swirl Flame
- Instant On/Off Ignition
- Continuous Flame Lock
- Pressure regulated
- For use at any angle
- Durable, Cast Body Construction
- Compatible with 14.1 oz MAP-Pro® and 14.1 oz and 16 oz Propane Fuel Cylinders
- Limited Lifetime Warranty



PAO 68 OIL & PAO 68 OIL + DYE
51110/51111

- Universal, high-quality, multi-grade synthetic oil
- Improves efficiency with quicker pull down times & lower vent temperatures
- Eliminates carrying different grades or viscosities of A/C lubricants
- Fill-up or top-up
- 51110 - 34 oz | 1 L
- 51111 - 34 oz | 1 L + UV Dye



909012B - MULTI-PURPOSE DYE
12 x 1/4 oz | 7.5 ml



- HEMIMINI™**
114301
1000 lumens at 4 hours runtime
500 lumens at 8 hours runtime
- 4400 mAh smart lithium ion battery, rechargeable in 3.5 hours – charge anytime
 - Aircraft-grade aluminium chassis
 - 180° swivel hook
 - Mini-USB charger (100-240V)
 - Optional magnetic cover available
 - Replacement parts available



- HEMIPLUS™ 2**
114302
1200 Lumens at 4 hours run time
600 lumens at 8 hours run time
- 4400 mAh smart lithium ion battery, rechargeable in 4 hours – charge anytime
 - Aircraft grade aluminum chassis
 - 360° metal hook
 - Charging port
 - Removable magnetic cover included
 - Replacement parts available



- SLIMMINI™**
RECHARGEABLE LI-ON WORKLIGHT
114304
- 500/250 lumens COB
 - 100 lumens top flashlight
 - Type C connector cable
 - Super slim 14mm



- CLIPSTRIP™**
111112
140 Lumens
- Powerful pocket light
 - Strip array LED technology
 - 180° swivel magnetic clip
 - 3 AAA batteries included
 - Sold as 12 pack counter display



- 33 LED PIVOT**
24_458
160 Lumens
- 28 LED front | 5 LED top
 - 360° swivel hook
 - Magnetic pivoting base
 - 3 AA batteries included



- SPOTLIGHT MINI**
111111
- 600 and 300 Lumens – 5 W COB
 - Magnetic base
 - Adjustable joint for different angles
 - Li-ion rechargeable battery 2600 mAh
 - IP65 Waterproof
 - Micro USB charger cable included
 - Charger sold separately (PN 111111A)



- HEAVY DUTY TRI-TAP CORD REEL**
222315
- Tri-tap outlet
 - 15 amp circuit breaker
 - 50 ft. / 15.3m SJTW 12/3 cable



Shop Air Hose – Blue Rubber Airline Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion resistant rubber cover over fabric braided construction to provide long lasting service life.



PART#	DESCRIPTION
65131	1/4" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65133	3/8" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65134	1/2" X 25' BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS
65135	1/4" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65137	3/8" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65138	1/2" X 50' BLUE RUBBER SHOP AIR HOSE WITH 1/2-14NPT COUPLINGS

Shop Air Hose – F5 Blue Low Temperature TPE Airline Assembly

F5 is the highest rating for a tornado. F5 Air Hose is designed for general shop air supply service up to 300 PSI. Light weight and flexible hose with high abrasion resistant, non-marking Low Temperature TPE cover.



PART#	DESCRIPTION
65176	1/4" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65177	1/4" X 50' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65178	3/8" X 25' BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65179	3/8" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/4-18 NPT COUPLINGS
65182	1/2" X 50" BLUE THERMOPLASTIC AIR HOSE WITH 1/2-14 NPT COUPLINGS

Shop Air Hose – Red Rubber Flexsteel Assembly

Designed for general shop air supply service up to 250psi. Heavy duty abrasion and oil resistant rubber cover over steel braided construction to provide long lasting service life. Great for abusive applications including resisting spark burn through in welding shops.



PART#	DESCRIPTION
65144	3/8" X 25' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65145	1/4" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS
65146	3/8" X 50' RED FLEXSTEEL SHOP AIR HOSE WITH 1/4-18NPT COUPLINGS



cpsproducts.com



cpsproducts.com



SPOTGUN® INJECTION KITS

SPOTGUN® JR. INJECTION MASTER KIT

390200

- SpotGun® Jr Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- (4) Universal Oil Cartridges (1 oz/30 ml)
- (2) ExtenDye™ Cartridges (1 oz/30 ml)
- (2) LeakGuard™ OneShot Cartridges (1 oz/30 ml)
- UV Phazer™Black (AAA Batteries Included)
- UV Enhancing Glasses



INJECTION MASTER KIT

490200

- SpotGun® Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- (2) SpotGun® Service Hose Assemblies
- (1) Universal Oil Cartridge (8 oz/240 ml)
- (1) ExtenDye™ Cartridge (8 oz/240 ml)
- UV Phazer™Black (AAA Batteries Included)
- UV Enhancing Glasses



SpotGun® Jr Injection Master Kit 390200

SpotGun® Injection Master Kit 490200

A/C EXTENDYE™

A/C ExtenDye™ is enhanced with an additive package that extends the life and improves the efficiency of the A/C system.

- A/C ExtenDye™ is a super-concentrated UV dye that includes a friction modifier to increase the lubricity of the compressor oil, improving efficiency (friction coefficient) by over 50%, improving fuel economy.
- It also includes an anti-wear additive which creates a film that prevents contact between metal parts; reducing friction and heat, thereby extending component life;
- plus it includes an antioxidant to stop the oxidation process, reducing acidity and prolonging oil life.
- SAE-J2297 certified dye
- Compatible with ALL A/C systems – R134a & R1234yf
- Hybrid Safe - Specially formulated to protect all hybrid AC system components (including electrically driven compressors)

A/C EXTENDYE™ IS AVAILABLE IN THE FOLLOWING SIZES:

499108A	Spotgun Cartridge – 8 oz
399020A	Spotgun Jr. Cartridge – 1 oz (Box of 4)
399006A	Spotgun Jr. Cartridge – .25 oz (Box of 6)
499008A	Bottle – 8 oz
B499024A	Bottle – 1 oz (Box of 6)
B499012A	Bottle – .25 oz (Box of 12)



MULTI PURPOSE DYE / RADIATOR COOLANT DYE

MULTI-PURPOSE DYE BOTTLES

B483206 (6X1oz)

483208 8oz

Pinpoint leaks in engine oil, transmission, hydraulic, power steering, gasoline, and diesel fuel systems.



RADIATOR COOLANT DYE BOTTLES

B483906 (6X1oz)

Pinpoints leaks in cooling systems, including radiator, hoses, fittings, water pumps and head gaskets.



A/C OILS

UNIVERSAL PAG A/C OIL

488046YFPB 8 oz bottle (Special Order)
Formulated for R-134A and R-1234YF Systems

488046YFPD 8 oz bottle
with A/C ExtenDye
Formulated for R-134A and R-1234YF Systems

UView® Universal PAG A/C Oil is engineered to boost the performance and extend the life of your cooling systems. This universal oil boasts exceptional safety features—it's classified as nonhazardous and free of any harmful chemicals, providing peace of mind in the workplace. Environmentally considerate, it requires no special measures for accidental release and is easily disposable according to official regulations, making it both a smart and safe choice for any technician.

Approved for belt and electronic-driven compressors
Hybrid and EV compatible
Reduces wear, extends component life and improves efficiency of the A/C system
Specially formulated to protect all hybrid A/C system components



SPOTGUN A/C OIL CARTRIDGE

8oz

488046YF - PAG 46YF (R1234yf & R134a)
For those who choose to use the OEM specified oil, we have it. And for those who desire simplicity and convenience, we have that too — a truly universal A/C oil. UView 488046YF (8oz/240ml Cartridge) oils are formulated to work as service oil for all R1234YF, R134a and Hybrid applications. That's right—hybrid safe and OEM approved. One oil is all you need.

As a reminder, installing oil using a sealed cartridge injection system assures the cleanest and driest oil reaches the AC system in exactly the correct dosage.



UNIVERSAL A/C OIL W/ eBOOST

16oz. bottle

488016P – PAG Oil (R134a Only)
488016E – ESTER Oil

eBOOST is a proprietary performance enhancing supplement developed to boost the performance of lubricants. When used in an air conditioning system eBOOST increases the lubricity and antiwear properties of A/C oil and rejuvenates rubber seals and O-rings.

- Quiets noisy compressors and extends life
- Helps seal leaks caused by dried out seals and o-rings



LEAKGUARD PROFESSIONAL A/C SEALANT

THE FIRST A/C SEALANT AVAILABLE TO BE CERTIFIED TO MEET SAE J2670 STANDARD!

LeakGuard permanently and safely seals A/C leaks in both rubber and metal components. Unlike other A/C sealants, LeakGuard is an oil-based sealant that does not have any of the dangerous side effects. It will not harden, crystallize, clog the A/C system or harm the recovery equipment.

- Professional A/C Stop Leak
- Permanently seals leaks
- Meets SAE J2670 A/C additive standard
- Safe for all A/C systems including R134a, R1234yf & Hybrid/Electric Vehicles
- Contains concentrated A/C dye
- Specifically formulated for slow leaks that can occur over a 6-12 month period (or a leak rate of 25oz/708g) per year. It can safely remain in the A/C system and prevent leaks from occurring in the future – an excellent preventive maintenance product!

LeakGuard is your OneShot for Oil, Dye & Sealer when servicing automotive A/C systems.



LEAKGUARD INJECTION KIT 480300

Includes

- Spotgun Jr. Injection system
- Primer Cartridge
- 2 x (1 oz/30mL) Leakguard cartridge

LEAKGUARD 1oz. CARTRIDGE 480301

Box of 4 (Priced per cartridge)

*Compatible with Spotgun Jr.

LEAKGUARD 8oz. CARTRIDGE 480308

*Compatible with Spotgun





crc-canada.ca



CRC Canada Co.



CRC Canada Co.

crc-canada.ca



Brakleen® Original
75089 539 g aerosol
75089PS 822 g aerosol
75091 19 L pail



Brakleen® BPC Non-Chlorinated Low-VOC
1754922 396 g aerosol
1755368 19 L pail



Disc Brake Quiet
75016 118 mL bottle



GDI IVD™ Intake Valve & Turbo Cleaner
75320x6 311 g aerosol



1Tank Power Renew® Gasoline Formula
75815 444 mL bottle



FiberLock™ Head Gasket & Block Repair
75224 946 mL bottle



Posi-Trac™ Limited Slip Gear Oil Additive
742508 207 mL tube



Diesel Fuel Therapy Injector Cleaner With Anti-Gel
75212 888 mL bottle



Synthetic Brake & Caliper Grease
75353
340 g tub with brush



SensorKleen™ Mass Air Flow Sensor Cleaner
75110 312 g aerosol



Throttle Body Kleen™
75078 340 g aerosol



Engine Degreaser
75025 425 g aerosol



Clean-R-Carb®
75081 454 g aerosol



Power Lube Multi-Purpose Lubricant
75005 312 g aerosol



White Lithium Grease
14200 284 g aerosol



Knock'er Loose™ Penetrating Solvent
73020 369 g aerosol



Screwloose™ Super Penetrant
75330 312 g aerosol



Freeze-Off® Super Penetrant
75222 326 g aerosol



Battery Cleaner With Acid Indicator
75097 312 g aerosol



Gasket Kleen™
75021 340 g aerosol



Glass Cleaner
14100 510 g aerosol



Lectra-Motive™ Electrical Parts Cleaner
75018 539 g aerosol



Heavy Duty Silicone Lubricant
75074 213 g aerosol



Dry Graphite Lubricant
75101 320 g aerosol



Copper Anti-Seize Aerosol & Lubricating Compound
72095 340 g aerosol



Evapo-Rust® Super Safe Rust Remover
ER019 13.2L pail
ER070 946ml bottle
ER071 3.78L bottle



Rubberized Undercoating
75034 450 g aerosol



Battery Protector
75046 213 g aerosol



QD™ Electronic Cleaner
75102 312 g aerosol



Jump Start® Starting Fluid With Lubricity
75671 312 g aerosol



Ice-Off™ Windshield Spray De-Icer
75346 340 g aerosol



Bug Blast™ Wasp & Hornet Killer
72010 397 g aerosol



6-56 Marine Multi Purpose Lubricant
76007 312 g aerosol



Weld-Aid® Weld-Kleen HD Anti-Spatter
1008411 567 g aerosol



Duster Aerosol Dust Removal System
74085 227 g aerosol



Cutting Oil
73500 340 g aerosol



SERVICE STATION AND SHOP AIR HOSE	
Part#	Description
80003	1/4" I.D. 50' Coupled (200PSI)
80005	3/8" I.D. with 3/8 Coupled 25' (200PSI)
80006	3/8" I.D. with 1/4" Coupled 25' (250PSI)
80007	3/8" I.D. with 1/4" Coupled 50' (250PSI)
80011	1/2" x 50' Coupled (200PSI)

MULTI-PURPOSE HOSE, PREMIUM	
Part#	Description
80036	3/4" I.D. 250' not coupled (300PSI)

MULTI-PURPOSE HOSE, STANDARD	
Part#	Description
80132	1/2" x 500' +/- 50'
80134	3/4" x 350' +/- 50'

TRANS OIL COOLER/POWER STEERING RETURN HOSE	
Part#	Description
80383	5/16" x 25'
80391	3/8" x 25'

ANTI-SMOG/PCV HOSE	
Part#	Description
80069	11/32" x 50'

DRIVEWAY SIGNAL HOSE	
Part#	Description
80187	3/8" x 100'
80189	3/8" x 200'

WINDSHIELD WASHER/VACUUM TUBING	
Part#	Description
80204	1/4" x 50'
80205	7/64" x 50'
80206	5/32 x 50'
80207	7/32" x 50'
80208	9/32" x 50'
80209	7/64" x 6'
80210	5/32" X 6'
80211	7/32" x 6'
80216	5/32" x 250'
80217	7/32" x 250'

FUEL LINE HOSE	
Part#	Description
80051	1/8" x 25'
80052	1/8" x 50'
80053	1/8" x 250'
80054	3/16" x 25'
80055	3/16" x 50'
80056	3/16" x 250'
80057	1/4" x 25'
80058	1/4" x 50'
80059	1/4" x 250'
80060	5/16" x 25'
80061	5/16" x 50'
80062	5/16" x 250'
80063	3/8" x 25'
80064	3/8" x 50'
80065	3/8" x 250'
80066	7/16" x 25'
80067	7/16" x 50'
80073	1/4" x 2'
80074	5/16" x 2'
80075	3/8" x 2'
93036	1/2" x 25'
93037	5/8" x 25'

HEATER HOSE, HEAVY DUTY DAYCO GOLD LABEL	
Part#	Description
80230GL	3/8" x 50'
80231GL	5/8" x 50'
80232GL	3/4" x 50'
80233GL	7/8" x 50'
80234GL	1" x 50'
80236GL	5/8" x 250'
80239GL	1" x 250'

HEATER HOSE, STANDARD BLACK	
Part#	Description
80257	1/4" x 50'
80258	5/16" x 50'
80259	3/8" x 50'
80270	1/2" x 50'
80271	5/8" x 50'
80272	5/8" x 250'
80273	3/4" x 50'
80274	3/4" x 250'

FUEL INJECTION HOSE, DAYPERM 11	
Part#	Description
80520	1/4" 2' Clamshell
80523	5/16" 2' Clamshell
80526	3/8" 2' Clamshell
80321	1/4" 10' Carton
80325	5/16" 10' Carton
80329	3/8" 10' Carton
80521	1/4" 25' Spool
80524	5/16" 25' Spool
80527	3/8" 25' Spool
80522	1/4" 250' Reel
80525	5/16" 250' Reel
80528	3/8" 250' Reel

HEATER HOSE, SILICONE DAYCO GOLD LABEL	
Part#	Description
80241GL	5/8" x 25'
80242GL	3/4" x 25'
80244GL	1" x 25'
80251GL	5/8" x 50'
80252GL	3/4" x 50'
80254GL	1" x 50'

HEATER HOSE, BLACK INSULONE	
Part#	Description
80312	1/2" x 50'
80314	5/8" x 50'
80315	5/8" x 250'
80316	3/4" x 50'
80317	3/4" x 250'
80319	1" x 50'

SOLDERING ESSENTIALS



Part#	Description
563-105-DOC	FLUX CORE SOLDER 1/16" 1/4LBS
563-110-DOC	FLUX CORE SOLDER 3/32" 1/4 LBS



RELAYS & SOLENOIDS



Part#	Description
24059-BX	Continuous Duty Solenoid, 85A 12V DC 4 Stud SPST
2484-BX	Rotary Master Disconnect Switch 2-Position



FUSES & ELECTRICAL SWITCHES



Part#	Description
46206-04-BX	4-Position Terminal Block
5520-BX	Heavy Duty On-Off Toggle Switch, SPST
5582-10-BX	Toggle Switch 2POS SPST ON/OFF 25A/12V SLD
5582-BX	Heavy Duty On-Off Toggle Switch, SPST
81264-BX	Toggle Switch Black Boot
PL-612-R-BX	Red 12V DC Pilot Light



RUBBER TIE DOWN STRAPS



Part#	Description
647-430-DOC	9" BLUE TIE-DOWN FOR COLD TEMP
647-431-DOC	15" BLUE TIE-DOWN FOR COLD TEM
647-432-DOC	20" BLUE TIE-DOWN FOR COLD TEM
647-433-DOC	30" BLUE TIE-DOWN FOR COLD TEM





Protect - Rust Proofing



NO DRIP RUST PROOFING		
PART#	DESCRIPTION	SPECS
ASS512SB4L	Black	4L JUG
ASS512SBP	Black	18.9L PAIL
ASS512SBK	Black	60L KEG
ASS512SC4L	Amber	4L JUG
ASS512SCP	Amber	18.9L PAIL



NO DRIP RUSTPROOFING GUN WITH CUP	
PART#	DESCRIPTION
ASSE	Comes with 2 flexible wands for reaching hard to access areas



RUST CHECK RUST CONVERTER		
PART#	DESCRIPTION	SPECS
DS11006	Provides a primed surface and can be applied directly over rust	283mL/10 fl oz

Cleaning & Preparation



SPRAY GUN PAINT REMOVER		
PART#	DESCRIPTION	SPECS
SSGC	Powerful pinpoint spray quickly dislodges and dissolves paint	425 mL/15 fl oz



SURE STRIP HIGH STRENGTH PAINT & COATING STRIPPER		
PART#	DESCRIPTION	SPECS
BPS	Fast Acting and works on most paints	3.78 L/1 Gallon

Refinish



INSTANT CLEAR COAT		
PART#	DESCRIPTION	SPECS
SIC	Clear	340g/12 fl oz

Repair



APPLICATOR GUN FOR 50 ML SUREMIX CARTRIDGE	
PART#	DESCRIPTION
XSMAPG	Use with XSMAP and all 2 part 50 ml cartridges

Repair



SURE SEAL SEAM & JOINT SEALER		
PART#	DESCRIPTION	SPECS
CSB	Black	300 mL/10.1 fl oz
CSC	Clear	300 mL/10.1 fl oz
CSW	White	300 mL/10.1 fl oz



ONE STEP SELF-ETCH PRIMER		
PART#	DESCRIPTION	SPECS
SEP	Grey	425 g/15 fl oz
SEP1	Black	425 g/15 fl oz



PANEL PREP		
PART#	DESCRIPTION	SPECS
SPPV	Our most environmentally friendly surface cleaner	510 g/18 fl oz



BRUSH ON SEAM SEALER		
PART#	DESCRIPTION	SPECS
PBGQ	Grey	900 mL/30.4 fl oz



PRO SERIES FINISHING GLAZE		
PART#	DESCRIPTION	SPECS
PS088	To be applied in very thin layers as a top coat glaze in order to fill pin holes, minor irregularities, small paint damage or fine scratches	500mL/16.9 fl oz



FAST CURE URETHANE AUTO GLASS ADHESIVE/SEALANT		
PART#	DESCRIPTION	SPECS
CUSF	Black	310 mL/10.5 fl oz



SURETHANE - POLYURETHANE ADHESIVE/SEALANT		
PART#	DESCRIPTION	SPECS
CUSS	Black	310 mL/10.5 fl oz



SUREMIX MEDIUM PANEL BONDING ADHESIVE		
PART#	DESCRIPTION	SPECS
XSM5002	WORK TIME: 50-55 minutes SET TIME: 3.5 - 4 hours	207 mL



SUREMIX FAST URETHANE ADHESIVE		
PART#	DESCRIPTION	SPECS
XSM6002	WORK TIME: 1-2 minutes SAND TIME: 8-15 minutes FULL CURE: 1 hour	207 mL



DOUBLE SIDED ATTACHMENT TAPE	
PART#	DESCRIPTION
WTSR7/8S	7/8", 60 foot roll
WTSR1/4S	1/4", 60 foot roll
WTSR1/2S	1/2", 60 foot roll



Protect



GRAVEL GUARD		
PART#	DESCRIPTION	SPECS
SVG1	Black-Aerosol	405 g/14.3 fl oz
SVG3	Beige-Aerosol	550 g/19.4 fl oz
SVG124	Black-Aerosol	550 g/19.4 fl oz
BVG1	Black	830 mL/28.1 fl oz



ADHESION PROMOTER		
PART#	DESCRIPTION	SPECS
SXPP24	Can be used with all seam sealers to enhance adhesion	480 g / 16.9 oz



FAST DRY PAINTABLE BLACK RUBBERIZED UNDERCOATING		
PART#	DESCRIPTION	SPECS
BUF	Black	830 mL / 28.1 fl oz



1K HIGH BUILD PRIMER/FILLER		
PART#	DESCRIPTION	SPECS
SHBP	Grey	454 g/16 fl oz



COPPER WELD-THRU PRIMER		
PART#	DESCRIPTION	SPECS
SCW	Excellent adhesion to bare metal	410 g/14.46 fl oz



EZ LINER BEDLINER AND INDUSTRIAL STRENGTH COATING AEROSOL		
PART#	DESCRIPTION	SPECS
SEZL	Black	467 g/16.47 oz



BLACK BODY PLUGS		
PART#	DESCRIPTION	SPECS
BUPP	1/2"	100/bag



SHAKE AND SHOOT BEDLINER KIT		
PART#	DESCRIPTION	SPECS
BSSBLT	Tintable	3.6L/0.95 gallon



EMPTY SCHUTZ CAN W/ LID		
PART#	DESCRIPTION	SPECS
CCSHUTZ	Use with BUPA or BUPABL	830 mL/28.1 fl oz

UNDERCOATING, GRAVEL GUARD AND BEDLINER GUN	
PART#	DESCRIPTION
BUPA	Attaches directly to US Schutz type cans

PRIMERS



GRAY HOT ROD PRIMER
CDAP1692



BLACK HOT ROD PRIMER
CDAP1698



WHITE PRIMER
CDAP1689



SELF-ETCHING PRIMER
CDAP1690



SCRATCH FILLER & PRIMER
CFP101

GENERAL PURPOSE ENAMEL



GLOSS BLACK
CDA1600



SEMI-GLOSS BLACK
CDA1603



FLAT BLACK
CDA1605



GLOSS WHITE
CDA1670



SCHOOL BUS YELLOW
CDA1663



CRYSTAL CLEAR
CDA1692

ENGINE PAINT



GLOSS BLACK
CDE1613



CHEVROLET ORANGE
CDE1620



RUBBERIZED UNDERCOAT
CUC101

UNDERCOAT

WHEEL COATING



HIGH PERFORMANCE SILVER
CHWP10100



HIGH PERFORMANCE SATIN BLACK
CHWP104



HIGH PERFORMANCE GLOSS BLACK
CHWP108

RUST PROTECTORS FLAMEPROOF™ CALIPER PAINT



GLOSS BLACK
469001



GLOSS WHITE
469000



FLAT BLACK
CSP102

FLAT SILVER
CSP106



CAST ALUMINUM
CSP735



REAL RED
CSP731



GLOSS BLACK
CSP734




energizer.ca



fiammcomponents.com



Strong, long-lasting alkaline batteries guaranteed not to leak!



EN22 9V (12/pk)
EN91 AA (24/pk)
EN92 AAA (24/pk)
EN93 C (12/pk)
EN95 D (12/pk)



VISION HD FOCUS

EPMZH21E

- Durable aircraft grade aluminum construction
- MAXVIZ Technology to deliver a wide, powerful beam and high-definition vision
- Features LED technology



METAL PEN LIGHT

PLED23AEH

- Durable construction featuring a robust, metal clip
- Up to 4X Brighter than Standard LED Technology
- Features LED technology



WORK LIGHT

HCAL41E

- Exceptionally durable construction for the most demanding jobs
- Latest LED technology provides clear, bright light
- Wide angle 180° area light



TASK LIGHT

TUF2AAPE

- Rugged polymer and durable over-mold maximize shock absorption
- Smart Dimming technology for customized light output and extended runtime
- Features LED technology



VISION HD+ FOCUS HEADLIGHT™

HDD32E

400 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on



VISION HD+ FOCUS HEADLIGHT™

HDDIN32E

315 Lumens

- Patented Digital Focus allows users to broaden or narrow the light beam
- Memory Recall feature allows users to quickly access preferred focus setting the next time the light is switched on



AM80SX DUAL HORN
KIT WITH MULTIPLE
OE CONNECTORS
72031



AM80SX UNIVERSAL
OE HIGH HORN KIT
72505



AM80SX UNIVERSAL
OE LOW HORN KIT
72506



AM80SX UNIVERSAL
OE DUAL HORN KIT
72507



90 HIGH TONE DISC HORN
40310

THE **BIG RED** PAIL
from BESTBUY is perfect for...




PART# RED PAIL

...the garage, the yard, the truck,
the worksite, the cottage, the boat, the...

PICK UP A BIG RED PAIL (OR TWO) AT
YOUR LOCAL BESTBUY DISTRIBUTOR






FMSI EDELMANN FITTINGS
PROBLEM SOLVING AUTOMOTIVE HARDWARE

DISCOVER THE FMSI EDELMANN FITTINGS
DIFFERENCE

THE TOP CHOICE
FOR WHEEL HARDWARE



- IN-DEPTH COVERAGE
- THOROUGHLY TESTED
- CONSISTENT DEDICATION TO QUALITY
- REFINED DESIGNS



Our steel wheel nuts are designed to meet or exceed OEM aftermarket specifications. They feature triple chrome plating for superior corrosion protection and Dacromet coating for enhanced durability. Made from solid one-piece steel construction, they ensure strength and reliability.

With over 61,000 applications available, we can provide solutions tailored to your specific needs. In addition to wheel nuts, we offer a wide variety of wheel lug and bolt socket sets, along with a vast selection of assortments, to meet any requirements.



**THE PERFECT
SOLUTION TO YOUR
WHEEL NUT PROGRAM**

PREMIUM QUALITY

Our wheel nuts are crafted with precision, using all solid steel construction that guarantees unmatched durability. triple chrome plated for lasting rust resistance.

OVER 61,000 APPLICATIONS

No matter what you drive, we have the perfect fit for you, with a range of applications for your vehicle from the 1980's to present day.

TURN US ON

FMSI Edelmann Fittings has partnered with the leading e-catalogue distributors to bring you accurate, up to date product information.

Find Us With Line Code: FMI




Find Us With Line Code: FMH



ALP143

TOLL FREE: 800.651.7445 • FAX: 905.335.1829 • EMAIL: INFO@FMSIINC.COM • WEBSITE: FMSIINC.COM



FMSI EDELMANN FITTINGS
PROBLEM SOLVING AUTOMOTIVE HARDWARE

BRASS & BRAKE

TUBE NUTS - UNION - TEE - ADAPTERS - BRAKE LINES & COILS

FMSI Edelmann Fittings has a long history of commitment to offering you a comprehensive and constantly expanding line of quality automotive fittings and brake lines. A commitment we will continue in order to meet all your replacement fitting component needs.


• TUBE NUTS

Tube Nuts in the FMSI Edelmann Fittings catalog including Metric & Imperial Bubble Flare, Oversize Steel Invert Flare, Standard Steel Invert Flare, Stainless Steel Invert & Bubble Flare Tube Nuts.



• UNIONS

Brass Unions
Imperial, Metric
Invert, Bubble



• TEES

Union Tee
Street Tee
Male Branch Tee
Male Run Tee
Male Branch Tee
Clamp Style Brass Tee



• ADAPTERS

Hydraulic Brake Master Cylinder Adapters
Transmission Oil Line Coolant Adapter
Invert Flare to SAE Flare Adapter
Special Fittings -
• AC Adapter
• Gauge Adapter
• Ford/Plymouth Adapter



• BRAKE LINES

- Pre Cut Brake Lines & Coils
- Copperhead Cupro Nickel, 304 Stainless Steel, Rhinohide Poly Vinyl Fluoride, & Zinc



• COILS

CUPRO NICKEL
Superior Protection
• Easy Bend and flare
• S.A.E. and I.S.O. Approved



STAINLESS STEEL
Easy Bend and Flare
• Resistance to Corrosion



PVF POLY VINYL FLUORIDE
Polymer Plastic
Coating
• Easy Bend and flare



ZINC PLATED STEEL
Easy Bend and flare



COMPRESSION
FITTINGS
STEEL TO STEEL



COMPRESSION
FITTINGS
STEEL TO NYLON




COMPRESSION
FITTINGS
STEEL OR NYLON



DRAIN COCKS



HYDRAULIC ADAPTERS



INVERTED FLARED
TUBE FITTINGS



PIPE THREAD FITTINGS



CLAMP STYLE HOSE
FITTINGS



PUSH ON HOSE
FITTINGS



DOUBLE COMPRESSION
FITTINGS



NEEDLE VALVES




S.A.E. 45 DEGREE
FLARED TUBE FITTINGS

BRASS

OUR COMMITMENT TO EXCELLENCE



TOLL FREE: 800.651.7445 • FAX: 905.335.1829 • EMAIL: INFO@FMSIINC.COM • WEBSITE: FMSIINC.COM



FMSI EDELMANN FITTINGS
PROBLEM SOLVING AUTOMOTIVE HARDWARE

KOOL-AIR KWIK-CONNECT AIR CONDITIONING FITTINGS

Revolutionary Air Conditioning Tube Joiner and Block Off Caps!

TOOL FREE INSTALLATION



Easily repairs damaged or leaking tube



Block off damaged aluminum tube

Features & Benefits

- Time Saving Solution
- Locking Retention Rings creates Secure Seal
- All Aluminum Construction - Corrosion Free
- 450 psi Working Pressure (1800psi Burst)
- Integral - HNBR O-rings
- Built in Quick Release Button (Not Reusable)
- No Need for Additional Lubricants or Adhesives

KOOL-AIR
KWIK-CONNECT

EXPERIENCE A GAME CHANGING SOLUTION FOR AC REPAIRS WITH FMSI EDELMANN FITTINGS NEW KOOL-AIR KWIK-CONNECT AC JOINERS AND BLOCK OFF CAPS. QUICK REPAIRS DONE RIGHT — MAXIMIZES PROFITS.

Our KOOL-AIR Kwik-Connect joiners and block off caps feature a simple push-to-connect mechanism to quickly lock aluminum tubes together with only your hands. For a long lasting, leak and corrosion free connection.

FMSI Edelmann Fittings KOOL-AIR Kwik-Connect AC Joiners and Block Off Caps feature a durable anodized finish which helps protect against corrosion and other wear and tear. KOOL-AIR Kwik-Connect fittings are compatible with a wide range of vehicle applications, making it perfect for every repair shop.



**REPAIR ASSORTMENTS
ALSO AVAILABLE TO MEET
ALL YOUR AC NEEDS**



MASTER FLUID LINE KWIK-CONNECT (STD/MET)

Repairs Fuel, Transmission, Oil Cooler, Turbo, Power Steering (Return) & Gauge Lines

TOOL FREE INSTALLATION



Repairs Fuel, Transmission,
Oil, Cooler, Turbo, Power
Steering (Return), Gauge Lines

(NOT FOR USE ON AC OR BRAKE)

Features & Benefits

- Time Saving Solution
- Locking Retention Rings creates Secure Seal
- All Aluminum Construction - Corrosion Free
- 275 psi Working Pressure (1100psi Burst)
- Integral - HNBR O-rings
- Built in Quick Release Button (Not Reusable)
- No Need for Additional Lubricants or Adhesives

FLUID LINE
KWIK-CONNECT

**KEEP IT FLOWING WITH FLUID LINE KWIK-CONNECT
— Our Cutting-Edge Joining Solution —**


NICKEL PLATED FLUID LINE KWIK-CONNECTS

Introducing the innovative Fluid-Line Kwik Connect fittings, a cutting-edge solution for seamlessly joining steel, cupro nickel, PVF & nylon tubing.

With a remarkable 275 psi working pressure and an impressive 1100 psi burst strength, these fittings ensure robust and reliable connections in various applications. What sets Fluid-Line apart is its user-friendly design – no special tools are required. The push-to-connect feature simplifies installation, saving valuable time and effort. Whether you're working with steel or nylon tubing, Fluid-Line Kwik Connect fittings offer a hassle-free and efficient solution for fluid systems, providing a secure and durable connection every time.



**REPAIR ASSORTMENTS
ALSO AVAILABLE TO MEET
YOUR NEEDS**



FMSI EDELMANN FITTINGS
PROBLEM SOLVING AUTOMOTIVE HARDWARE

AIR CONDITIONING CHEMICALS

Cool-Shot Ultra AC Enhancer INCLUDES INSTALLATION ADAPTORS



Part # TR1170.ALH7
R134yf

Quiets Noisy Compressors and Extends Life

Extreme Ultra Leak Stop INCLUDES INSTALLATION ADAPTORS



Part # TR1163.ALH1
R134a

Polymer Free Formula - Will Not Clog System

Premium Repla134/1234yf

Specifically designed for automotive AC systems
Equivalent to: 17oz (481g) R134a - 12oz (340g) R1234yf

AR4247

Features & Benefits:

- Reduces vent temperatures & cools vehicles faster
- Environmentally Friendly
- High Performance
- Non-Toxic
- Non O-Zone Depleting
- Safe for R1234yf and R134a Systems
- No ODS license required to purchase or install
- Easy to install



Available In:

- AR4247 - 6oz Can
- AR4247-20 - Case of 20
- AR4247HP - Case of 6

FMSI's Repla 134/1234yf is a safe, natural and purified hydrocarbon refrigerant and is suitable for both R134a & R1234yf Systems.

By using less volume and operating at lower pressures, its high performance formula, contributes to extending the service life of AC Systems.

A Safe alternative to HFC, HFO, HCS & HCFC,
(OE Refrigerants) Non-toxic and environmentally friendly.

NOT AVAILABLE IN USA

R134a Premium Leak Stop & Recharge Kit

Part # 7207

Each kit contains:

- 2 x Premium Repla 134/1234 (AR4247)
- 1 x Extreme Ultra - Leak Stop (TR1163.AL01)
- 1 x R134a Installation Adapter (RK1422.S1)
- 1 x Installation Hose w/ Gauge (AR4252L)



R134a Premium Oil Charge EV, HYBRIDS, GAS/DIESEL VEHICLES

R134a Systems
Part # 7206

R1234yf Systems
Part # 7209

Each kit contains:

- 1 x 2oz Syringe Premium PAG Oil (OL6058.E01)
- 1 x R134a Installation Adapter (RK1422.S1)
- or 1 x R1234yf Installation Adapter (RK1423.S1)



24" Extended Installation Hose

R1234yf Systems
Part # AR4252YF



24" extended installation hose with gauge suitable
Low side for installing hydrocarbons, sealants and oil charges



gorillatough.com



GORILLA TAPE BLACK
105629 - 30 yards



GORILLA TAPE BLACK
105631 - 10 yards



GORILLA TAPE SILVER
105634 - 30 yards



GORILLA TAPE SILVER
105463 - 10 yards



MOUNTING TAPE
6155002 - Heavy Duty 1x60 inch



GORILLA TAPE TO-GO
6101002 - 30ft



GORILLA CLEAR REPAIR
6127002 - 8.2m



SPRAY ADHESIVE
6341502 - 14oz Heavy Duty



SUPER GLUE
112381
15g Gel



SUPER GLUE
7900301
2 x 3g tubes



EPOXY
4200602
25ml



CLEAR GORILLA GLUE
4510103 - 51ml



GORILLA CLEAR GRIP™
8140002 - 88ml

O'Keeffe's® Working Hands® Hand Cream is a concentrated hand cream that heals, relieves and repairs extremely dry, cracked hands. When used daily, O'Keeffe's® Working Hands® is clinically proven to:

- Instantly boost moisture levels
- Creates a barrier on the skin's surface
- Help prevent further moisture loss

It is safe and effective for people with diabetes.



**WORKING HANDS®
HAND CREAM**
K1290003 - 85g



**WORKING HANDS®
HAND CREAM**
K1350001 - 3.4oz, jar




Ocean
By H10 Hotels

Ocean Eden Bay

Adults Only



Secure Your Spot for SunSplash Jamaica 2026!



SCAN ME
TO PRE-REGISTER

**Don't miss out! Pre-register now to hold your place for this exclusive trip.
Act fast to guarantee your spot, as we are expecting a sell-out!**



Easy Installation - Low maintenance - High Performance

76L/min
20 GPM



12V Modular Fuel Transfer Pump						
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE
162000-03	G20-012AD	Automatic	14 ft.	Installed	Spin Collar	Included
162000-01	G20-012PO	None	None	None	Spin Collar	None

*Extended warranty coverage requires registration with GPI.
Default warranty is 2 years. Visit gpi.net/product-registration/

69L/min
18 GPM



12V Fuel Transfer Pump						
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE
110612-02	M-180S-AU w/filter kit	Automatic	12 ft.	Installed	Spin Collar	Included
110300-2	M-180S-AU	Automatic	12 ft.	Installed	Spin Collar	Included
110300-1	M-180S-ML	Manual	12 ft.	Installed	Spin Collar	Included

57L/min
15 GPM



12V Fuel Transfer Pump							
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE	NOZZLE HOLDER
110000-100	M-150S-AU	Automatic	12 ft.	Installed	Spin Collar	Included	Lockable
110000-99	M-150S-MU	Manual	12 ft.	Installed	Spin Collar	Included	Lockable
110000-107	M-150S-EM	Manual	10 ft.	Installed	Direct	Included	Standard
110000-103	M-150S-PO	None	None	Included*	Spin Collar	None	Lockable

*Customer installation required

30L/min
8 GPM



12V Fuel Transfer Pump							
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	MOUNT	SUCTION PIPE	NOZZLE HOLDER
137100-01	EZ-8	Manual	10 ft.	Installed	Direct	Included	Standard



12V Portable Fuel Transfer Pump	
PART NO.	MODEL
147000-01	G8P

Up to
189L/100 strokes
50 gallons/100 strokes

Hand Pump		
PART NO.	MODEL	NOZZLE
114000-10	HP-100-UL	Metal



Pumps fluid on both the push and pull strokes for fast delivery
For use with: diesel fuel (diesel blends to B20), gasoline (alcohol blend up to E15), kerosene, medium oil (up to 30W), and hydraulic fluid

SAVE TIME WITH THESE GPI UPGRADES:

- Quick-Fit Modular Connections
- Factory-Installed Power Cord
- Spin Collar Mount
- Telescoping Suction Pipe

Visit gpi.net to learn more!

©2022 Great Plains Industries, Inc. All Rights Reserved.



High Pressure Performance Powder-Coated Carbon Vanes

Ideal for use with a hose reel

Durable and corrosion resistant

Long-life



94 L/min
25 GPM

- **Four bolts and an O-ring** - quickly attach a filter, meter, or both to customize your personal fuel station!
- **Eliminate leaks** with flanged connections, O-rings, and meter mag drive

GPRO[®]
PROFESSIONAL GRADE
FIVE-YEAR WARRANTY
with industry-leading customer service

12V Modular Fuel Transfer Pump					
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD	SUCTION PIPE
170000-03	V25-012AD	Automatic	18 ft.	Installed	Included
170000-01	V25-012PO	None	None	None	None

GPRO[®] EXTREME TEMPERATURE Tested to -40°



94 L/min
25 GPM



76 L/min
20 GPM

12V Modular Fuel Transfer Pump				
PART NO.	MODEL	NOZZLE	HOSE	POWER CORD
170000-06	V25-012AD+XT	Auto	18 ft.	Installed
170000-05	V25-012PO+XT	None	None	None

115V Fuel Transfer Pump			
PART NO.	MODEL	NOZZLE	HOSE
171000-51	V20-115PO+XT	None	None
171000-53	V20-115AD+XT	1" Automatic	1" x 18'



132 L/min
35 GPM

115V Fuel Transfer Pump			
PART NO.	MODEL	NOZZLE	HOSE
504000-05	PRO35-115PO/XTS	None	None

Extreme Weather Accessories	
PART NO.	DESCRIPTION
150100-501	XT Fuel Hose, 1 in. NPT x 18 ft.
906009-505	XT Automatic Nozzle

GPI / FLOMEC / GPRO





SuperNova® | High Performance

Lightweight NexGen Lamps weigh 50% less than the major competitor lamps, and only requires 1/8 the amperage needed to drive an incandescent lamp.

Hi Count® | High Style

Highest visibility LED lamps around. Offer premium styling and maximum diode count.

Grote Select™ | High Value

Provide faster light-on response time that increase stopping alert distances. Low power requirements, making more voltage available to other systems.

STOP/TAIL/TURN LAMPS	
PART#	DESCRIPTION
SUPERNOVA®	
53252	LED, 4" STOP/TAIL/TURN, 10 DIODE, RED
53253	LED, 4" STOP/TAIL/TURN, 10 DIODE, AMBER
54332	LED, 4" STOP/TAIL/TURN LAMP, RED
54333	LED, 4" STOP/TAIL/TURN LAMP, AMBER
HI COUNT®	
G4002	G2 LED, 4" HIGH COUNT, FEMALE, RED
G4003	G2 LED, 4" HIGH COUNT, FEMALE, AMBER
GROTE SELECT™	
54342	LED S/T/T LAMP, LED 4" RED
54343	LED S/T/T LAMP, LED 4" AMBER
SUPERNOVA®	
53962	LED, OVAL PLASTIC
53963	LED, OVAL GROMMET MT, AUX TURN, AMBER
SUPERNOVA® 9 DIODE	
54132	STT LAMP, RED, OVAL, LED, MALE PIN, 9 DIODE
54133	STT LAMP, YELLOW, OVAL, LED, MALE PIN, 9 DIODE
SUPERNOVA® NEXGEN	
54162	RED LED OVAL STT LAMP
54163	YELLOW LED OVAL AUX LAMP
HI COUNT®	
G6002	HIGH COUNT 60 SERIES LED, RED
G6003	HI COUNT OVAL LED AMBER
GROTE SELECT™	
54172	RED LED OVAL STT LAMP
54173	YELLOW LED OVAL AUX LAMP



STOP/TAIL/TURN LAMPS

PART#	DESCRIPTION
MICRONOVA® DOT	
49322	MICRONOVA DOT, P2 W/GROMMET, RED
49332	MICRONOVA DOT, PC W/GROMMET, RED
49333	MICRONOVA DOT, PC/P2 W/GROMMET, AMBER
49412	MICRONOVA DOT, W/ADAPTOR BRACKET, RED
49413	MICRONOVA DOT, W/ADAPTOR BRACKET, AMBER
49341	MICRONOVA DOT, MARKER LAMP, ECE, WHITE
49342	MICRONOVA DOT, 12 VOLT, ECE, RED
49343	MICRONOVA DOT, 12 VOLT, ECE, AMBER
MICRONOVA®	
47962	CLR/MKR, RED, LED, MICRONOVA P2 WITH GROMMET
47963	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH GROMMET
47952	CLR/MKR, RED, LED, MICRONOVA P2 WITH BEZEL
47953	CLR/MKR, YELLOW, LED, MICRONOVA P2 WITH BEZEL
47972	CLR/MKR, RED, LED, MICRONOVA PC WITH GROMMET
47973	CLR/MKR, YELLOW, LED, MICRONOVA PC WITH GROMMET
SUPERNOVA® 2"	
47112	LED MARKER, 2" ROUND SEALED, RED
47113	LED MARKER, 2" ROUND SEALED, AMBER
46132	CLR/MKR LAMP, 2", RED, MKR LAMP, SUPERNOVA® LED, PC RATED
46133	CLR/MKR LAMP, 2", YELLOW, MKR LAMP, SUPERNOVA® LED, PC RATED
78433	LED, 2" ABS LAMP, AMBER
HI COUNT® 2"	
G3002	G2 LED, 2" HIGH COUNT, RED
G3003	G2 LED, 2" HIGH COUNT, AMBER
SUPERNOVA® BEEHIVE	
47212	LED MARKER, 2" BEEHIVE, RED
47213	LED MARKER, 2" BEEHIVE, AMBER
HI COUNT® BEEHIVE	
G3092	RED 2" BEEHIVE LED LAMP
G3093	YLW 2" BEEHIVE LED LAMP
SUPERNOVA®	
47122	LED MARKER, 2 1/2" ROUND SEALED, RED
47123	LED MARKER, 2 1/2" ROUND SEALED, AMBER
46142	CLR/MKR LAMP, 2.5", RED, SUPERNOVA® LED, PC RATED
46143	CLR/MKR LAMP, 2.5", AMBER, SUPERNOVA® LED, PC RATED
78423	LED, 2.5" ABS LAMP, AMBER
HI COUNT®	
G1032	G2 LED, 2.5" HIGH COUNT, RED
G1033	G2 LED, 2.5" HIGH COUNT, AMBER
HI COUNT® 9 DIODE	
G1092	G2 LED, 2.5" HIGH COUNT 4700, RED
G1093	G2 LED, 2.5" HIGH COUNT 4700, AMBER



Grote Brite Zone™
LED WORK LAMPS FOR BOTH WORK AND PLAY

With rugged, durable construction and LED power that far outshines halogen, BriteZone lamps get the job done.

Boating. Mowing. Off-roading. Working. Long after the sun goes down, you need a lamp that's as tough and tireless as you are.

Grote's BriteZone range has the LED lamp to shed light on any use – even tow trucks, garbage trucks and forklifts – without breaking the bank.

Value priced to meet your budget.



BZ101-5



BZ111-5



BZ121-5



BZ131-5



BZ141-5



BZ201-5



BZ421-5



BZ501-5



BZ211-5



BZ221-5



BZ301-5



BZ321-5



BZ331-5



BZ551-5



BZ601-5

PART#	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
BRITE ZONE LED WORK LAMPS			
BZ101-5	BRITE ZONE™ ROUND LED WORK LAMP	9 - 32	1600
BZ111-5	BRITE ZONE™ SMALL ROUND WORK LAMP	12 - 36	1240
BZ121-5	BRITE ZONE™ ROUND LED WORK LAMP WITH SWITCH	10-32	1900
BZ131-5	BRITE ZONE™ ROUND LED WORK LAMP WITH SWITCH	9-30	4000
BZ141-5	BRITE ZONE™ SMALL ROUND WORK LAMP	10-30	1750
BZ201-5	BRITE ZONE™ SQUARE LED WORK LAMP	9-32	1100
BZ211-5	BRITE ZONE™ SMALL SQUARE LED WORK LAMP	10-30	1100
BZ221-5	BRITE ZONE™ SMALL CUBE LED WORK LAMP	10-30	4800
BZ301-5	BRITE ZONE™ SLIM LED WORK LAMP	9-32	1400
BZ321-5	BRITE ZONE™ RECESSED LED WORK LAMP	10-30	3600
BZ331-5	BRITE ZONE™ SMALL RECTANGLE LED WORK LAMP	10-30	860
BZ421-5	BRITE ZONE™ MAGNETIC LED WORK LAMP	12	1800
BZ501-5	BRITE ZONE™ GO ANYWHERE LED WORK LAMP	12	1100
BZ551-5	BRITE ZONE™ LED WORK LAMP	12-30	1200
BZ601-5	BRITE ZONE™ MINI SQUARE LED WORK LAMP	12-36	775



Grote Trilliant® LED Work Lamps

THERE’S A RUGGED GROTE TRILLIANT® LAMP FOR ANY WORKPLACE APPLICATION

- Superior performance for mining, construction, off-road, agriculture, utility, emergency, military vehicles
- Field tested to survive brutal on and off-road conditions








PART#	DESCRIPTION	VOLTAGE	EFFECTIVE LUMEN
TRILLIANT T26 LED WORK LAMPS			
64G01-5	T26 LED WORK LAMP, PENDANT MOUNT, FAR PATTERN	10 - 48	1800
64G11-5	T26 LED WORK LAMP, PENDANT MOUNT, NEAR PATTERN	10 - 48	1800
TRILLIANT CUBE WORK LAMPS			
63981-5	TRILLIANT® CUBE WORK LAMP, TRACTOR PLUS, BI-VOLTAGE	12/24	1200
63991-5	TRILLIANT® CUBE WORK LAMP, FLOOD, BI-VOLTAGE	12/24	1200
63W41	TRILLIANT® CUBE WORK LAMP, 3000 LUMENS, LONG RANGE, DEUTSCH	9 - 32	3000
63W61	TRILLIANT® CUBE WORK LAMP, 3000 LUMENS, CLOSE RANGE, DEUTSCH	9 - 32	3000
TRILLIANT LMX LED WORK LAMPS			
63Z01	TRILLIANT® LMX LED WORK LIGHTS, CLOSE/LONG RANGE HYBRID, DEUTSCH DT	9 - 32	7000
63Z61	TRILLIANT® LMX LED WORK LIGHTS, CLOSE/LONG RANGE HYBRID, DEUTSCH DT	9 - 32	5000

Grote LED Forward Lighting

GROTE KEEPS YOU ON THE CUTTING EDGE OF TECHNOLOGY WITH LED HEADLIGHTS AND HEATED HEADLIGHTS



PART#	DESCRIPTION	VOLTAGE	BEAM PATTERN
7" LED HEADLIGHTS			
90941-5	7" LED SEALED BEAM HEADLIGHT	9 - 32	LOW BEAM, HIGH BEAM
64H71-5	HEATED 7" SEALED BEAM HEADLIGHT 	12 - 30	LOW BEAM, HIGH BEAM
5" X 7" LED HEADLAMP			
90951-5	5" X 7" LED SEALED BEAM HEADLIGHT	9 - 32	LOW BEAM, HIGH BEAM
64H81-5	HEATED 5" X 7" LED SEALED BEAM HEADLIGHT 	12 - 30	LOW BEAM, HIGH BEAM
4" X 6" LED HEADLAMPS			
94421-5	4" X 6" LED SEALED BEAM HEADLIGHT	9 - 32	LOW BEAM
94411-5	4" X 6" LED SEALED BEAM HEADLIGHT	9 - 32	HIGH BEAM
64J61-5	HEATED 4" X 6" LED SEALED BEAM HEADLIGHT 	12 - 30	LOW BEAM
64J71-5	HEATED 4" X 6" LED SEALED BEAM HEADLIGHT 	12 - 30	HIGH BEAM
LED HEATED SNOW PLOW LAMPS			
84661-4	LED HEATED SNOW PLOW LAMPS (PAIR PACK) 	12 - 30	LOW BEAM, HIGH BEAM



Grote’s Warning and Hazard Lighting Solutions

Improve Visibility. Improve Safety.
The Right Lighting Solution for Your Environment!



PART#	DESCRIPTION
BACKUP ALARMS	
73040	BACKUP ALARM 97DB, SAE J994 TYPE C, 12-24V
73310	BACKUP ALARM MULTI-FREQUENCY 97DB, SAE J994 TYPE C, 12-24V
BEACONS	
79073	AMBER LED BEACON W/CLR DOME, CLASS I, 12-24V
78033	AMBER LED BEACON, SHORT DOME, CLASS I, 12-24V
78053	AMBER LED BEACON, TALL DOME, CLASS I, 12-24V
78853	AMBER LED BEACON, SHORT DOME, CLASS II, 12-24V
78863	AMBER LED VAC/MAG BEACON SHORT DOME, CLASS II, 12V
78063	AMBER LED BEACON, TALL DOME, CLASS II, 12-24V
78093	AMBER LED BEACON, COMPACT DOME, CLASS III, 12-72V
78103	AMBER LED MAGNETIC BEACON, COMPACT DOME, CLASS III, 12V
78113	AMBER LED MATERIAL HANDLING BEACON, CLASS III, 12-72V
DIRECTIONALS	
78380	AMBER 30" LED WARNING STICK, CLASS I, 12V
77353	AMBER LED 4" ROUND WARNING LIGHT, CLASS II, 12V
77355	BLUE LED 4" ROUND WARNING LIGHT, CLASS III, 12V
77363	AMBER LED 6" OVAL WARNING LIGHT, CLASS II, 12V
77365	BLUE LED 6" OVAL WARNING LIGHT, CLASS II, 12V
78143	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12-24V
78163	AMBER LED ULTRA LOW PROFILE DIRECTIONAL, CLASS I, 12V
78270	LED TRAFFIC DIRECTOR, LARGE, W/ ARROWS, AMBER
MINIBARS	
78023	AMBER 16" LED MINIBAR, CLASS I, 12-24V
78133	AMBER 16" LED VAC/MAG MINIBAR, CLASS I, 12V
76983	AMBER 17" LED MINIBAR, CLASS I, 12V
77223	CLASS I COMPACT LED LIGHT BAR, PERMANENT MOUNT, AMBER, 12V/24V
77803	CLASS I COMPACT LED LIGHT BAR, MAGNETIC MOUNT, AMBER, 12V/24V



grote.com

Grote®



Fuse Products

Grote Electrical Connections and Accessories proudly introduces our new offering of Fuse and Circuit Protection products. Grote has over 200 SKU's available representing the most popular and in-demand fuse and circuit protection products including a variety of assortment packs.



Coiled Air Products

Grote carries an extensive line of coiled air products required for optimum system performance. From coiled air hoses to seals and screens, our coiled air products are designed and manufactured to meet or exceed the toughest industry standards.



Terminals and Connectors

Grote's extensive line of terminal and connector products are designed to ensure proper installation as well as peak electrical performance and power delivery for your system. We also have an extensive offering of kits – ideal for a fleet maintenance facility, garage repair and DIY'ers!



Wire and Cable

Grote carries one of the widest selections of wire and cable products in the industry. Our wire and cable is available in all common gauges and colours, and is 100% made in North America which ensures the highest level of quality, performance and reliability.



Trailer Connections

Power delivery is only as good as the connections made! Developed to meet the most rigorous demands, Grote's complete line of trailer connection products provide for a wide and varied requirement.



Support and Protective products

Protection of critical wire and power systems is essential to a vehicles running performance. Grote has an extensive line of cable and power delivery management products available.



Battery Connection Products

Proper connections to a vehicles power supply are vital for efficient, effective power delivery, and Grote Battery Connection products are designed and manufactured to ensure an ideal connection every time!



Kits and Tools

Whether the need is for a small retail pack for the weekend DIY'er or a large fleet maintenance facility, Grote has the right tools and a great selection of kits.



Switches and Electrical Assemblies

Grote offers a complete line of switches and electrical assembly products. Connect a vehicles power system with the right product for the application!



grote.com

Grote®



COATED AND CHEMICAL GLOVES



NITRILE FOAM COATED
751180C
6-11
HORIZON
• Polyester shell - 13 gauge
• Sanitized treatment
• Elastic knit cuff



POLYURETHANE COATED
051260C
7-10
HORIZON
• Polyester shell - 13 gauge
• Elastic knit cuff



LATEX COATED
758124B
S-XL
HORIZON
• Textured latex coated
• Polyester and cotton shell - 13 gauge
• Elastic knit cuff



LATEX FOAM COATED
751144
SM & LXL
HORIZON
• Hi-vis polyester shell - 13 gauge
• Elastic knit cuff



10 PACK OF NITRILE COATED GLOVES
751185/10
L
WORKTUFF
• Polyester shell
• Elastic knit cuff



NITRILE COATED GLOVES
75H657C
L
HORIZON
• Nitrile coated
• Fully dipped
• Pasted cuff



DOUBLE COATED PVC GLOVES
754056G14B
L
HORIZON
• Green Double Dipped PVC
• 14" gauntlet
• Rough finish for enhanced grip

DISPOSABLE GLOVES Dispenser box



4 MIL. NITRILE GLOVES
792455 - S-XL (Powder free)
HORIZON
• 100 gloves
• Ambidextrous



6 MIL. NITRILE GLOVES
7924556
S-XL
HORIZON
• 100 gloves
• Powder free
• Ambidextrous



7 MIL. NITRILE GLOVES
792457D
S-2XL
WORKTUFF
• 50 gloves
• Powder free
• Raised diamond textured



8 MIL. NITRILE GLOVES
792458D
S-2XL
WORKTUFF
• 50 gloves
• Powder free
• Raised diamond textured

WINTER GLOVES



LINED LATEX COATED GLOVES
750760
S-XL
HORIZON
• Polyester shell - 10 gauge
• Brushed cotton fleece lining
• Elastic knit cuff



PVC WORK GLOVES
758360FR
L
HORIZON
• Double coated PVC
• Foam & brushed cotton lining
• Sanitized treatment



WINTER LEATHER WORK GLOVES
713594ASRT
M-2XL
HORIZON
• Cowsplit leather - Assorted colours
• Acrylic pile lining
• Cotton back
• Pasted cuff

LEATHER WORK GLOVES



COWSPLIT GLOVES
010392D3PC
L
HORIZON
• Cowsplit leather palm and fingertips
• 3 pieces palm
• Cotton back with elastic
• Pasted cuff



COWHIDE WORK GLOVES
021600PLPP L-XL
L
HORIZON
• Patch palm
• Rubberized cuff
• Palm lined



COTTON & POLYESTER GLOVES
040661
S-XL
HORIZON
• 65% cotton/35% polyester
• Knit - 7 gauge
• Knit wrist cuff



COTTON & POLYESTER GLOVES
040560PVC
M-XL
HORIZON
• 70% cotton & 30% polyester
• Knit - 7 gauge
• Knit wrist cuff

SAFETY GLASSES



VISITOR SAFETY GLASSES
140008 - ONE SIZE
H SERIES
• Lightweight, frameless, integrated nosepiece, anti-scratch & anti-static
• Blocks over 99% UVB and UVA rays



SAFETY GLASSES
140010 - ONE SIZE
H SERIES
• Soft nosepiece, anti-slip arm, anti-fog, anti-scratch & anti-static
• Blocks over 99% UVB and UVA rays



ROPE



3 STRANDS TWISTED POLYPROPYLENE ROPE ON REEL
A1PJ
BARRY & BOULERICE
This rope is an affordable choice as a general-purpose rope, because it's lightweight and long-lasting. It is ideal for industrial, construction, commercial and household applications.

A1PJ/316	3/16" X 2125' 4.8 MM X 648 M
A1PJ/014	1/4" X 1300' 6.4 MM X 396 M
A1PJ/516	5/16" X 975' 7.9 MM X 297 M
A1PJ/038	33/8" X 630' 9.5 MM X 192 M
A1PJ/012	1/2" X 335' 12.7 MM X 102 M
A1PJ/058	5/8" X 200' 16 MM X 61 M
A1PJ/034	3/4" X 125' 19 MM X 38 M



TELESCOPIC SNOWBROOMS



ULTIMATE POLAR VORTEX™ SNOWBROOM
14170
• 360° Pivoting head functions as broom or brush
• No scratch EVA foam works as a snowplow, extra wide frost blade, or squeegee



50" CROSSOVER SUPER-DUTY SNOWBROOM
14039C
Pivoting head swivels from broom to brush position with the push of a button.



SPORT 8 UTILITY BROOM™
581-E
Extends from 30" to 48".



TELE SNOBROOM™
511-E
Compact telescopic snow broom extends from 23" to 36".

LONG REACH SNOWBRUSHES *ideal for clearing snow from all vehicles*



ULTRA MAXX®
999CT
35" long, ergonomic



MEGA MAXX®
989-34
34" long, superior



MAXX® 35
889-35
35" extra long, superior

REGULAR REACH SNOWBRUSHES



COOL SNOW TOOL®
532
26" long, 5 row wide. Sweeps snow and slush with little effort.



SLIMLINE 24
523
24" long. Ideal for clearing snow from all vehicles.



VALUE REACH SWEEP™
203
25" long wooden snowbrush provides efficient snow removal.



51" ARCTIC PLOW™ WITH ICE SCRAPER
18833
Super wide 16+ inch "Push-Pull" foam head.



ALUMINUM EMERGENCY SHOVEL
17222
• Compact design for easy storage.
• Two in one handle design allows shovel to be used as a scoop.
• Extends to 30" for longer reach.

TRAILBLAZER ELECTRONIC DEER ALERT
27512VA
Powerful electronic signal is 10X safer than traditional deer whistles.



PROFESSIONAL AUTOMOTIVE SQUEEGEES



PROFESSIONAL AUTOMOTIVE SQUEEGEE
12-810NY
• Plastic side guards protect glass
• 10" wide rust resistant head with durable scrub netting



PROFESSIONAL AUTOMOTIVE SQUEEGEE WITH HANDLE
• Plastic side guards protect glass
• 10" wide rust resistant head with durable scrub netting
10NY-24A - hardwood handle
10NYRD-26A - plastic handle



PROFESSIONAL SQUEEGEE HANDLES
• Threaded strong hardwood construction
• Fits all Hopkins professional automotive squeegee heads
111U - 20"
112U - 30"

HEAVY DUTY FLOOR SQUEEGEES



840-24/30/36
General Purpose



841-24/30/36
Oil Resistant



843-24/30/36
General Purpose



844-24/30/36
Oil Resistant



116
Heavy Duty 54" Floor Squeegee Handle



845-24
24" wide dual foam blade



846-30
Heavy duty 30" wide dual foam blade

AUTOMOTIVE CLEANING TOOLS



92022SCBL
8" Wash Brush extends to 40"



93053CBL
8" Wash Brush with 48" Handle



45320CBL
Microfiber 2in1 Wash Mitt



40208CBL
Evaporator Drying Towel



40211CBL
Synthetic Chamois



40061CBL
Microfiber Drying Towels



40059ASCBL
Supreme Drying Towel



45606ASCBL
Soft Touch Detailing Towel



HANDY-PAKS®

MERCHANDISERS



022-065



022-064



BLACK WHEEL NUTS

558-146-000	1/2-20X1.38HX13/16
558-148-000	1/2-20X1.38HX3/4
558-204-000	9/16-18X1.53HX7/8
559-070-000	M12-1.5X35HX21
559-077-000	M12-1.5X35HX19
559-114-000	M12-1.2X35HX19
559-236-000	M14-1.5X48HX19
559-301-000	M12-1.5X29.5HX19
564-327-000	M14-1.5X39HX22



CHROME WHEEL NUTS

558-140B	7/16-20 RH 3/4
558-144B	7/16-20 RH
558-146B	1/2-20 RH
558-148B	1/2-20RH 3/4
558-200B	11/16X1X.100T
559-060B	M10X1.25
559-065B	M12X1.25
559-070B	M12X1.5



BODY RETAINER KITS

9971230C	120 PCS	HYUNDAI/KIA
999174C	240 PCS	GM
999175C	180 PCS	GM
999176C	235 PCS	FORD
999177C	240 PCS	CHRYSLER
999178C	100 PCS	MAZDA
999179C	120 PCS	HONDA
999182C	100 PCS	NISSAN
999183C	120 PCS	TOYOTA

PIC A PACS

SPINNER DISPLAYS



022-148



022-158

THORO-FLUSH

INDUSTRIAL STRENGTH RADIATOR & ENGINE CLEANER, 16 OZ.

- 9112-16
- Opens & cleans out plugged heater Cores
- Clears out gelled Dex-Cool with a simple flush
- Cleans cooling system in a single flush
- Fuel Tank Cleaner. Use before installing a new fuel pump to prevent premature pump failure and warranty claims
- Removes ethanol/bio fuel build up rust scale oils and other sludge from fuel tank
- Safe for use on cast iron, aluminum, brass and plastic
- Professionally recommended for over 60 years



ALL WEATHER SEAL

HEAD GASKET & RADIATOR SEALANT, 16 OZ.

- 9132-16
- It blends with your existing Anti-freeze forming a microemulsion
- It only works where the leak is. No fear of plugging heater cores, etc.
- It can be used as a preventative to keep vehicles in service
- It works FAST! Within 10 min. of reaching operating temperature your leak will stop
- It works regardless of what material the leak is in. Rubber, Iron, Aluminum, Plastic, etc.,
- It is compatible with all the different kinds of anti-freeze products on the market today. Even the waterless anti-freeze and extended life versions



CERAMIC MOTOR SEAL

CERAMIC COOLING SYSTEM SEALER, 16 OZ.

- 9122-16
- Permanently seal leaking head gaskets
- Seals cracked heads and blocks in aluminum or cast iron
- Coats the engine and prevents formation of rust and salt water corrosion
- Seals porous castings in the cooling system
- Stops coolants leaks
- Promotes heat dissipation for added power

*Add to Radiator Only After Removing Anti-Freeze





Q.A.P. PREMIUM MOTOR OIL designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SP or ILSAC GF 6 product.

CONVENTIONAL			
SIZE	5W-20	5W-30	10W-30
12 X 946 mL	FX0004115	FX0004215	FX0004315
4 X 5 L	FX0004130	FX0004230	FX0004330
205 L Drum	FX0004150	FX0004250	FX0004350

Q.A.P. 100% SYNTHETIC MOTOR OILS designed for use in today's demanding gasoline engines. They exceed the requirements of the American Petroleum Institute's (API) current performance level, for gasoline engine oils and satisfy the current warranty requirements of domestic and foreign automobile manufacturers requiring an API SP or ILSAC GF 6 product* For those vehicles requiring a dexos 1™ Gen 2 formulation to be in compliance with GM OEM recommendations our Q.A.P. 100% SYNTHETIC 0W-20 and 5W-30 grades are fully certified and registered.



SYNTHETIC					
SIZE	0W-16	0W-20 (dexos®)	5W-20	5W-30 (dexos®)	10W-30
6 X 946 mL	FX0004806	FX0004606	FX0004506	FX0004706	FX0004406
4 X 5 L	FX0004830	FX0004630	FX0004530	FX0004730	
60 L - Keg		FX0004645	FX0004545	FX0004745	
205 L - Drum		FX0004650	FX0004550	FX0004750	FX0004450



Q.A.P. EUROPEAN 100% SYNTHETIC 5W-40 is specifically formulated to meet the most stringent requirements of European manufacturers, including Volkswagen, Audi, Mercedes, BMW, and Porsche as well as European industry specifications (ACEA).

SYNTHETIC - EUROPEAN	
SIZE	5W-40
6 X 946 mL	FX0001606
60 L Keg	FX0001645
205 L Drum	FX0001650



BESTBUY PRO CK-4 next generation oil was formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines. Bestbuy Pro CK 4 was designed to provide improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy, oxidation resistance and enhanced drain intervals with regular used oil analysis.

CONVENTIONAL	
SIZE	15W-40
12 X 946 mL	FX0003415
4 X 5 L	FX0003430
18.9 L Pail	FX0003440
205 L Drum	FX0003450



BESTBUY PRO SYN BLEND CK-4 next generation oil was formulated to exceed compliance levels set forth by the EPA for 2017 and forward diesel engines This oil was formulated to provide quantifiable improvements in emissions control, wear protection, TBN retention, shear stability, fuel economy and oxidation resistance Bestbuy Pro Syn Blend CK-4 is also backwards compatible making it ideal for large, small and mixed fleet operations where multiple service categories are represented.

SYNTHETIC BLEND	
SIZE	10W-30
12 X 946 mL	FX0003215
4 X 5 L	FX0003230
18.9 L Pail	FX0003240
205 L Drum	FX0003250



BESTBUY PRO SYNTHETIC 5W-40 CK-4 has exceptional cold cranking and cold pumping ability. Performance in these areas enables faster startup and wear protection when the engine is most vulnerable. Bestbuy Pro Synthetic 5W-40 CK-4 is an advanced formulation designed to deliver exceptional protection for demanding operating conditions including industries such as Mining, Construction, Forestry, Trucking Operations and so much more.

SYNTHETIC	
SIZE	5W-40
4 X 5 L	FX0004030
18.9 L Pail	FX0004040
205 L Drum	FX0004050



Q.A.P. DEX/MERC ATF is a premium product specially formulated for use in automatic transmissions manufactured in 2005 and earlier. General Motors, Ford and Chrysler vehicles requiring Dexron, II, III (GM) and Mercon® (Ford) fluid.

ATF	
SIZE	DEX/MERC
12 X 946 mL	FX0000415
205 L Drum	FX0000450



Q.A.P. SYNTHETIC LV MULTI VEHICLE ATF is a premium low viscosity full synthetic multi vehicle transmission fluid designed to provide unparalleled performance in automatic transmissions It contains additives that enhance oxidation resistance, shear and viscosity stability that prevents the formation of deposits for up to twice the service life of the previous generation DEXRON® III and IIE fluids.

ATF	
SIZE	SYN LV MV
12 X 946 mL	FX0002415
60 L Keg	FX0002445
205 L Drum	FX0002450



Q.A.P. MULTI VEHICLE ATF is a premium multi vehicle transmission fluid designed to provide unparalleled severe duty operating performance in automatic transmissions. It has enhanced resistance to oxidation and prevents the formation of gum or varnish in the transmission due to high temperature instability.

ATF	
SIZE	MULTI VEHICLE
12 X 946 mL	FX0001815
60 L Keg	FX0001845
205 L Drum	FX0001850



Q.A.P. CVT is a multi vehicle synthetic transmission fluid designed for continuous variable transmissions. This multi vehicle CVT fluid provides excellent anti shudder durability and friction protection to keep your transmission running smoothly.

CVT	
SIZE	CVT
12 X 946 mL	FX0004915
4 X 5 L	FX0004930



Q.A.P. GEAR OILS are extreme pressure (EP) automotive gear lubricants made from high quality, high viscosity base oils. Their special additives make them effective at providing high load-carrying protection with outstanding rust, corrosion and foam prevention. They offer a high level of protection in extreme wet and dirty environments. For applications such as automotive, heavy duty, construction, forestry, agricultural, transmissions, drive trains and stationary equipment.

GEAR OILS	
SIZE	GEAR OILS
12 X 946 mL	FX0000715
205 L Drum	FX0000750



BESTBUY PRO HYDRAULIC is a product designed for various hydraulic systems. This oil is formulated to offer a wide operating temperature range and designed for use in colder temperatures. BESTBUY PRO HYDRAULIC is not recommended for use with pumps that contain silver-plated parts.

HYDRAULIC				
SIZE	22	32	46	68
18.9 L - Pail	FX0003540	FX0003640	FX0003740	FX0003840



Q.A.P. DEF is a 32.5% aqueous Urea Solution, AUS 32, a manufactured product of technically pure urea mixed with Demin quality water designed to meet the specifications of DIN 70070:2005 and ISO 22241 1:2006 for NOx abatement technologies.

DIESEL EXHAUST FLUID	
SIZE	DEF
9.46 L - Single Carton	FX0002910
208 L Drum	FX0002950



Q.A.P. HEAVY DUTY MULTI-PURPOSE GREASE is capable high-performance grease for all chassis, wheel bearing, pin & bushing, ball and universal joints. It is an ideal solution to reduce the need for multiple products and reduce the risk of misapplication. Lithium complex thickener combined with high quality base oils and additive package giving it excellent mechanical stability and good resistance to water. The grease gives top-level protection from extreme pressure (EP) load wear.

MULTI-PURPOSE GREASE	
SIZE	HD
30 X 14 oz Tubes - Case	FXG000111



Q.A.P. MULTI-PURPOSE LITHIUM GREASE is a capable high-quality multipurpose grease for use in automotive chassis, universal joints, water pumps, roller, plain and AF bearings. Excellent shear stability over a broad temperature range and has a strong resistance to spin off and water resistance means it maintains protection.

MULTI-PURPOSE GREASE	
SIZE	MP
30 X 14 oz Tubes - Case	FXG000211



COBRA AUTOMATIC TRANSMISSION FLUID
Designed to satisfy GM & Ford specs pre 2005

COBRA ATF	
SIZE	ATF
18.9 L - Pail	FBB0008840



COBRA DIFF 80W-90 is recommended for most auto differentials as well as transmissions where the manufacturer specifies API MT 1. Always consult your owner's manual when choosing a compatible lubricant.

COBRA DIFF	
SIZE	80W-90
18.9 L - Pail	FBB0009840



COBRA UTF (UNIVERSAL TRACTOR FLUID) is a multi application lubricant used to lubricate the moving parts of off highway mobile equipment. These fluids are used to lubricate the transmissions, differentials, final drive planetary gears, wet brakes and hydraulic systems of farm tractors and construction equipment that have a common fluid reservoir calling for a combination lubricant and power transmission fluid.

COBRA UTF	
SIZE	UTF
18.9 L - Pail	FBB0008440



COBRA CHAIN OILS are designed especially for heavy duty chain saw use and are available in mid season summer and winter grades. All grades are extremely tacky, which helps the oil resist drippage and throw off, especially from high speed chains. Cobra Chain Oils are dyed red to help chain saw operators identify when the chain has enough lubrication.

COBRA CHAIN OILS			
SIZE	LIGHT	MEDIUM	HEAVY
4 X 3.78 L	FBB0011226	FBB0011326	FBB0010926



irwin.com



Vise-Grip® Locking Tools

Fast Release™ Curved Jaw Locking Pliers CR

PART#	DESCRIPTION
IRHT82573	10" Reduced Hand Span
IRHT82574	7"
IRHT82575	5"



Curved Jaw Locking Pliers

Curved Jaw Locking Pliers with Wire Cutter

PART#	DESCRIPTION
702L3	7"
902L3	5"
1002L3	4"



Vise-Grip® Locking Tools

Locking C-Clamps with Swivel Pads

PART#	DESCRIPTION
20	11"
28	24"
31	9"



Curved Jaw Locking Pliers

PART#	DESCRIPTION
4935576	10"
4935578	7"
902L3	5WR 5"
502L3	10"



Vise-Grip® Locking Tools

Locking C-Clamps with Regular Tips

PART#	DESCRIPTION
17	6"
19	11"
21	18"



Fast Release™ Straight Jaw Locking Pliers

PART#	DESCRIPTION
IRHT82576	10" Reduced Hand Span
IRHT82577	7"



Straight Jaw Locking Pliers

PART#	DESCRIPTION
102L3	10"
302L3	7"



Long Nose Locking Pliers

PART#	DESCRIPTION
1402L3	6"
1502L3	9"
1602L3	4"



Reciprocating Saw Blade, Metal-Cutting

PART#	DESCRIPTION
372614P5	6-Inch 14TPI, 5 Pack
372618P5	6-Inch, 18TPI, 5 Pack
372624P5	6-Inch, 24TPI, 5 Pack
372818P5	8-Inch, 18TPI, 5 Pack
372118P5	12-Inch, 18TPI, 5 Pack
372618B	6-Inch, 18TPI, 25 Pack
372618BB	6-Inch, 18TPI, 50 Pack

Reciprocating Saw Blade, Wood & Metal-Cutting

PART#	DESCRIPTION
372810P5	8-Inch 10TPI, 5 Pack



Vise-Grip® Locking Tools

Pliers

PART#	DESCRIPTION
2078216	6" Long Nose Locking
2078218	8" Long Nose Locking



Vise-Grip® Locking Tools

Miscellaneous Pliers

PART#	DESCRIPTION
2078309	8" Multi-Tool
2078300	8" Self Adjusting Wire Strippers



Vise-Grip® Locking Tools

Groove Joint V-Jaw Pliers

PART#	DESCRIPTION
2078510	10"
2078512	12"



PART#	DESCRIPTION
2078714	8 Piece Mini Pliers Set



Vise-Grip® Locking Tools

Diagonal Cutting Pliers

PART#	DESCRIPTION
2078307	7"
2078308	8"



Utility Blades

PART#	DESCRIPTION
2084100	Bi-Metal 5-Pack Utility Blades



lenoxtools.com



PART#	LENOX VARI-BIT® STEP DRILL BITS Hole Size		# OF HOLE SIZES	Shank Size	
	IN	MM		IN	MM
30882VB2	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2, 23.8, 25.4	9	3/8	9.5
30888VB11	7/8, 1-1/8 (for 1/2 and 3/4 conduit)	22.2, 28.6 (for 12.7 and 19.1 conduit)	2	3/8	9.5
30908VB8	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	4.8, 6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1, 20.6, 22.2	12	3/8	9.5
30883VB3	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	6.4, 7.9, 9.5, 11.1, 12.7, 14.3, 15.9, 17.5, 19.1	9	3/8	9.5



LENOX RECIPROCATING SAW BLADES

Wood Bi-Metal

PART#	QTY
20582956R	5/pk
20558B956R	25/pk
20585156R	5/pk
22752OSB956R	50/pk

General Purpose Bi-Metal

Long Lasting, Fast Cutting and Versatile

PART#	QTY
20580810R	5/pk
22758OSB110R	50/pk

Metal Cutting

PART#	QTY
20487B818R	25/pk
22751OSB618R	50/pk
20566618R	5/pk
20529B618R	25/pk
20578818R	5/pk
22754OSB818R	50/pk



Lenox Standard Hole Saw Arbor

PART#	DESCRIPTION
1779801	2L T2 3.25 drill





jbweld.com



JB ORIGINAL SYRINGE
50165CAN - 25ml
Our strongest epoxy-
5020 PSI for a strong,
permanent bond



**MARINEWELD™ EPOXY
SYRINGE WHITE 25ML**
50172CAN
Great for boats, personal
watercraft, deck and hull
accessories and more



J-B KWIKWELD™
50176CAN
Quick setting steel
reinforced epoxy



**CLEAR SILICONE
SEALANT &
ADHESIVE**
General purpose
31310CAN - 85g
Sets in 1 hour and
will not shrink or
crack



**HI-TEMP RED
SILICONE**
31314CAN - 85g
Great for oil pans,
valve covers,
exhaust manifolds,
differential covers
and more



BLUE SILICONE
31316CAN - 85g
Sensor safe
RTV silicone
gasketing material
designed for use
in mechanical
assemblies



J-B WELD™
8265SCAN
World's finest
cold-weld
compound.



**J-B KWIKWELD™
PROFESSIONAL
SIZE**
8271CAN
Blister
Quick-setting
Cold-Weld™
Epoxy
10oz./ea



MARINEWELD™
8272CAN
Two-part epoxy
cold weld
system specially
formulated
for marine
applications.



BLACK SILICONE
31319CAN
General purpose
black RTV
silicone designed
for sealing and
bonding uneven
surfaces



**ULTIMATE
GREY**
32327CAN
ULTIMATE BLACK
32329CAN

Sets in 1 hour and
will not shrink or
crack



J-B EXTREMEHEAT™
37901CAN
Organic repair paste
able to withstand
extreme heat up to
1000°F



J-B KWIKWELD™
8276CAN
Quick setting steel
reinforced epoxy



**PLASTICWELD
EPOXY PUTTY
STICK**
8237CAN



**PERMANENT
REPAIR CAST**
38236CAN
2x36"



**PIPE REPAIR
CAST**
38248CAN
2x48"



EXHAUSTWELD™
38572CAN
2" x 72" Repair
Wrap
High strength
fiberglass wrap,
with a specially
formulated resin for
high temperature
resistant repairs.



**PERMA-LOCK™
THREADLOCKERS
MEDIUM STRENGTH BLUE**

24206CAN - 6ml
24236CAN - 36ml



**PERMA-LOCK™
THREADLOCKERS
HIGH STRENGTH RED**

27106CAN - 6ml
27136CAN - 36ml



SUPERWELD™
33106CAN Brushable - 6g
33120CAN - 20g



**Aerosol Truck Bed
Coating**
HALB15CAN



**HIGH HEAT™ EPOXY
PUTTY - 2 OZ.**
8297CAN



J-B PLASTIC WELD™
50132CAN - 25ml
Two-part adhesive and
epoxy filler system that
provides for strong,
lasting repairs



J-B CLEAR WELD™
50112CAN - 25ml
50114CAN - 14ml
Quick setting clear epoxy



J-B PLASTIC BONDER™
50133CAN - Tan
50139CAN - Black
High strength structural adhesive



jbweld.com





SCOTT® RAGS IN A BOX™	
PART#	DESCRIPTION
75260	All-Purpose Towels, 9"x12" sheets, Pop-Up™ Box (200 Towels/Box, 8 Boxes/Case, 1,600 Towels/Case)



BATHROOM TISSUE SYSTEMS				
PART#	DESCRIPTION	PLY	QTY/UNIT	FITS DISPENSER
07805	Scott® Essential Jumbo Roll Tissue	2	1,000'/Roll	09507
48040	Scott® Essential SRB Tissue	2	550 sheets	09021
17713	Cottonelle® SRB Tissue	2	451 sheets	09021
67805	Scott® 100% Recycled Fiber High-Capacity Jumbo Roll Toilet Paper	2	1,000'/Roll	
03148	Scott® High-Capacity Jumbo Roll Toilet Paper	2	1,000'/Roll	
07006	Scott® Coreless High-Capacity Jumbo Roll Toilet Paper with Elevated Design	2	1,150'/Roll	



SKIN CARE SYSTEMS					
PART#	DESCRIPTION	FRAGRANCE	DELIVERY FORMAT	SIZE	FITS DISPENSER
91565	Scott® Essential Green Certified Foam Skin Cleanser	Unscented	Manual Cassette	1.0 L	92145
91552	Scott® Foam Hand Soap with Moisturizers	Floral Scent	Manual Cassette	1.0 L	92145



KLEENEX® FACIAL TISSUE			
PART#	DESCRIPTION	PLY	QTY/UNIT
21400	Kleenex® Facial Tissue	2	100 Tissues/Box



WypAll® Power Clean ProScrub™ Pre-Saturated Wipes	
PART#	QUANTITY
58310	8 portable canisters of 50 sheets per case;
91371	6 containers of 75 sheets per case; (9.5" x 12" each)



Scott® Shop Towels		
PART#		QUANTITY
75147	Original	55 towels/roll, 12 rolls/case; Blue
75143	Original	9.4"x11" sheets, 10 Packs of 3 Rolls (55 Towels/Roll)
75190	Original	8 Pop-Up Boxes per case, 200 sheets / box; Blue, 9 x 12" sheets
55423	Original	200 sheets/roll, 4/case, 9 x 12" sheets Replaces Krew 400 #33046 Substitute for WypAll #05796
32896	Glass™	Blue Shop Towels for Glass, Mirrors and Chrome, 8.6"x11" sheets (90 Towels/Roll)
32992	Heavy Duty™	Blue Shop Towels for Solvents and Heavy Duty Jobs, 10.4"x11" sheets (60 Towels/Roll)



SCOTT® KITCHEN ROLL TOWELS		
PART#	DESCRIPTION	
41482	Scott® Kitchen Paper Towels with Fast-Drying Absorbency Pockets™	White, 128/Sheets/Roll



HARD ROLL TOWEL SYSTEMS			
PART#	DESCRIPTION	SIZE (WXL)	FITS DISPENSER
01000	Scott® Essential High Capacity Hard Roll Towels	8.0" x 1,000'	09990
02000	Scott® Essential High Capacity Hard Roll Towels	8.0" x 950'	09996 48857
50606	Scott® Essential Plus+ Hard Roll Towels	8.0" x 600'	
01010	Scott® Essential Center-Pull Roll Towels	500 Sheets/Roll	09335
02001	Scott® Essential High-Capacity Hard Roll Towels with Elevated Design and Absorbency Pockets™	950'/Roll	Purple Core Dispensers
04142	Scott® 100% Recycled Fiber Hard Roll Paper Towels with Absorbency Pockets™	800'/Roll	09765



Folded Paper Towels		
PART#		DESCRIPTION
01700	Scott® Essential Single-Fold Paper Towels	White, 250 Sheets/Pack
01804	Scott® Multifold Paper Towels with Absorbency Pockets™	White, 250 Sheets/Pack
01701	Kleenex® Hand Towels with Premium Absorbency Pockets™	White, 120 Sheets/Box



WypAll® Power Clean X80 Heavy Duty Cloths		
PART#	QUANTITY	FITS DISPENSER
41043	475 sheets/roll (each is 12.5" x 12.2")	80596/80579
41041	1 Brag™ Box/160 sheets each	
Strong enough to replace laundered rental shop towels		

WypAll® PowerClean™ X70 Medium Duty Cloths	
PART#	QUANTITY
83571	Wipers in a Bucket Refill, 220 Sheets/Roll
41702	Center-Pull Roll, 275 Sheets/Roll
41455	Pop-Up Box Cloths, 100 Sheets/Box
41200	Quarterfold, 912 Sheets/Case
41611	Jumbo Roll, 870 Sheets/Roll
55300	Brag Box, 200 Sheets/Box

WypAll® General Clean X60 Multi-Task Cleaning Cloths		
PART#	QUANTITY	FITS DISPENSER
34965	1100 sheets / roll	80596/80579
35401	Small Roll, 130 sheets / roll	
54015	1 Brag™ Box/236 sheets each	
34790	Pop-Up Box, 118 Sheets/Box	
35421	Small Roll, 130 Sheets/Roll	
Outperforms and saves money vs. assorted textile recycled rags		

WypAll® Oil & Grease Cloths	
PART#	QUANTITY
33241	1 Jumbo Roll/717 sheets
33352	1 Brag™ Box/180 sheets
Lint free and absorbs 8x its weight in oil & grease	

WypAll® PowerClean™ L40 Extra Absorbent Towels	
PART#	DESCRIPTION
05796	Center-Pull Roll, 200 Sheets/Roll

WypAll® GeneralClean™ L20 Medium Cleaning Cloths	
PART#	DESCRIPTION
34607	Brag Box, 176 Sheets/Box
47758	Center-Pull Roll, 550 Sheets/Roll
47044	Pop-Up Box, 88 Sheets/Box



1-PACK TREES



UIP-10155



UIP-10210



UIP-10290



UIP-10189



UIP-17308



UIP-10101



UIP-17068



UIP-17303



UIP-10105



UIP-17146

X-TRA STRENGTH®



UIP-10655



UIP-10689



CTK-52731-24



CTK-52733-24



CTK-52732-24

FIBER CAN®



UFC-17855-24



UFC-17811-24



UFC-17889-24

SPRAY



UPS-06355



UPS-06389



LOCTITE BLUE THREADLOCKER STICK - MEDIUM STRENGTH

37643 - 9g Carded Tube
37614 - 19g Carded Bottle
Non-drip portable stick threadlocker, removable with hand tools. Locks & seals 1/4" to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.



LOCTITE RED THREADLOCKER STICK - HIGH STRENGTH

37700 - 19g Carded Stick
Non-drip portable stick high-strength threadlocker. Locks & seals up to 3/4" bolts. Excellent for overhead applications, great for mobile mechanics.



LOCTITE 242 THREADLOCKER - MEDIUM STRENGTH

38621 - 6ml Carded Tube
38622 - 36ml Carded Bottle
Blue liquid threadlocker. Removable with hand tools. Locks & seals 1/4" to 3/4" bolts. Prevents loosening due to vibration.



LOCTITE 243 THREADLOCKER - BLUE PRIMERLESS

1330902 - 6ml Carded Tube
1330906 - 36ml Carded Bottle
Low drip, blue liquid threadlocker. Primerless for multi-metal or coated fasteners. Locks & seals 1/4" to 3/4" bolts. Removable with hand tools.



LOCTITE 262 THREADLOCKER - HIGH STRENGTH

38637 - 6ml Carded Tube
38647 - 36ml Carded Bottle
Red liquid threadlocker. High strength, withstands shock & vibration. Locks & seals up to 3/4" fasteners.



LOCTITE 263 THREADLOCKER - HIGH STRENGTH PRIMERLESS

2205310 - 36ml Carded Bottle
Low drip, red liquid threadlocker. Primerless for multi-metal or coated fasteners. Resists shock & vibration. Locks & seals up to 1" bolts.



LOCTITE 620 BEARING MOUNT - HIGH TEMPERATURE

38626 - 36ml Carded Bottle
Green, high-strength retaining for press or slip-fit parts. Pins, bushings, bearings. 450°F temperature resistance. New or worn parts.



LOCTITE 277 THREADLOCKER - HEAVY DUTY/LARGE BOLTS

38627 - 36ml Carded Bottle
Red liquid threadlocker. Resists extreme shock & vibration. Locks & seals fasteners over 1".



LOCTITE 565 THREAD SEALANT - HIGH PERFORMANCE

38635 - 50ml Carded Tube
Locks & seals threaded metal pipe fittings. Controlled strength. Non-shrinking & fast cure. Resists common fluids, fuel, coolant, oils.



LOCTITE 592 THREAD SEALANT - HIGH TEMPERATURE

38613 - 50ml Carded Tube
Locks & seals threaded metal pipe fittings. 400°F temperature resistance. Parts may be repositioned up to 24 hours after assembly. Resists common fluids, fuel, coolant, oils.



LOCTITE SI 595 RTV CLEAR SILICONE

38618 - 300ml Cartridge
Clear, multi-use adhesive sealant. Creates a tough, highly flexible silicone rubber seal. Waterproof.



LOCTITE 515 GASKET MAKER - ANAEROBIC

38625 - 50ml Carded Tube
Flexible gasket maker for use on rigid metal flanges with less than 0.015" gap. Flexes with flanges that move in service. Replaces pre-cut gaskets.



LOCTITE HIGH FLEX FORM-IN-PLACE GASKET - ANAEROBIC

38628 - 50ml Carded Tube
Blue gasket maker with added flexibility for flange movement. Replaces gaskets on rigid metal flanges with less than 0.010" gap.



LOCTITE 518 GASKET MAKER - ANAEROBIC

2096058 - 50ml Carded Tube
Gasket maker for rigid aluminum and metal flanges. Fills gaps up to 0.050". Replaces pre-cut gaskets.



LOCTITE SI 5900 READY GASKET - GASKET MAKER

1093354 - 5oz Cartridge
2207527 - 300ml Cartridge
Elastomeric rubber sealant makes leakproof gaskets in one minute. Immediate return to service. Bonds through oily surfaces. Resists oils & coolant. Sensor safe.



LOCTITE SI 5920 RTV COPPER SILICONE GASKET MAKER - HIGH PERFORMANCE

38640 - 300ml Cartridge
Premium gasketing for 4-cylinder, high-performance or turbocharged engines. Operating temperatures to 700°F. Resists oils & coolant. Sensor safe.



LOCTITE SI 598 RTV BLACK SILICONE GASKET MAKER

41241 - 80ml Carded Tube
2638166 - 190ml aerosol
41240 - 300ml Cartridge
Black elastomeric rubber gasketing material. Retains high-flexibility & oil resistance properties. Sensor safe.



LOCTITE 5699 RTV GREY SILICONE GASKET MAKER

38633 - 80 ml Carded Tube
Grey silicone gasket maker, for modern part designs with close bolt spacing. Excellent coolant resistance, outstanding oil tolerance. Sensor safe.



henkel-adhesives.com/ca

LOCTITE



LOCTITE 4070 STRUCTURAL INSTANT ADHESIVE HYBRID

2264448 - 10 ml Boxed kit with 4 Nozzles

The essential repair adhesive. Solves virtually any repair challenge when time is limited. Rapidly bond a variety of damaged vehicle components. High strength and impact resistance. Makes fast and easy repairs to many materials.

Typical Applications: Interior trim pieces, consoles, dash components, molded bumpers, trim repair, custom fabrication.



LOCTITE 596 RED RTV HIGH TEMP SILICONE SEALANT

38629 - 300 ml Cartridge

Tough, flexible, waterproof, oil-resistant silicone rubber bond. Resists ageing, weathering and thermal cycling without hardening, shrinking or cracking. Used in applications with an operating range of -50°C to +316°C (600°F). Used in industrial furnaces, ovens, boilers, exhaust stacks, high temperature ducting, and heating elements in electrical appliances.



LOCTITE LB 8008 C5-A ANTI-SEIZE LUBRICANT - COPPER

38605 - 8oz. Brush-Top Can

38604 - 1lb. Brush-Top Can

High temperature resistant anti-seize and thread lubricant. Prevents seizing, galling and corrosion. Provides good electrical conductivity.



LOCTITE LB 8150 ANTI-SEIZE LUBRICANT - SILVER

38619 - 8oz. Brush-Top Can

38620 - 1lb. Brush-Top Can

Prevents seizing, galling and corrosion. For use in assemblies up to 1600°F (871°C).



LOCTITE LB 8023 MARINE GRADE ANTI-SEIZE

34395 - 8oz. Brush-Top Can

Highly resistant to fresh and salt water wash out - under car applications. Extreme temperature & humidity resistance. Metal free, prevents galvanic corrosion.



LOCTITE EA 445 EPOXY MIXER CUPS

37513 - Canister

10 pk of 4g Mixer Cups

Pre-measured epoxy in cups, bonds most materials. Excellent chemical resistance. Bonds in 5 - 15 minutes. Sandable & paintable.



Your local business backed by our national network.



Best Auto is a flexible service provider program offering:

- Protection of your bottom line with our labour recovery program
- Proven savings on debit and credit card processing fees with protected group rates
- National pricing agreements on business, customer service & industry solutions



Talk to your Bestbuy distributor about joining Best Auto today.



lucasoil.com



SAFEGUARD™ ETHANOL FUEL CONDITIONER WITH STABILIZERS

20576 (473ml)

Lucas Safeguard™ Ethanol Fuel Conditioner with Stabilizers was developed to specifically address issues associated with using ethanol based fuels. This applies to E-10, E-15, E-85, pure ethanol and any mixtures in between including gasoline. Our Product is completely soluble in all ethanol fuels and will not harm filters. Lucas Safeguard™ Ethanol Fuel Conditioner with Stabilizers contains effective additives to prevent rust and corrosion associated with the use of ethanol fuels.



POWER STEERING FLUID W/ CONDITIONERS

20442 (473ml)

Lucas Power Steering Fluid with Conditioners is formulated with the finest base oils and a special Lucas additive package that outperforms all others, providing smooth, quiet operation while conditioning seals to prevent leaks.



SYNTHETIC MULTI-VEHICLE ATF

20418 (946ml)

Lucas Oil Multi-Vehicle ATF provides today's transmission with excellent oxidation stability, foam resistance, rust and corrosion inhibition properties, wear protection and heat resistance while providing smooth shifting and eliminating chatter.



SYNTHETIC MULTI-VEHICLE CVT FLUID

20111 (946ml)

Lucas Synthetic Multi-Vehicle CVT Fluid is a premium, full synthetic transmission fluid specifically designed for use in passenger cars with steel belt-driven or chain continuously variable transmissions. Lucas CVT Fluid guards against wear & corrosion. It resists shear thinning better than typical CVT fluids. Lucas CVT Fluid provides superior cooling, & excellent low-temperature fluidity for smoother operation in cold weather.



SEMI-SYNTHETIC 2-CYCLE OIL

20120 (473ml)

Lucas High Performance Semi-Synthetic 2-Cycle Oil has been specifically developed to give a long trouble-free life to gasoline-powered 2-cycle engines. Designed for any oil injection system or pre mix up to 50:1. Use in Snowmobiles, Weed Eaters, Leaf Blowers, Chain Saws and more.



SLICK MIST CERAMIC SPEED WAX

21294 (710ml)

Slick Mist® Ceramic Speed Wax is a Professional Paint Sealant and Durable Protectant anyone can use. May also be used on gel coat, glass and chromed surfaces. Overspray will not harm rubber and plastic trim. Also works great on aluminum surfaces, vinyl wraps, PPF, matte finishes and ceramic coated surfaces. We recommend use every one to two months. 100% compatible with Lucas Slick Mist Speed Wax.



BAG IN A BOX SYSTEM

Lucas Oil's "Bag in a Box" oil program is specifically designed to be used by dealerships, auto repair shops, and quick lubes for their ability to carry multiple oil grades and specialty items for faster lube servicing and dispensing. The packaging is 100% recyclable with an eco-friendly design that reduces waste by using less plastic and utilizing every drop of oil. Lucas Oil's most common motor oils are available in "Bag in a Box."



SLICK MIST TIRE AND TRIM SHINE

20513 (710ml)

Lucas High Performance Semi-Synthetic 2-Cycle Oil has been specifically developed to give a long trouble-free life to gasoline-powered 2-cycle engines. Designed for any oil injection system or pre mix up to 50:1. Use in Snowmobiles, Weed Eaters, Leaf Blowers, Chain Saws and more.



lucasoil.com



OCTANE BOOSTER

20026 (444ml)

Lucas Octane Booster - A Real Octane Booster! Tested and proven to deliver three times more boost than most other brands. Lucas Octane Booster is a GENUINE Performance Enhancer! It's safe for turbos, oxygen sensors and catalytic converters. Stops knocks, and raises MPG in high compression engines.



SYN HD OIL STABILIZER

20130 (946ml)

Light enough for an import - Tough enough for a semi. Use in new equipment which requires synthetic oils or any equipment that needs enhanced performance. It can also be used to protect new and used Heavy Duty and High Performance transmissions, gear boxes and engines. Controls heat and wear in motorcycles, air-cooled engines and all drive train components. Reduces friction for increased power and MPG.

In Ford Powerstrokes we suggest one quart of Pure Synthetic Oil Stabilizer per oil change.



COMPLETE ENGINE TREATMENT

20016 (473ml)

Lucas Complete Engine Treatment is a unique formulation that cleans and lubricates multiple systems in your vehicle. When added to fuel, it cleans and lubricates all components from the fuel tank to the cylinders. It removes deposits, protects against corrosion and helps the fuel to burn more completely, which helps to lower emissions, improves fuel mileage and increases power. When added to your oil, Lucas Complete Engine Treatment cleans your engine and forms a protective barrier against heat and friction, improves oil flow in cold weather and extends oil life. FOR ALL ENGINES AND OIL TYPES.



ENGINE OIL STOP LEAK

20278 (946ml)

Lucas Engine Oil Stop Leak is an all new formulation of Lucas additives and very specific base stocks designed to stop seal leaks in engines!



DEEP CLEAN FUEL SYSTEM CLEANER

20512 (473ml)

Lucas Deep Clean is blended with an exclusive Lucas additive package and specific carrier fluid that contains no diesel fuel, kerosene or anything else that can be harmful or useless to an engine. It also reduces NOx emissions, eliminates the need for higher octane fuel and deep cleans the entire fuel system and combustion chamber.



DIESEL DEEP CLEAN

20872 (473ml)

Lucas Diesel Deep Clean is a new Lucas technology developed to reduce the cost and hassle of particulate filter maintenance. It is an excellent preventative maintenance product. It causes the fuel to burn much cleaner, thus eliminating a lot of particulate matter that would otherwise go into the exhaust system causing "regens." It also cleans out much of the matter already trapped in the filter. This eliminates exhaust backpressure allowing the engine to run easier and cooler as well as lowering the aggravation and down time associated with particulate filters.



CETANE POWER BOOSTER

21031 (473ml)

Lucas Cetane Power Booster is a diesel fuel supplement that contains effective lubricants for the engine's high-pressure fuel injection pump. Expect cleaner exhaust, longer filter life, easier start ups and smoother idle, as well as, more power, more MPG and longer engine life. It adds much needed cleaners and lubricants to the diesel fuel and reduces wear by more than 27% in unadditized diesel fuel. It maintains peak performance by reducing injector coking and internal injector deposits. It also lubricates rings and cylinders for longer engine life.



m2mfg.com



m2mfg.com



PROFESSIONAL CLEANING PRODUCTS



10" VEHICLE BRUSH - SOFT - GREEN

BV-300F
Plastic Block - Green
Flagged Fill



BI-LEVEL VEHICLE BRUSH

BV-420
Green Flagged Fill - Soft
Surfaces



WAREHOUSE CORN BROOM

BC-108 Heavy Duty
BC-110 Extra Stiff



WAREHOUSE CORN BROOM

BC-107C
Heavy-Duty Medium
Sweep



TRACK/SWITCH INDUSTRIAL BROOM

BT-112
Heavy Duty Forged Chisel



12" VORTEX SOFT SWEEP ANGLE BROOM

BA-3220



10" MARS ANGLE BROOM

BA-9708



STEP-N-GO WET MOP HANDLE - FIBERGLASS

HW-7000F 60" handle
HW-7001F 54" handle



LOBBY DUST PAN & BROOM

DP-L802



INDUSTRIAL LOBBY DUST PAN

DP-L800



12" PLASTIC DUST PAN

DP-H614



13" WIRE BRUSH - 3 ROW

BW-1037



URINAL SCREEN W NON- PARA PUCK - LAVENDER

WA-US20



FLOOR SIGN "CAUTION WET FLOOR"

WF-7003
English/French/Spanish



10" CAR SQUEEGEE WITH 20" HANDLE

WS-CS1021-P



24OZ BOTTLE W TRIGGER

TS-BT289-12



30" HEAVY-DUTY CHEMICAL RESISTANT METAL MOSS SQUEEGEE - RED

FS-MH30-RD



30" HEAVY-DUTY METAL MOSS SQUEEGEE

FS-MH30
Use FH-W360-1T handle



22" METAL MOSS SQUEEGEE

FS-M22
Use FH-W360-1T handle



36" INDUSTRIAL STRAIGHT FLOOR SQUEEGEE

FS-S536
Use FH-W360-118T



MEDIUM SWEEP PUSH BROOM HEAD - 24 INCH

PB-PE24



TAMPICO MEDIUM SWEEP PUSH BROOM

PB-T18 18"
PB-T24 24"



GARAGE CONCRETE - MEDIUM TO HEAVY DUTY SWEEP

PB-G24 24"



FINE SWEEP PUSH BROOM

PB-BT24 24"



16" STREET BROOM WITH BRACE & HANDLE ASSEMBLED

PB-700-ST16



RYNO PUSH BROOM - STIFF SWEEP BRACE & HANDLE

PB-700-GB18 18"
PB-700-GB24 24"
Assembled



RYNO MEDIUM PUSH BROOM - RED

PB-800-RB18 18"
PB-800-RB24 24"
Assembled



PUSH BROOM BRACE

PB-351



10" STIFF SCRUB BRUSH - POLY BRISTLES W 54" HD METAL HANDLE

BD-1110-M54



VENUS CURVED MAGNETIC BROOM WITH 48" METAL HANDLE

BM-4200



16" HERCULES INDUSTRIAL ANGLE BROOM WITH X-LARGE DUST PAN

BA-3001



16" HERCULES INDUSTRIAL ANGLE BROOM

BA-3000



VALVE CAPS



**HIGH PERFORMANCE
HEX HEAD VALVE CAP**
435 (Box of 50)



TR C1 TIRE VALVE CORE
404-100 (Box of 100)



**TR VC3 DOME TYPE
VALVE CAP**
436 (Box of 100)



TR 413 TUBELESS TIRE VALVE
413-50 (Box of 50)



**TR VC8 GREEN PLASTIC
DOME CAP**
438 (Pack of 10)



1-1/2" TUBELESS TIRE VALVE
414-50 (Box of 50)



**TR VC 8 DOME TYPE
VALVE CAP**
439 (Pack of 10)
S-439 (Pack of 5)



**VALVE CORE REMOVAL AND
INSERTION TOOL**
S-444

PLUGS



1/4" NPT A-STYLE PLUG
778 (Box of 10)



**AIR PLUG FITTING,
M-STYLE®, 1/4" MNPT**
S-727



P-STYLE PLUG
S-1807



1/4" FNPT M-STYLE® PLUG
728 (Box of 10)
S-728



3/8" NPT M-STYLE® PLUG
S-733



1/4" NPT A-STYLE PLUG
S-777



3/8" NPT M-STYLE® PLUG
S-743



3/8" MNPT H-STYLE PLUG
S-1837

COUPLERS



P-STYLE COUPLER
S-1803



**1/4" NPT M-STYLE KWIK-CHANGE®
COUPLER FEMALE**
715 (Pack of 10)
S-715



P-STYLE COUPLER
S-1805



**1/4" NPT M-STYLE KWIK-CHANGE®
COUPLER MALE**
716 (Pack of 10)
S-716



1/2" NPT G-STYLE COUPLER
S-1815



**3/8" M-STYLE FEMALE
NATIONAL PIPE THREAD**
S-718



1/4" FNPT H-STYLE COUPLER
S-1833



3/8" NPT M-STYLE® COUPLER
S-719



**3/8" FNPT STEEL H-STYLE
COUPLER**
S-1835



A-STYLE COUPLER
S-775



**1/4" FNPT HIGHFLOWPRO®
V-STYLE/EURO INTERCHANGE
AIR COUPLER FITTING**
S-764



A-STYLE COUPLER
S-776

OIL



**HIGH-PERFORMANCE
CONVENTIONAL PNEUMATIC
TOOL OIL (SAE 10W, ISO 32)**
1001
3.8L



**HIGH-PERFORMANCE
CONVENTIONAL AIR
COMPRESSOR OIL
(SAE 30W, ISO 100)**
1002
3.8L
1002-32
32oz



GAUGES



**HEAVY DUTY, TIRE PENCIL
GAUGE, 2-20 PSI**
S-917



**HEAVY DUTY, TIRE & TREAD
PENCIL GAUGE, 10-70 PSI**
S-920



**TIRE PRESSURE GAUGE, 5-50 PSI
SINGLE BALL-HEAD AIR CHUCK**
S-921



**TIRE PRESSURE GAUGE, 5-50 PSI
SINGLE BALL-HEAD AIR CHUCK**
S-925



**TIRE PENCIL PRESSURE GAUGE W/
DUAL HEAD AIR CHUCK, 20-120 PSI**
S-927



TIRE TREAD DEPTH GAUGE
S-448



**AIR/WATER-FILLED TIRE
PRESSURE GAUGE, 5-50 PSI**
S-928



**DUAL-HEAD CHUCK SERVICE GAUGE
160 PSI**
S-976



**STRAIGHT FOOT DUAL-HEAD CHUCK
SERVICE GAUGE**
S-986



**DIGITAL TIRE PRESSURE GAUGE
W/ EXTENDED 360 SWIVEL
DUAL HEAD AIR CHUCK**
EX516DIG



**STRAIGHT FOOT DUAL-HEAD AIR
CHUCK TIRE PRESSURE GAUGE, 1/4"**
S-693

S-693-12
12 Inch Extended-Reach



**AIR/WATER-FILLED TIRE
PRESSURE GAUGE, 5-50 PSI**
S-929



1/4" FNPT DUAL HEAD AIR CHUCK
S-690

S-690-12
12 Inch Extended-Reach



**1/4" ID EURO-STYLE HOSE BARB
AIR CHUCK**
S-697



**1/4" FNPT EURO-STYLE AIR
CHUCK, CLIP-ON**
S-697-2



**PISTOL GRIP TIRE INFLATOR/
DEFLATOR GAUGE**
EX0500P



**DIGITAL TIRE GAUGE, LED
LIGHT TIP**
EX99900



**PISTOL GRIP BLOW GUN KIT,
SAFETY TIP NOZZLE AND
KWIK-CHANGE® UNIVERSAL TIP
SYSTEM**
S-174KIT
4 pieces



SINGLE HEAD DIAL GAUGE
S-932



**SINGLE HEAD DIAL GAUGE
WITH TREAD DEPTH GAUGE**
S-934



**CLOSED BALL SINGLE-HEAD
LOCKING AIR CHUCK WITH GRIP,
1/4" FNPT**
S-698



**1/4" SINGLE HEAD AIR CHUCK,
CLOSED/SEALING CHUCK**
S-699



**TIRE INFLATOR GAUGE WITH
DUAL HEAD AIR CHUCK 15" AIR
HOSE**
S-506



**TIRE INFLATOR GAUGE WITH
DUAL HEAD STRAIGHT FOOT
AIR CHUCK 15" AIR HOSE**
S-516



**HEAVY-DUTY DIGITAL TIRE
INFLATOR AND AIR PRESSURE
GAUGE, CLIP-ON CHUCK, 1/4"
NPT, 20" RUBBER HOSE**
S-568



**DIAL TIRE PRESSURE GAUGE
- DUAL HEAD AIR CHUCK, 12"
HOSE**
S-935



**HIGH PRESSURE DIAL TIRE
PRESSURE GAUGE - DUAL HEAD
AIR CHUCK, 12" HOSE**
S-936



MOBIL 1™		
PART#		DESCRIPTION
MOBIL5W20	50251439	Mobil 1™ 5W-20 (6 x 1L)
MOBIL10W30	50252846	Mobil 1™ 10W-30 (6 x 1L)
MOBIL0W20	50251426	Mobil 1™ 0W-20 (6 x 1L)
MOBIL5W30	50255582	Mobil 1™ 5W-30 (6 x 1L)
MOBIL0W40	50251429	Mobil 1™ FS 0W-40 (6 x 1L)
125386	50264160	Mobil 1™ ESP X2 0W-20 (6 x 1L)
124947	50255962	Mobil 1™ 0W-16 (3 x 4.73L)
124033	50255453	Mobil 1™ EP 5W-30 (3 x 4.73L)



MOBIL SUPER™ SYNTHETIC		
PART#		DESCRIPTION
125517	50265177	Mobil Super™ Syn 0W-20 (6 x 1L)
125518	50265086	Mobil Super™ Syn 5W-30 (6 x 1L)
124412	50267125	Mobil Super™ Syn 5W-20 (3 x 4.73L)
124839	50262946	Mobil Super™ Syn Euro 5W-40 (6 x 1L)



MOBIL DELVAC™		
PART#		DESCRIPTION
124815	50262955	Mobil Delvac™ 1 ESP 5W-30 (3 x 4.73L)
124547	50262479	Mobil Delvac™ 1 ESP 0W-30 (6 x 1L)
122878	50252847	Mobil Delvac™ 1300S Semi-Syn 10W-30 (4 x 3.785L)
105492	50252558	Mobil Delvac™ 1300S Semi-Syn 15W-40 (4 x 3.785L)
125146	50264101	Mobil Delvac™ HDEO 10W-30 (4 x 3.785L)
125151	50264098	Mobil Delvac™ HDEO 15W-40 (4 x 3.785L)



MOBIL™ MULTI VEHICLE ATF		
PART#		DESCRIPTION
126504	50256846	Mobil™ Multi Vehicle ATF (3 x 4.73L)
126503	50252195	Mobil™ Multi Vehicle ATF (6 x 1 L)

SPECIFICATIONS AND APPROVALS

- World's leading synthetic motor oil brand
- Chosen by many of the world's leading OEMs/carbuilders/car manufacturers
- Keeps your engine running like new
- Outstanding wear protection to help extend engine life
- Prevents harmful sludge and deposits

- Full synthetic motor oil
- Approved for GM dexos1™ use for 5W-30 and 0W-20 viscosities
- Extend engine life in vehicles of all ages
- Protect against sludge and wear
- Protect against high engine temperatures
- Mobil Super™ Syn Euro 5W40 – have the following approvals: BMW Longlife 01, MB-Approval 229.3 and 229.5, VW 502 00 and 505 00

- Mobil Delvac™ 1 ESP diesel engine oils are formulated to deliver exceptional performance
- Mobil Delvac™ 1300 Super is an advanced, synthetic blend, diesel engine oil
- Mobil Delvac™ HDEO and Mobil Delvac 1300 meet the requirements of API CK-4, CJ-4 service categories
- Meet the demands of Mack EOS-4.5, and Volvo VDS-4.5 service classification

- Mobil™ Multi Vehicle ATF is a premium full synthetic automatic transmission and power steering fluid formulated for use in a wide variety of vehicles
- Chrysler/Dodge/Jeep ATF+4,+3,+2, Ford Dexron LV, V, SP , G.M. Dexron VI, III, H, G,E,D, BMW, Honda, Hyundai, Kia, Mazda, Mitsubishi, Nissan, Infinity V.W. Audi, Volvo



FLUID FILM		
SIZE	ORIGINAL	BLACK
145 g	1450	N/A
333 g	3300	6300
3.78 L	3700	6400
18.9 L Pail	4300	6500
208 L Drum	4500	6600
237 mL Brush Top Can	5207	N/A



All ORIGINAL Stock numbers above are Canadian Food Inspection Agency Approved (CFIA #N184).

RUST'S WORST ENEMY • WOOL WAX FORMULA

Powerful Rust & Corrosion Protection, Excellent Vehicle Undercoating, Superior Lubricant & Long-Term Penetrant. Environmentally Friendlier, Solvent Free and Non-Toxic.

For Many Uses:

Auto • Truck • Farm • Home • Marine • Forestry • Mining • Industrial • RVs • Buses • Trailers • Chains • ATVs • Aircraft • Military • Salt Trucks • Cable • Battery Terminals • Tools • Fertilizer Spreader • Electrical Connectors

The Most Universal Product You Will Ever Use!!



LIQUITUBE PREMIUM HEAVY DUTY TIRE SEALANT	
PART#	SIZE
95544	946 mL
95555	3.78 L w/pump
95566	18.9 L Pail
95577	Combo 18.9 L Pail (w/pump)
95578	208 L Drum



Extends The Life Of Your Tire!

Runs Tires Approx. 35% Cooler! Maintains Consistent Tire Pressure!

Helps Eliminate Flats! Lasts The Life Of The Tire!

Ideal for Trucks, Farming, Lawn & Landscaping, ATV's, Trailers, Buses, Cars, RVs, Bicycles, Mining, Forestry & Construction Heavy Equipment.

For Air or Nitrogen filled or Tubeless Tires. Provides Better Fuel Economy.

Non-Flammable • Non Explosive

- Permanently seals punctures
- Seals 6 mm (1/4") punctures in tread area
- Seals larger punctures up to 19 mm (3/4") in heavier ply tires
- Seals most bead and rim leaks



RUST DESTROYER

PART#	SIZE	AVERAGE COVERAGE
73013	340 g	15 sq. ft.
73005	18.9 L	1500 sq. ft.



- Heat resistant up to 800°F (427°C)
- Apply directly over rust
- No sand blasting
- No scraping to bare metal
- Works with most top coat paint
- No washing before or after application
- No sanding glossy finishes to improve adhesion

THE RUST STOPS HERE!

Primer & Rust Treatment In One Product.

Rust Destroyer® is a PATENTED primer engineered to be applied directly over rusted metal, rusted painted metal, bare metal, galvanized metal, alumium, tin and core tan steel. It converts active rust to a passive form on contact. An absorbing action in the primer film simultaneously raises the rust from the surface and envelops all converted crystals in the primer, eliminating exposure to oxygen and moisture, which will prevent further rusting. It forms a tough shield that adheres to all paints and provides a continuous protective layer.



BREAKTHRU®, FAST PENETRATING OIL

PART#	SIZE
C10	370 g

Heavy Duty • Pure Blend Fast Penetrating Oil

Frees Frozen & Rusted Parts. Environmentally Friendlier. Canadian Food Inspection Agency Approved (CFIA #N184)

- Solvent Free • Non Hazardous

BreakThru®, Fast Penetrating Oil, is a highly refined oil-based product that infiltrates components quickly. Frees Frozen - Rusted Parts! No Silicone or Teflon.

For Many Uses:

Bolts • Engine Parts • Hinges • Locks • Bearings • Bicycle & Motorcycle Chains • Chains • Rollers Wheels & Other Moving Parts • Aluminum • Chrome • Steel Surfaces • Guns • Fishing Equipment • Industrial Machinery • Relays, Switches • Tools & Many More.



GLOOZIT®

PART#	SIZE
8312 (Auto)	90 mL
8612 (Marine/RV)	
8812 (Industrial)	



A series of premier adhesives in six popular SKU's (12/case) to cover most of your GLOOING needs.

"Gloozit®" is an all purpose UV RESISTANT INDUSTRIAL STRENGTH ADHESIVE & SEALANT".

Once cured GLOOZIT® remains flexible, is able to withstand temperature changes as well as the expansion and contraction of dissimilar materials. GLOOZIT® bonds virtually everything.

Apply at room temperature.

Recommended ambient & surface temperature of 4°C (40°F) to 32°C (90°F).



Steel Reinforced Epoxy Putty • Steel Hard in 15 minutes and Full Cure in 1 Hour.

TECH STEEL

PART#	SIZE
16002	65 g
6004	130 g



Permanently Adheres To:

AUTO/TRUCK: Gas Tanks, Tailpipes, Mufflers, Intake Manifolds, Radiators, Blocks
HOME: Furniture, Appliances, Hot Tubs, Pools, Gutters, Screens, Glass, Woodwork
FARM: Farm Equipment, Fuel Tanks, Troughs, Fences, Irrigation Equipment
MARINE: Fiberglass, Aluminum, Inboard/Outboard Motors, Gas Tanks, Water Tanks
HOBBIES: Crafts, Jewelry, Ceramics, Plastics, Models, Molds, Glass, Toys
PLUMBING: PVC, ABS, Faucets, Fixtures, Porcelain, Copper, Brass, Stripped Screws

Auto Fluid Diagnostic Test Strips



AUTO & LIGHT TRUCKS

RADCHEK® TEST STRIPS FOR EXTENDED LIFE & CONVENTIONAL COOLANTS IN GAS & ELECTRIC VEHICLES ONLY

1570

70 STRIPS / BOTTLE

TESTS: Reserve Alkalinity, pH levels & Glycol (freeze point / boiling point).

TESTS: IAT, NOAT, HOAT, OAT



pH BRAKE FLUID TEST STRIPS

80700

70 STRIPS / BOTTLE

Synthetic & Conventional DOT 3, 4, & 5.1

TESTS: Automotive and Heavy Duty Brake Fluids. Provides reliable results to determine the pH condition of the Brake Fluid.

Dip and read in 30 seconds.



FLUID MOISTURE TEST STRIPS

80600

5 STRIPS / CARD

FOR 5 OILS - ATF, ENGINE (GAS & DIESEL) OIL, POWER STEERING, HYDRAULIC, ALL BRAKE FLUIDS, Synthetic & Conventional DOT 3, 4, & 5.1

- Fluid Diagnostic Test Strips assess the health of the fluid and identifies when a fluid needs to be changed.
- Detects moisture content from 0 - 5%.



TESTS FOR COOLANT PRESENCE IN ENGINE (Gas & Diesel) OIL & AUTOMATIC TRANSMISSION FLUID

80900

50 STRIPS / BOTTLE

- Highly unique, quick & affordable measure.
- Detects coolant presence from 0 - 6%.
- Auto & Heavy Duty Vehicles

Hydrocarbon Test Strips



DETECT THE PRESENCE OF OIL IN DEF, COOLANT & WATER

80508

50 STRIPS / BOTTLE

Effective Field or Laboratory test to detect the presence of Hydrocarbons (e.g., Fuels, Lubricants, Oils, Diesel, Gasoline, Kerosene, Etc.) in Diesel Exhaust Fluid (DEF), Coolants, Tap & Ground Water as well as a variety of Other Liquids including Contaminated Soil. Signs of a Blown Head Gasket can be determined by the presence of Oil in Coolants. Simply dip the strip Blue Pad into the Fluid to be tested. To test for Oil Contamination in Soil, press the Blue Pad firmly against the soil, then gently rinse away the debris with clear water. If contaminated Black Spots will appear on the Blue Pad.

RADCHEK® Ultimate Test Strips, "CC" & "ELC" Heavy Duty Coolant

THE ONLY STRIP THAT TESTS ALL 4 HEAVY DUTY COOLANT TYPES, IAT, NOAT, HOAT, OAT IN HEAVY DUTY DIESEL & HEAVY DUTY ELECTRIC VEHICLES ONLY

Tests 99% Of All 4 Heavy Duty Coolants: IAT, NOAT, HOAT, OAT

TESTS: Freeze Point (Glycol), OAT's (NOAT, HOAT, OAT, 3 O's), Nitrite, pH.

Conventional Coolant (CC) • Extended Life Coolant (ELC)



PART#	STRIPS/BOTTLE
52404	4
52410	10
52420	20



SPEED-LOK® TR DISCS - NORTON BLAZE™

PART#	DESCRIPTION	SPECS
62324	2" Speed-Lok TR Disc	80
62322	2" Speed-Lok TR Disc	60
62318	2" Speed-Lok TR Disc	36
62334	3" Speed-Lok TR Disc	80
62332	3" Speed-Lok TR Disc	60
62330	3" Speed-Lok TR Disc	50
62328	3" Speed-Lok TR Disc	36



SPEED-LOK® TR DISCS - NORTON BEAR-TEX®

PART#	DESCRIPTION	SPECS
09189	2" Speed-Lok TR Bear-Tex Surf Blend Disc	Very Fine
09190	2" Speed-Lok TR Bear-Tex Surf Blend Disc	Medium
09191	2" Speed-Lok TR Bear-Tex Surf Blend Disc	Coarse
09192	3" Speed-Lok TR Bear-Tex Surf Blend Disc	Very Fine
17522	3" Speed-Lok TR Bear-Tex Surf Blend Disc	Medium
09194	3" Speed-Lok TR Bear-Tex Surf Blend Disc	Coarse



SPEED-LOK® TR DISCS - NORTON BLUEFIRE®

PART#	DESCRIPTION	SPECS
21049	2" Speed-Lok TR Disc	80
21048	2" Speed-Lok TR Disc	60
38670	2" Speed-Lok TR Disc	50
38671	2" Speed-Lok TR Disc	36
38672	2" Speed-Lok TR Disc	24
21054	3" Speed-Lok TR Disc	80
38673	3" Speed-Lok TR Disc	50
38674	3" Speed-Lok TR Disc	36
38675	3" Speed-Lok TR Disc	24



CUT OFF BLADES - NORTON MEDALLION™

PART#	DESCRIPTION
89032	3" x 1/32" x 3/8" Cut-off Blade
89030	3" x 1/16" x 3/8" Cut-off Blade
89034	3" x 3/16" x 3/8" Cut-off Blade

PSA DISCS - NORTON A275



PART#	DESCRIPTION	SPECS
31468	6" PSA Disc Roll (100/roll)	P800B
31469	6" PSA Disc Roll (100/roll)	P600B
31471	6" PSA Disc Roll (100/roll)	P400B
31473	6" PSA Disc Roll (100/roll)	P320B
31474	6" PSA Disc Roll (100/roll)	P280B
31475	6" PSA Disc Roll (100/roll)	P240B
31476	6" PSA Disc Roll (100/roll)	P220B
31477	6" PSA Disc Roll (100/roll)	P180B
31479	6" PSA Disc Roll (100/roll)	P120B
31480	6" PSA Disc Roll (100/roll)	P100B
31481	6" PSA Disc Roll (100/roll)	P80B

SHEETS - NORTON A275



PART#	DESCRIPTION	SPECS
31621	9" x 11" Sheet	P800B
31622	9" x 11" Sheet	P600B
31624	9" x 11" Sheet	P400B
31626	9" x 11" Sheet	P320B
31628	9" x 11" Sheet	P240B
31629	9" x 11" Sheet	P220B
31630	9" x 11" Sheet	P180B
31631	9" x 11" Sheet	P150B
31632	9" x 11" Sheet	P120B
31634	9" x 11" Sheet	P80B

HOOK AND LOOP® DISCS - NORTON GOLD RESERVE™ A296



PART#	DESCRIPTION	SPECS
06226	6" Hook and Loop Disc	P800C
06227	6" Hook and Loop Disc	P600C
06228	6" Hook and Loop Disc	P500C
06229	6" Hook and Loop Disc	P400C
06230	6" Hook and Loop Disc	P320C
06231	6" Hook and Loop Disc	P220C
06232	6" Hook and Loop Disc	P180C
06234	6" Hook and Loop Disc	P120C
06235	6" Hook and Loop Disc	P100C
06236	6" Hook and Loop Disc	P80C



PROTECTIVE PLASTIC - NORTON BLUE WRAP™



PART#	DESCRIPTION	SPECS
05921	Bucket Seat Covers	Non-Slip
05923	Floor Mats - 16-1/2" x 21"	Non-Slip

DOUBLE SIDED ACRYLIC ATTACHMENT TAPE - RED LINER



PART#	DESCRIPTION	SPECS
05620	1/4" x 20 yds. Attachment Tape	.045 thick
05621	1/2" x 20 yds. Attachment Tape	.045 thick
05622	7/8" x 20 yds. Attachment Tape	.045 thick

NORTON BLUE SHEETING™ TRI-LAYER PAINTABLE SHEETING



PART#	DESCRIPTION	SPECS
03344	12' x 400' Paintable Sheeting	.4 mil thick
03345	16' x 350' Paintable Sheeting	.4 mil thick

SPEEDGRIP URETHANE ADHESIVE



STRUCTURAL		
PART#	DESCRIPTION	
04615	1-1/2 minutes work time and sands in 12-20 minutes	
04616	7 minutes work time and sands in 45 minutes	
04617	20 minutes work time and sands in 90 minutes	



ADHESION PROMOTER AEROSOL		
PART#	DESCRIPTION	
04625	Use with Norton SpeedGrip urethane adhesives on plastic parts	



EPOXY REPAIR ADHESIVE AND FILLER		
PART#	DESCRIPTION	
06412	5 minutes work time and sands in 15-30 minutes	



PERMATEX® RTV SILICONE ADHESIVE SEALANTS

59103 CLEAR - 80mL Carded Tube
59107 CLEAR - 205g Power Can
59113 CLEAR - 300mL Cartridge
59203 BLACK - 80mL Carded Tube
59213 BLACK - 300mL Cartridge
Automotive grade, all-purpose RTV silicone adhesive sealants. Use for sealing, bonding, insulating and caulking.



PERMATEX® 5 MINUTE CLEAR EPOXY

84111 - 25mL Carded Syringe
84114 - 14mL Carded Syringe

PERMATEX® 1 MINUTE CLEAR EPOXY

84162 - 25mL Carded Syringe
Easy to use 2-part dispensing syringe. Multi-purpose adhesive. Can be drilled, machined and painted. Clear appearance.



PERMATEX® PLASTIC WELDER™

84125 - CREAM- 25mL Carded Syringe
84126 - BLACK - 25mL Carded Syringe
Forms a tough durable bond to hard and semi-flexible plastics, aluminum, fiberglass and more. Structural adhesive designed for general purpose bonding including automotive trim, bumpers, and clips.



PERMATEX® LIQUID ELECTRICAL TAPE

85121
• Seals electrical connections
• Applies as a liquid, then cures to a flexible, vinyl polymer
• Allows complete sealing to keep out air, dirt and moisture



PERMATEX® ULTRA BOND

49502 - 2g Carded Tube
49520 - 20g Carded Bottle **BEST VALUE**
49512 - 28g Carded Bottle
30030 - 2g GEL Carded Tube
Automotive grade cyanoacrylate super glue. High performance super glue provides a stronger, faster acting and longer lasting bond.



ULTRA COPPER® HIGH TEMPERATURE GASKET

59703 - 80mL Carded Tube
59713 - 300mL Cartridge
Designed for high performance parts or where operating temperatures are higher.



ULTRA BLACK® GASKET MAKER

59803 - 80mL Carded Tube
59813 - 300mL Cartridge
Superior adhesion to oily surfaces with long term durability. Remains flexible.



ULTRA GREY® GASKET MAKER

59903 - 80mL Carded Tube
59913 - 300mL Cartridge
Performs under higher torque loads associated with engines having closely spaced bolt patterns.



PERMATEX® COLD WELD EPOXY ADHESIVE

81374 - 2x28g Carded Tubes
84119 - 25mL Carded Syringe
84319 - 56g Carded Stick
Fast setting, 2-part adhesive and filler used to repair broken metal parts. Forms a permanent bond and can be drilled, sanded, filed and painted.



PERMATEX HEAVY DUTY SPRAY ADHESIVE

27829 - 474g Aerosol
High-strength spray adhesive designed for repairing interior parts that have become detached or loosened. Resistant to extreme weather conditions. Water-resistant. Dries clear for neat appearance. High temperature formula



T-HANDLE TIRE REPAIR KIT

24011
1 x T-handle reamer tool
1 x T-handle plugger tool
1 x 12mL rubber cement
5 x heavy-duty black tire strings, 7-ply



SLIME TIRE REPAIR PLUGS 5-PACK

20252-2



TIRE PLUG RUBBER CEMENT

24041



STRAIGHT HANDLE TIRE PLUG KIT 6-PIECE

21032-2
Contains: (1) Reamer Tool (1) Plugger Tool (3) Tire Plugs (1) Plug Bond 12mL



permatex.ca



permatex.ca



PERMATEX® BLUE MEDIUM STRENGTH THREADLOCKER

24209 - 6ml Carded Tube
24242 - 36ml Carded Bottle
24250 - 50ml Bottle
24215 - 10g Carded Tube Gel Twist
Medium strength, general purpose Threadlocker.



PERMATEX® RED HIGH STRENGTH THREADLOCKER

26207 - 6ml Carded Tube
26242 - 36ml Carded Bottle
26250 - 50ml Bottle
27115 - 10g Carded Tube Gel Twist
High strength threadlocker.



PERMATEX® ORANGE HYBRID STRENGTH THREADLOCKER

25209 - 10ml Carded Tube
25236 - 36ml Carded Tube
Hybrid Strength Threadlocker



PERMATEX® THREAD SEALANT

59206 - 6ml Carded Tube
59234 - 50ml Carded Tube

PERMATEX® HIGH PERFORMANCE 565

56550 - 50ml Carded Tube

PERMATEX® MAXIMUM TEMPERATURE 567

56750 - 50ml Carded Tube
Locks and seals threaded fittings.



THE RIGHT STUFF® BLACK INSTANT SEAL GASKET

26015 - 212g Power Can
30874 - 147ml Cartridge
30876 - 300ml Cartridge
30875 - 3pk Kit (w/gun)
Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Remains flexible.



THE RIGHT STUFF® GREY INSTANT SEAL GASKET

30870 - 147mL Cartridge
34310 - 300mL Cartridge
Seals instantly, forming a reliable, long lasting elastomeric rubber gasket. Ideal for rigid cast aluminum parts.



PERMATEX® ANAEROBIC GASKET

51550 - 50mL Carded Tube
51580 - 300mL Cartridge
51850 - 80mL Carded Tube
51845 - 300mL Cartridge
Use for gasketing close fitting, rigid-machined flanges with gaps of 0.25mm (0.01"). Ideal for rigid cast aluminum parts.



THE RIGHT STUFF® 90-MINUTE GASKET

30873 - Black, 80mL Carded Tube
30871 - Red, 80mL Carded Tube
30872 - Grey, 80mL Carded Tube
Provides the quickest return-to-service time of any gasket in an 80mL squeeze tube. Creates a reliable, long lasting elastomeric rubber gasket.



PERMATEX® RED HIGH TEMP RTV GASKET

59403 - 80mL Carded Tube
59413 - 300mL Cartridge
Formulated for high temperature applications or heavy-duty use.



PERMATEX® GASKET SEALANTS

58912 - 80mL Tube - Form-A-Gasket #1
58922 - 80mL Tube - Form-A-Gasket #2
80017 - 473mL Can - Aviation Form-A-Gasket #3
58981 - 118mL Can - High Tack® Sealant
80546 - 255g Aerosol - Spray-A-Gasket®
58985 - 255g Aerosol - Copper Spray-A-Gasket®
Gasket sealants for use in dressing/sealing pre-formed gaskets



FAST ORANGE® PUMICE LOTION HAND CLEANER

25102 - 221mL bottle
25117 - 443mL bottle
25217 - 1.89L bottle
25219 - 3.78L bottle
Biodegradable, petroleum solvent-free hand cleaner. Fresh-smelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



FAST ORANGE® SMOOTH LOTION HAND CLEANER

23102 - 221mL bottle
23117 - 443mL bottle
23217 - 1.89L bottle
23218 - 3.78L bottle
Biodegradable, petroleum solvent-free hand cleaner. Fresh-smelling orange citrus. Fortified with aloe, lanolin, glycerin and other skin conditioners to soothe raw, rough hands.



FAST ORANGE® XTREME PUMICE HAND CLEANER

25619 - CHERRY - 3.78L bottle
25616 - ORANGE - 443mL Bottle
25618 - ORANGE - 3.78L Jug
Professional strength hand cleaner tackles the toughest grease and grime.



FAST ORANGE® HAND CLEANER WIPES

25050 - 25CT Pouch
25051 - 72CT Bucket
Removes the toughest grease, tar, grime, ink, paints, sealants and adhesives. Pre-moistened, dual textured wipes. Textured one-side for heavy-duty cleaning, smooth on the other side for general purpose cleaning.



SPRAY NINE® HEAVY-DUTY CLEANER/DISINFECTANT

C26822 - 650mL Bottle
C26832 - 946mL Bottle
C26804 - 4L Jug
C26820 - 20L Pail
C26845 - 208L Drum
Cleans the toughest grease, grime, stains and bacteria where others fail.



GREZ-OFF® PARTS CLEANER

C12532 - 946mL Bottle
C12501 - 3.78L Jug
C12520 - 20L Pail
C12545 - 208L Drum
Powerful water-based parts cleaner. Use undiluted for spray-and-wipe cleaning or use in Parts Washer systems and Immersion Tanks.



SPRAY NINE® GLASS & STAINLESS STEEL CLEANER

C23319 - 600g Aerosol
Cleans dirt, dust, fingerprints, smudges and light grease from glass, stainless steel and metal surfaces.



SPRAY NINE® GARAGE FLOOR CLEANER

C11525 - 11.3kg Pail
Powerful concrete cleaner formulated to cut through stains and heavy deposits, lifting away grease, grime and dirt. Ideal for garages, work shops, driveways and walkways.



RAINX® GLASS TREATMENTS

36231 - Original, 207mL bottle
36232 - Original, 473mL bottle
Dramatically improves wet weather driving visibility. Apply to exterior glass and raindrops will fly off the windshield while driving. Helps improve visibility by repelling rain, sleet and snow.

RAINX® ANTI-FOG INTERIOR GLASS TREATMENT

36236 - 355mL bottle

RAINX® PLASTIC WATER REPELLENT

75016 - 355mL bottle



BLACK MAGIC® TIRE SHINE AND FOAM CLEANER

36201 - Tire Foam #1 - 510g aerosol
36202 - Tire Foam #2 - 510g aerosol
36081 - Tire Wet Shine #3 - 425g aerosol
Tire Foam cleans and shines in one step. Just spray on and walk away. Tire Wet® leaves a streak-free high gloss shine.



PERMATEX® SILVER ANTI-SEIZE
76763 - 113g Can
76765 - 241g Aerosol
76767 - 454g Can
A highly refined blend of aluminum, copper and graphite lubricants. Prevents galling, corrosion and seizing due to weathering or chemicals. Temperature range: -60°F to 1600°F (-51°C to 871°C).



PERMATEX® COPPER ANTI-SEIZE
75226 - 227g Brush-Top Can
75454 - 454g Brush-Top Can
Prevents seizing, corrosion and galling where high temperatures exist. Contains micro-fine copper flakes and is fortified with rust and corrosion inhibitors. Temperature range: -30°F to 1800°F (-34°C to 982°C).



PERMATEX® NICKEL ANTI-SEIZE
77226 - 227g Brush-Top Can
77164 - 454g Brush-Top Can
Protects metal parts from seizing and galling at temperatures up to 2400°F (1316°C). Recommended for extreme pressure and temperature conditions, and for use with stainless steel, titanium and nickel alloys.



PERMATEX® PURPLE CERAMIC BRAKE PARTS LUBRICANT
24126 - 236mL Can
Synthetic formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not wash out. For metal-to-metal contact only.



PERMATEX® GREEN SILICONE BRAKE PARTS LUBRICANT
24120 - 80mL Tube
24121 - 236mL Can
Silicone formula brake parts lubricant. Formulated to lubricate caliper pins, sleeves, clips, slides and other brake parts. Will not cause rubber components to swell. Temperature range: -50°F to 550°F (-46°C to 288°C).



PERMATEX® ORANGE SILICONE CERAMIC BRAKE PARTS LUBRICANT
24127 - 28mL Carded Tube
24122 - 236mL Can
Silicone formula brake parts lubricant. Blended with ceramic solids to maintain extreme temperature lubrication from -50°F to 3000°F (-46°C to 1649°C). Will not cause rubber components to swell. Meets JIS K 2228 with EPDM and Nitrile rubbers.



PERMATEX® DISC BRAKE QUIET
24155 - 255g Aerosol
31868 - 118ml Bottle
Stops brake squeal by dampening vibration at caliper/brake pad interface. Provides tighter fit and allows for easier disassembly. Protects against corrosion.



PERMATEX® DIELECTRIC TUNE-UP GREASE
22066 - 28g Carded Tube
22064 - 85g Carded Tube
22065 - 85g Power Can
Necessary for an effective tune-up on high energy ignition services. Prevents voltage leak around any electrical connection.



GUMOUT® BATTERY PROTECTOR & SEALER
29224 - 141g Aerosol
Seals and coats battery terminals eliminating the formation of acid salt corrosion. Prevents terminal corrosion and battery drain.



PERMATEX® BATTERY CLEANER SA-8
80369 - 163g Aerosol
Spray on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt and grime instantly.

CIRCULATION HEATERS SERIES 41



Applications:
Industrial, Agriculture, and Off-Road

- Features:**
- Thermostatically controlled: Opens at 190°F (88°C), closes at 151°F (66°C)
 - Vertical installation only. Dimensions: 2-3/4" x 8-1/2" (7cm x 21.6cm)
 - Heavy Duty 3-wire 5 ft. (1.52m) attached cord, 2000W heater has 22" attached cord
 - Rugged cast aluminum construction is corrosion and impact resistant



PART NO.	WATTS	VOLTS	AMPS	PLUG CONFIGURATION	INLET/OUTLET SIZE	REPLACEMENT ELEMENT	THERMOSTAT
2204010	750	120	16	A	5/8"	2204061	2204266
2204029	1000	120	12	A	5/8"	2204088	2204266
2204037	1500	120	8	A	5/8"	2204096	2204266

View the complete line of circulation heaters in the Zerostart catalog at www.phillipsandtempro.com.

LIT PLUGS



Applications:
Automotive industry and Light Truck

- Features:**
- LED Light is visible from 50' to monitor from a distance
 - Visual cue that indicates power to the heater
 - Offered on popular aftermarket block and cartridge heater kits
 - Cord may be purchased separately and added to existing heater
 - CSA approved



Model year application available in the Zerostart catalog at www.phillipsandtempro.com.

Replacement Cords		
LIT CORD	STD CORD	CORD LENGTH
3600116	3600006	5" (1.52m)
3600117	3600005	5" (1.52m)
3600119	3600082	5" (1.52m)

CARTRIDGE HEATERS

Fits Dodge, Jeep and Chrysler Applications



Part No. 3100150
Replacement Cord: 3600083



Part No. 3100131
Replacement Cord: 3600121

Model year application available in the Zerostart catalog at www.phillipsandtempro.com.



TANK CIRCULATION HEATERS

Provide dependable pre-heating for engine starts in all temperatures by circulating warmed coolant throughout the engine.

Applications:
Diesel & Gas Gensets, Compressors, & Agriculture

PART NO.	VOLTS	WATTS	AMPS	INLET/OUTLET	CORD LENGTH	TANK SIZE	PLUG TYPE	UL LISTED	CSA
Regulating Thermostat – On 60°F (16°C) / Off 80°F (27°C)									
3305028	120	750	6.3	5/8"	5' (1.5m)	Small	A	No	Yes
3305040	120	1000	8.3	5/8"	5' (1.5m)	Small	A	No	Yes
3309526	120	1500	12.5	3/4"	5' (1.5m)	Large	A	No	Yes
3305004	120	2250	18.8	3/4"	7' (2m)	Large	C	No	Yes

HYDRALINERS

Pre heat the hydraulic system with or without the engine running by utilizing the engine coolant.

PART NO.	TUBE IMMERSION LENGTH	TOTAL LENGTH	SURFACE AREA NOMINAL	BTU/HR NOMINAL (1)	TYPICAL APPLICATION (AMBIENT AIR TEMP) TO -20 F / -29 C (2)	TYPICAL APPLICATION (AMBIENT AIR TEMP) TO -40 F / -40 C (2)
H-4000-16 H-4000-16-STOR	15" 381 mm	18" 457 mm	250 in2 16 dm2	Water 10,000 Oil 5,000	Up to 50 US gallons 190 Liters	Up to 19 US gallons 72 Liters
H-4000-20 H-4000-20-STOR	19" 483 mm	22" 559 mm	315 in2 20 dm2	Water 13,000 Oil 6,500	Up to 63 US gallons 239 Liters	Up to 25 US gallons 90 Liters
H-4000-24 H-4000-24-STOR	23" 584 mm	26" 660 mm	385 in2 24 dm2	Water 16,000 Oil 8,000	Up to 77 US gallons 292 Liters	Up to 30 US gallons 113 Liters

Tube immersion lengths are available from 7" to 23".
View the complete line in the Arctic Fox catalog at www.phillipsandtemro.com.

IN-LINE FUEL HEATERS

Coolant based heat exchanger that prevents fuel gelling and maintains uptime, easily retro-fitted and optional 120V electric preheat available.

PART NO.	COOLANT PORT	FUEL PORT	TUBE LENGTH	TUBE O.D.	TOTAL LENGTH	SURFACE AREA	PRE HEAT OPTION
I-909BT-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	15.5"/394mm	100"2/645.2cm2	No
I-909BTEH-B100	1/2" NPT	1/2" NPT	9.75"/248mm	2.0"/51mm	18.5"/470mm	100"2/645.2cm2	120 VAC
I-1518BT-B100	1/2" NPT	1" NPT	18.0"/457mm	2.375"/60mm	25.5"/648mm	320"2/2064.5cm2	No

View the complete line of fuel and fluid heaters in the Arctic Fox catalog at www.phillipsandtemro.com.

COOLANT DAM Model T-1000

Simple tool that holds coolant inside the engine when other components are removed for repair or replacement.



BENEFITS

- Creates a vacuum, holding coolant inside the engine without hand pumping or running the engine
- Quickly converts the unit from vacuum to a pressure tester
- No need to drain the block for simple repairs
- Coolant Filling

WHEN TO USE

- Changing Heater Hoses
- Changing Fan Sensors
- Changing Temperature Sensors
- Installing Shut-off Valves for Fuel Warmers & Separators
- Replacing Cab Heater Cores
- Replacing Heater Control Valves



HEAT MAGNET®



- Part No. 3400017
- 200 Watt – 120 Volt AC
 - Built-in thermostat maintains optimum temperature—will not exceed 250°F (121°C)
 - Dimensions – 4-3/8" (11cm) (L) x 2-1/2" (6.3cm) (W) x 3" (7.5cm) (H) (including handle)



BLANKET STYLE BATTERY HEATERS



- 120 Volt AC operation
- Blanket style heater warms battery core to 60° -70° above ambient temperature for quick starts
- Thinsulate™ thermal insulation helps maintain battery temperature in warm or cold weather
- All battery blanket heaters are 5". (12.7cm) tall, 1/2". (1.1cm) thick

PART NO.	THERMOSTAT	LENGTH	WATTAGE	CORD LENGTH	FITS BATTERIES
2800055	--	28"	50	30"	Group 22NF, 26, 26R, 51, 51R, 70
2800063	--	36"	80	30"	Group 24, 24F, 24H, 24R, 24T, 25, 27, 27F, 27H, 31, 34, 34R, 35, 74, 38

Thinsulate™ is a registered trademark of 3M corporation.



INTERIOR CAR HEATER







- Part No. 2600900
- Ideal for use in passenger, light-duty, and recreational vehicles
 - 900 Watts – 120 Volt AC – 3,000 BTU
 - Mounts on floor or under dash. Mounting bracket included
 - Compact size: 7" (17.6 cm) (L) x 4.5" (11.3 cm) (W) x 2.75" (7 cm) (H)
 - Cord length: 7.5 ft. (2.3 m)
 - Includes a blower fan



FLEXIBLE PAD HEATERS



PART NO.	WATTS	VOLTS	AMPS	PAD SIZE	OIL PAN CAPACITY	HYDRAULIC FLUID	APPLICATION	
3400031	125	120	1.0	3" round	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	Small to Mid-Size Cars & Sedans. Examples: Kia, Honda, Hyundai	
3400030	50	120	0.4	3.5" x 1.25"	1 – 3 U.S. Qts (1.0 – 1.9 L)	n/a	Transmissions, Home Generators, ATV, Snowmobiles, Gear Boxes & Small Engines	
3400032	125	120	1.0	6" x 1.5"	3 – 6 U.S. Qts (2.9 – 5.7 L)	n/a	& Automatic Transmissions. Examples: Toyota 4Runner & European Cars	
3400033	250	120	2.1	3.75" x 4.25"	5 – 13 U.S. Qts (4.7 – 12.3 L)	10 to 30 Gallons	Most 6 Cylinder & Small Block V8 Engines. Marine Applications	
3400034	500	120	4.2	5" x 7"	13 – 27 U.S. Qts (12.3 – 25.5 L)	20 to 50 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks	
3400035	1000	120	8.3	6" x 10.75"	26 – 48 U.S. Qts (24.6 – 45.4 L)	50 to 100 Gallons	Mid-Size Trucks, SUVs & Medium to Heavy Duty Commercial Trucks	
3400036	60	120	0.5	5.5" x 8.5"	BATTERY WARMER (non-stick pad)	n/a	All Cars & Trucks. Most Batteries	



METAL BAT SWITCH
9435BP
12V 25A



HEAVY DUTY TOGGLE SWITCH
9436BP
6-24V @ 50A



SOLENOID SWITCH
9497-11
12V 85A



PVC TAPE 66'
3466-0E - BLACK
-10 TO 80°C
(14 TO 176°F)



PTFE THREAD SEAL TAPE
3467E
RATED -190°C TO 280°C
40' ROLL x 1/2" WIDE



CAMÉLÉON DIE
420-31 - CM DIE 10-20 GA



CAMÉLÉON 8.7" & STRIP TOOL KIT W/A, A1, B DIES
410-91



66' COLD WEATHER TAPE
3468-31
-18 TO 105°C
(0 TO 220°F)



NO CLEAN LIQUID FLUX 20Z
6156-11



SOLDER PELLET
6161-12 - 2GA GREEN
6164-12 - 2/0GA ORANGE



PRO-TORCH™
8247-31
2400°F (1300°C)



4 IN 1 BUTANE TORCH
8257-31
Use as a torch, soldering iron, hot air blower or shrink tube tool.



16G 12" LEAD TRAILER CABLES
1871BP - 2 Pins
1873BP - 4 Pins



EXTRA HD CRIMP TOOL
365-11
22-10 AWG



4 IN 1 MINI CRIMP TOOL
370-11
12-20 AWG



WIRE STRIP TOOL
455-11
26-10 AWG



3 CONDUCTOR SERVICE CORD 100'
8905C - 14/3 GA
Black - Green - White



6POLE 35A
9475-11 - Plug-No Spring
9476-11 - Plug-with Spring
9477-11 - Socket Car End



7W RV BLADE TO 4W FLAT
7717-11



7POLE RV
9482BP - TRAILER PLUG
9483BP - TRAILER SOCKET
9490-31 - SOCKET BRACKET

WELDING CABLE 100'
RATED -50°C TO 105°C
600V
8059-C
2/0 AWG



14GA PRIMARY WIRE
8114-5-MS - RED
8114-0-MS - BLACK



2 CONDUCTOR AUTOMOTIVE GREY JACKETED WIRE 100'
8147C - 16/2 GA
8148C - 14/2 GA



GXL WIRE
8212-1-29 - 12GA BLUE
8214-2-29 14GA BROWN



HOOK-UP WIRE
8814-5-29 14GA RED
8816-6-29 16GA WHITE
8818-7-29 18GA YELLOW



picocanada.com



picocanada.com



BLK & RED TEST CLIPS
839BP



1 NEG & 1 POS STUD/POST
879FBP



6-1/0 UNI BATTERY TERM
880-31



1-4/0 HD UNI BATTERY TERM
880HDBP



MARINE BATTERY TERMINAL
899PBP - POS 3/8"
898NBP - NEG 5/16"



4GA TUB LUG
4239PR - 3/8"
4238PR - 5/16"



ANS / AMI HIGH AMP FUSE HOLDER
9710-11



STANDARD BLADE FUSES
965BP - 15A BLUE
966BP - 20A YELLOW
968BP - 30A GREEN



STANDARD BLADE ADDACIRCUIT
982-11



LOW PROFILE BLADE FUSES
9945-14 - 10A RED
9946-14 - 15A BLUE
9947-14 - 20A YELLOW



GENERAL PURPOSE RELAY
925-11
40/30A 12V DC



WEATHER RESISTANT SEALED RELAY
927-11
40/30A 12V DC



PLUG-IN C/BREAKER
3786BP - 15A
3787BP - 20A
3788BP - 30A



CIRCUIT BREAKER
3794-11 - 30A
3795-11 - 40A
3796-11 - 50A



CABLE TIES 50LB. BLACK
7066-OC - 7.5"
7067-OC - 11"
7068-OC - 14"



15" HEAVY DUTY CABLE TIES
7068HD-OC - UV BLACK
7068HD-C - NATURAL



LP ADDACIRCUIT
9950-11



MICRO 2 FUSES
10210-14 - 10A RED
10215-14 - 15A BLUE
10220-14 - 20A YELLOW



MICRO 2 ADDACIRCUIT
10200-11
16GA 10A



MICRO 3 FUSES
10305-14 - 5A TAN
10310-14 - 10A RED
10315-14 - 15A BLUE



MICRO 3 ADDACIRCUIT
10300-11
16GA 15A



PERFORMANCE CABLE TIES

7295-36 - 7.5"
7296-36 - 11"
7297-36 - 14"
7298-36 - 14" HD
Rated TO -40°C
Increased UV protection



PERFORMANCE SELF FUSING TAPE
3469-0-31
3469-5-31
No adhesive, tape fuses upon itself.



BUTT CONNECTORS VINYL INSULATED
1700CS - RED, 22-18 GA
1800CP - BLUE, 16-14 GA
1900CP - YELLOW, 12-10 GA



HEAT SHRINK BUTT CONNECTORS
5800CS - RED, 22-18 GA
5900CS - BLUE, 16-14 GA
6000CS - YELLOW, 12-10 GA



RING INSULATED CONNECTORS #10 - VINYL INSULATED
1705CS - RED, 22-18 GA
1805CS - BLUE, 16-14 GA
1905CP - YELLOW, 12-10 GA



DEUTSCH DT SOLID CONNECTORS
16-14GA
7964-14 - SOCKET
7965-14 - PIN



MAX BLADE FUSES
220-11 - 20A YELLOW
230-11 - 30A GREEN
240-11 - 40A ORANGE



IN-LINE MAX FUSE HOLDER
206-11
8GA 60A



2W DEUTSCH DT HOUSING/LOCK
7990-11 - RECEPTACLE
7991-11 - PLUG



MIN BLADE FUSES
110BP - 10A RED
115BP - 15A BLUE
120BP - 20A YELLOW



WATER RESISTANT IN-LINE MIN FUSE HOLDER
131-11
16GA 15A



FEMALE MINI FUSE LINK - LOW PROFILE
9586-11 - 30A PINK
9587-11 - 40A GREEN



ANM/AMG HIGH AMP FUSES
9700-11 - 80A
9701-11 - 100A
9702-11 - 125A



ANM/AMG FUSE HOLDER
9711-31



ANL HIGH AMP FUSES
9812-11 - 150A
9815-11 - 300A
9816-11 - 325A



ANL HIGH AMP FUSE HOLDER
9800-31



ANS HIGH AMP FUSES
9721-11 - 80A
9723-11 - 125A



MICRO FUSE LINK
10420-11 - 20A BLUE
10425-11 - 25A WHITE
10430-11 - 30A PINK



SLOTTED MICRO FUSE LINKS
10450-11 - 15A GREY
10451-11 - 20A BLUE
10452-11 - 25A WHITE



BLACK CONVOLUTED SPLIT LOOM
5140PK - 1/4"
5141PK - 3/8"
5142PK - 1/2"



WRAPABLE SPLIT TUBING
8423-0-44 - 1/8"
8424-0-44 - 1/4"
8426-0-44 - 1/2"



PLUG & CONNECTOR 15A, 125V
8956-11 - FEMALE
8957-11 - MALE



MAGMAFLO 4:1 HEAT SHRINK TUBING
8361-43 - 6mm
8362-43 - 8mm
8363-43 - 12mm
8364-43 - 18mm



2:1 FABRIC HEAT SHRINK TUBING
8391-34 - 3/4"



ADHESIVE LINED DUAL WALL 3:1 HEAT SHRINK TUBE - BLACK
8330-A - 3/16"
8331-A - 1/4"
8332-A - 3/8"
8333-A - 1/2"
8335-43 - 1"



VINYL DIPPED SWITCHES
9427-11 - SPST - 12V 25A
9428-11 - SPDT - 25A 12V / 12A 24V
9429-11 - MOM SPDT - 25A 12V / 12A 24V



METAL BAT HANDLE SWITCH
SPST
9432-11 - 12V 20A



ca.prestone.com

Prestone
ANTIFREEZE + COOLANT

PRESTONE MAX ANTIFREEZE + COOLANT
ASIAN VEHICLES RED FLUID



50/50
#78007

INDUSTRY-LEADING PROTECTION
From Engine-Damaging
Rust & Corrosion
15 YEARS/560,000 KM FLUID LIFE

PRESTONE MAX ANTIFREEZE + COOLANT
EUROPEAN VEHICLES VIOLET FLUID



50/50
#78114

INDUSTRY-LEADING PROTECTION
From Engine-Damaging
Rust & Corrosion
5 YEARS/250,000 KM FLUID LIFE

PRESTONE MAX ANTIFREEZE + COOLANT
ASIAN VEHICLES GREEN FLUID



50/50
#78122

INDUSTRY-LEADING PROTECTION
From Engine-Damaging
Rust & Corrosion
15 YEARS/560,000 KM FLUID LIFE

PRESTONE MAX ANTIFREEZE + COOLANT
EUROPEAN VEHICLES BLUE FLUID



50/50
#78023

INDUSTRY-LEADING PROTECTION
From Engine-Damaging
Rust & Corrosion
5 YEARS/250,000 KM FLUID LIFE

PRESTONE MAX ANTIFREEZE + COOLANT
ASIAN VEHICLES BLUE FLUID



50/50
#78015

INDUSTRY-LEADING PROTECTION
From Engine-Damaging
Rust & Corrosion
15 YEARS/560,000 KM FLUID LIFE

PRESTONE MAX ANTIFREEZE + COOLANT
N. AMERICAN VEHICLES ORANGE FLUID



50/50
#78221

INDUSTRY-LEADING PROTECTION
From Engine-Damaging
Rust & Corrosion
15 YEARS/560,000 KM FLUID LIFE

PRESTONE ANTIFREEZE + COOLANT
ALL VEHICLES



CONCENTRATE
#71621

**INSTANTLY PROTECTS AGAINSTS
RUST & CORROSION**
10 YEARS/500,000 KM FLUID LIFE

Prestone
ANTIFREEZE + COOLANT

ca.prestone.com



PRESTONE POWER STEERING FLUID + STOP LEAK

- ✓85,000 KM FLUID LIFE
- ✓ANTI-WEAR PROTECTION
Increased System Life

PART#	PACK
77512	6/355 mL
77497	6/946 mL



**PRESTONE SYNTHETIC POWER STEERING FLUID - N. AMERICAN,
EUROPEAN & ASIAN**

- ✓160,000 KM FLUID LIFE
- ✓2X ANTI-WEAR PROTECTION

AMERICAN VEHICLES	PACK
77463	6/355 mL
ASIAN VEHICLES	PACK
77471	6/355 mL
EUROPEAN VEHICLES	PACK
77489	6/355 mL



PRESTONE BRAKE FLUID - DOT 3

- ✓85,000 KM FLUID LIFE
- ✓PREVENT OVERHEATING & BRAKE FADE
With High Grade Formula

DOT 3	PACK
77405	6/355 mL
77421	6/946 mL



PRESTONE BRAKE FLUID - DOT 4

- ✓85,000 KM FLUID LIFE
- ✓PREVENT OVERHEATING & BRAKE FADE
With High Grade Formula

DOT 4	PACK
77439	6/355 mL
77447	6/946 mL





ALL VEHICLES ANTIFREEZE + COOLANT




**MAXIMUM
ENGINE PROTECTION***

GUARANTEED FOR
ALL VEHICLES
Makes, Models & Years

- ✓ **15 Years / 560,000 km Fluid Life****
- ✓ **Extreme Protection** - Freeze & Boil Over
- ✓ **Industry-Leading Protection**
From Engine-Damaging Rust & Corrosion

Industry Leading Protection From Engine-Damaging Rust & Corrosion




Prestone®

vs

Engine Water Pump

ASTM Water Pump
300 HOUR
High Stress Test[†]



Ordinary Coolant


✓ **CLEAN** = **IMPROVED PERFORMANCE & LONGER ENGINE LIFE**

[†]ASTM Water Pump part tested to 300 hrs / high stress test.

✗ **DIRTY** = **COSTLY REPAIRS**




Celsius® by Prestone® ALL MAKES ALL MODELS Antifreeze + Coolant



Extended Life Antifreeze

- Protects Against Rust, Grime & Corrosion
- Long-lasting inhibitors guard against extreme temperatures (+129°C to -37°C) and the effects of rust corrosion, and premature water pump failure
- Works with all Antifreeze+Coolant Colours



CONCENTRATE	PACK	UPC
11551	6/3.78 L	6 20235-11551 7
11568	205 L	6 20235-11568 5

READY TO USE	PACK	UPC
11576	6/1 gal.	6 20235-11576 0

Why Prestone® Antifreeze + Coolant



Advanced Protection

Our advanced technology, backed by a Longer Engine Life Guarantee 10-year/300,000-mile formula, protects the cooling system from buildup and corrosion, providing maximum value for your vehicle.



Protect Your Family

The inconvenience of a vehicle breaking down is bad enough, even worse if your kids are in the car. Prestone® Antifreeze+Coolant protects you from these experiences by preventing engine part failure.



Protect Your Investment

Our innovative technology prevents rust and corrosion, keeping your car running optimally and helping you avoid costly engine repairs down the road.

*Over the total life of the coolant **Fluid guaranteed for the life of your vehicle: This product is guaranteed for up to earlier of 15 years/ 560,000 km of vehicle life under normal driving conditions when a complete cooling system flush and fill is performed, and proper cooling system maintenance is followed. Always follow vehicle owner's manual for top off requirements, change intervals and specified maintenance. Prestone.com or 1-888-269-0750 for all guarantee requirements and limitations. †Fluid guarantee and manufacturer warranty protection may not apply to hybrid or electric vehicles. Refer to vehicle manufacturer for proper coolant choice and recommended service intervals. PRESTONE® is a registered trademark of Prestone Products Corporation. All other marks are those of their respective owners.



rislone.ca



RISLONE BLOCK SEAL LIQUID COPPER INTAKE & RADIATOR STOP LEAK

31109

Seals larger leaks regular stop leaks won't. One step formula permanently repairs leaks in gaskets, radiators, heater cores, intake manifolds, blocks, heads and freeze plugs. Use on cars, trucks, vans, SUV's and RV's. One "1" Step Sealer contains an antifreeze compatible sodium silicate liquid glass formula, so no draining of the cooling system is required. It will not harm the cooling system when used properly. Use with all types of antifreeze including conventional green or blue (Silicate-based) and extended life red/orange or yellow (OAT / HOAT) coolant.



RISLONE BLOCK SEAL HEAD GASKET FIX

31111

The easiest solution to stop head gasket coolant leaks. No draining of the cooling system is required. This formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps & cracks and harden to permanently stop leaks. This seals because of the extreme heat inside the combustion chamber (2760°C) that works as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself. Your vehicle is a good candidate for this product if it can idle for 20 minutes without overheating or having to add coolant. Use on ALL water cooled gasoline and diesel engines. Heavy duty formula works on aluminum and cast iron heads & blocks, along with sealing all other engine cooling system leaks better than a traditional stop leak.



RISLONE HIGH MILEAGE COOLING SYSTEM REPAIR

31150

Twice the performance of other products by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. In addition, Cooling System Repair contains Xtreme Cool™ which stops overheating and reduces water temperature. Works on all 4, 6, 8, and 10 cylinder vehicles and in any gasoline, turbocharged and diesel engines. . Use with ALL types and colours of antifreeze coolant and / or water. For most vehicles leaks stop instantly. For many vehicles, this is your last chance before paying an expensive repair bill or replacing the vehicle.



RISLONE LIQUID ALUMINUM RADIATOR & HEATER CORE STOP LEAK

31186

The best radiator stop leak money can buy. Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. Liquid Aluminum contains Xtreme Cool™ which stops overheating and reduces water temperature. Liquid Aluminum™ is part of the next generation stop leak line. It will safely and easily seal leaks in plastic, aluminum and metal (copper / steel) radiators, heater cores, gaskets and freeze plugs. Works in cars, trucks, vans, SUV's and RV's. Use with all types of coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based OAT / HOAT antifreeze and/or water. . For most vehicles leaks stop instantly.



RISLONE TRANSMISSION FIX

34515

Rislone Transmission Fix is a synthetic-blend treatment for the transmission fluid, seals, metal surfaces, bands and clutch plates. Global domestic / import formulation can be used in all automatic, manual, CVT & DCT transmissions.

- Seals Leaks in All Transmissions
- Performance Additive Booster
- Anti-Wear Agents
- Cleaning Detergents



RISLONE RADIATOR STOP LEAK

31199

Rislone® Original Rhizex®Formula Cooling System Radiator Stop Leak seals internal, external and coolant-to-oil leaks. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets and freeze plugs. Compatible with both conventional silicate-based and extended life (OAT/HOAT) antifreeze, all types and colours. Can also be used in straight water.



RISLONE JACK OIL WITH STOP LEAK

32012

- Works in all floor and bottle jacks
- Mixes with all approved types of hydraulic jack oils
- Repairs jack leaks
- Also works with all snow plow fluids

This product was designed to seal leaks caused by wear and time. If you often need to add oil to your jack, it probably has a leak. The product revives old jacks and prevents leakage on new jacks. Non corrosive. Does not create blocking. Does not foam.



RISLONE HEAD SEAL BLOWN HEAD GASKET REPAIR

31136

Rislone Head Seal Blown Head Gasket Repair is the fastest, safest way to solve your vehicle's coolant-related head gasket issues. Your vehicle is a good candidate for this solution if it can idle for 15 minutes without overheating or having to add coolant. Use with ALL types of 50-50 mix coolant including yellow, orange, pink, red, blue and green silicate based & non-silicate based (OAT / HOAT) antifreeze, and/or water. Unlike other products, no draining or thermostat removal is required. Works with ALL gasoline and diesel engines. This also is the best additive to use in all racing applications.



RISLONE ENGINE TREATMENT

34102

34100-5 (5 Gallons)

The product that made Rislone famous. It used to be called "a tune-up in a bottle," and was the very reason the phrase "tune-up" was invented. No joke — this is where all that started.

Fast forward to today: eating clean and healthy foods ensures that our bodies perform at their best. The cleaner we keep our system, the better it runs. This is true for our cars as well. A cleaner engine is a better-lubricated engine with less friction and wear. Our famous, award-winning Rislone Engine Treatment does just that. This product contains high quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. It's like a healthy diet for your car.



RISLONE HIGH MILEAGE ENGINE REPAIR

34110

The common element between all of the engine components is the oil. Oil is the life-blood of the engine and is pumped under pressure to all the moving parts. The two main parts needing oil for lubrication are the bearings and pistons. As the engine ages and gains more miles, the oil alone can't do the job. Internally, parts don't fit as tightly as they originally did which causes noise and loss of power. Bearings wear down, seals leak, lifters tick, blow-by passes around tired rings, and power is lost. When installed, Engine Repair helps to stop and prevent these problems and will also extend the useful life of your engine. Engine oils are generally used to reduce friction between moving parts. In addition to lubricating, motor oil must cool, provide corrosion protection and be a method of removing contaminants.



RISLONE HIGH MILEAGE OIL SUPPLEMENT / STABILIZER

34200

Rislone® Hy-per Lube® Engine Supplement / Oil Stabilizer is a 100% premium base oil and petroleum-extracted high kilometre / mileage treatment additive blend that works with all motor oils including conventional, high kilometre and synthetic formulas to make older, high-kilometre and high-performance engines run better and last longer.

rislone.ca





RISLONE OIL SEAL ENGINE OIL BURNING & LEAK REPAIR

34235
Your vehicle is a good candidate for this solution if it does not consume more than one liter of oil per day. We have designed this product to work in all gasoline and diesel engines including turbocharged, EcoBoost™, hybrid and even racing engines. This covers 3, 4, 5, 6, 8 and 10 cylinder engines in all cars, trucks, vans and SUV's. Our product can also be used in heavy-duty applications referencing the appropriate dosage level. This applies to a wide range of other motor applications too: tractors, boats, RV's, motorcycles (including wet clutch), ATV's, lawn equipment.



RISLONE REAR MAIN SEAL REPAIR CONCENTRATE

34240
Most rear main seal leaks are caused by a combination of normal wear in the crankshaft & seal and the drying, hardening and shrinking of the main seal. Rislone Concentrated Rear Main Seal Repair restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Works with ALL gasoline and diesel engines using conventional, high mileage and synthetic oil.
• Rislone – World's Most Trusted Stop Leak Brand Since 1921
• Stops ALL Oil Leaks
• Seals Timing Cover, Cam Seal, Rear Main, and Other Hard to Stop Oil Leaks
Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.



RISLONE SUPER LEAK FIX

34305
Rislone Super Leak Fix is formulated to work in multiple systems including all Engine Oil, Transmission, Power Steering, Hydraulic and Differential & Gear.



RISLONE ONE SEAL STOP LEAK

34334
Rislone One Seal multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.



RISLONE HY-PER LUBE ZINC ZDDP SUPPLEMENT

34405
Rislone Hy-per Lube Zinc ZDDP Supplement is a petroleum oil performance “booster” containing ZDDP (zinc dialkyldithiophosphate) Zinc and Phosphorous EP (extreme pressure) additives along with mixed esters to help protect internal engine components including pistons, flat tappet camshafts, lifters, pushrod tips and the rest of the valve train.



RISLONE RING SEAL SMOKE REPAIR

34416
Stops Blue Exhaust Smoke; Reduces Oil Burning; Seals Worn Pistons & Rings; Add to Engine Oil Anytime
Seeing smoke? Don't panic. Simply put your car through the Rislone Regimen to get it back to its healthy state. Our Ring Seal Smoke Repair is formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused by blow-by.
Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Rislone's Ring Seal Smoke Repair contains viscosity improvers that thicken the oil film, filling these gaps. It also provides a seal for worn pistons and rings and cushions engine parts to reduce wear and friction. In other words, it's a car lifesaver in a bottle.



RISLONE HIGH MILEAGE TRANSMISSION REPAIR

34540
Reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining.
• Restores Performance
• Reduces Heat, Friction & Stabilizes Fluid
• Stops Leaks, Slipping & Rough Shifting
• Adds Protection



RISLONE HIGH MILEAGE POWER STEERING REPAIR

34650
Unique dual cavity bottle contains a combination of the best performance additives to repair the most common power steering fluid related problems.
• Restores Performance
• Reduces Noise & Smoothes Out Hard Steering
• Stops Leaks and Reconditions Rack & Pinion
• Adds Protection



RISLONE HY-PER FUEL COMPLETE FUEL SYSTEM CLEANER GAS

34700
Improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad.
• Increases power, performance, mileage and saves gas by cleaning & lubricating the complete fuel system
• Helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation



RISLONE CAT COMPLETE FUEL, EXHAUST & EMISSIONS SYSTEM CLEANER

34720
CAT COMPLETE™ Fuel, Exhaust & Emissions System Cleaner has high-performing detergents and heavy duty cleaning solvents that effectively scrub and remove contaminants, soot, carbon build-up, and oily residue from the fuel injectors, combustion chambers, turbo, EGR, catalytic converters, oxygen sensors and the exhaust system. These along with other active chemical agents, react with the gases created in the combustion process to remove the remaining inorganic deposits. This process restores their function and with regular use maintains efficiency.



RISLONE HY-PER DIESEL COMPLETE FUEL SYSTEM CLEANER

34740
Improves the quality of diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad.
• Increases power, performance, and mileage and saves fuel by cleaning & lubricating the complete fuel system
• Decarbonizer – Removes sticky internal deposits as well as “coking” hard deposits
• Cold Flow Improver
• Water Remover • Sulfur Substitute and Friction Modifier • Helps eliminate black smoke, fuel gelling, clogged injectors, rough idle and hard starting



RISLONE DPF CLEAN DIESEL DPF, EXHAUST & EMISSIONS SYSTEM CLEANER

34744
DPF CLEAN™ Diesel DPF, Exhaust & Emissions System Cleaner has high-performing detergents and heavy duty cleaning solvents that effectively scrub and remove contaminants, soot, carbon build-up, and oily residue from the fuel injectors, combustion chambers, turbo, EGR, catalytic converters, diesel particulate filter and the exhaust system. These along with other active chemical agents, react with the gases created in the combustion process to remove the remaining inorganic deposits. This process restores their function and with regular use maintains efficiency.





rustcheck.com



CANADA'S #1 EXPERTS
ESTABLISHED SINCE 1972
RUST CONTROL



RUST INHIBITOR

- 1043 - 180 g
- 1054 - 350 g
- 1044 - 4 L
- Protects new & old metals
- Deep penetrating and long lasting

- Lubricates and prevents seizing



COAT & PROTECT

- 10025 - 350 g
- 10024 - 4 L
- For new and used vehicles
- Prevents rust & corrosion
- Non-drying
- Resists severe weather conditions



RUST KILLER

- 11001 - 236 ml
- 11000 - 350 g
- Rust preventive coating
- Provides a primed surface for topcoats
- Apply directly over rust
- No sanding required

INNER PANEL PROTECTANT (RUST INHIBITOR)

- RC 5010 - 830 ml
- 1045 - 18.9 L



- Penetrates into crevices
- Displaces moisture
- Prevents rust & corrosion
- Protects seams & joints

COAT & PROTECT

- CP 6010 - 830 ml (Amber)
- 9997B - 18.9 L (Black)
- 10023A - 18.9 L (Amber)



- For new and used vehicles
- Prevents rust & corrosion
- Non-drying
- Resists severe weather conditions

RUST CONVERTER

- 11005 - 236 ml
- 11006 - 283 g



- Converts rust to
- A paintable primer
- Primer on all metal surfaces
- Leaves protective coating



ASPHALT UNDERCOATING

- 11010 - 495 g
- Protects against rust & chipping caused by stones and debris
- Repair scars and tears
- Ideal for chassis and wheel wells
- Multipurpose car/truck & recreational vehicles



RUBBERIZED ASPHALT UNDERCOAT

- 11011 - 550 g
- Flexible when dry to resist chipping
- Soundproof and insulates
- Ideal for trunks, floor pans, frames & under carriages



RUST PAINT 340 g

- Outstanding Gloss Retention
- Durable Finish
- Fast Dry
- For Clean or Rusted Metal
- No Primer Required
- 21012 - 340g (John Deere Green)
- 21013 - 340g (Ford Blue)
- 21014 - 340g (International Red)
- 21015 - 340g (John Deere Yellow)
- 21016 - 340g (Old Cat Yellow)
- 21017 - 340g (New Cat Yellow)
- 21423 - 340g (White)
- 21425 - 340g (Black)
- 21426 - 340g (Flat Black)
- 21427 - 340g (Red)
- 21431 - 340g (Holland Yellow)
- 21434 - 340g (Aluminum)
- 21440 - 340g (Silver Grey)
- 21420 - 340g (Red Oxide Primer)
- 21421 - 340g (Grey Primer)



HI-BUILD STONE SHIELD UNDERCOAT

- 11008 - 550 g
- Formulated for professionals
- Ideal for rocker panels
- Optimum rubber content for maximum protection
- Paintable when dry
- Durable yet resilient to resist chipping



RUST COAT

- 10026 - 420 g
- Heavy duty rust and corrosion protection
- Lubricates and prevents seizing
- Long lasting and deep penetrating



RUST CHECK COUNTER DISPLAY

- BXRCCD
- Counter display with header
- Holds 24 cans



PROFESSIONAL ANTI-CORROSION GUN KIT

- L015-201

- Gun Kit with
- 1L Container
- 45° Hook Wand
- 90° Hook Wand
- 360° Flex Wand
- Round and Flat Spray Nozzle



SALT OFF WASH SALT & BRINE NEUTRALIZER

- 110021 - 650 ml (R. T. U.)
- 110023 - 3.78 L
- Neutralizes road salt and brine from vehicles, trucks, RV's, and equipment without harming painted or finished surfaces
- Concentrated formula can be diluted for many other uses



ENVIRO RUST WASH SAFE AND EASY RUST REMOVER AVAILABLE IN LIQUID & GEL

- 11004 - 1 L (Liquid)
- 11012 - 3.78 L (Liquid)
- 10013 - 1 L (Gel)
- 10014 - 3.78 L (Gel)
- Safe and Easy to Use
- Non Corrosive
- No VOC's



SILVERSTAR® ULTRA

FARTHEST Downroad + Whiter Light*

- Whiter light*
- Most light downroad*
- More sideroad visibility*
- For ULTRA night vision
- Does not increase glare

SWITCH TODAY. SEE BETTER TONIGHT.



SILVERSTAR®

FARTHER Downroad + Whiter Light*

- More light downroad*
- Improved sideroad visibility*
- Does not increase glare



XTRAVISION®

Farther Downroad*

- More light downroad*
- Does not increase glare



ZXE®

HID Attitude // Xenon Fueled

- Perfect balance of style and performance
- Cobalt blue nano coating technology delivers our whitest halogen light*
- Mirror top alloy coating



SYLVANIA



Now available at the Edmonton Distribution Centre



SYLVANIA LED HEADLIGHTS

Direct LED replacements* for existing halogen bulbs. No filament to break. No glass. Just pure white light to enhance your nighttime driving experience.

2 YEAR WARRANTY*



9003/H4



9005

ZEVO® LED HEADLIGHTS

Direct LED replacements* for existing halogen bulbs. 6000K cool white light. Advanced thermal management for maximum performance and life.

5 YEAR WARRANTY*



9003/H4



9005



9006



9006



H1



H7



H9



H11



9007



9012



H1



H11



H13



H7



H9



SYLVANIA LED

- Direct replacement for incandescent bulbs
- Outlasts incandescent bulbs
- Low power consumption



ZEVO® LED

- LIFETIME WARRANTY**
- Direct replacement for incandescent bulbs
- Super bright
- No polarity

*May not fit all vehicles. Heatsink requires 25mm of extra clearance. Your vehicle may require an adapter and/or anti-flicker harness. See sylvania.com or packaging for warranty details.

SYLVANIA




Triple C Rubber and Plastics

triplecmudflaps.com



PYRAMID WHEEL CHOCK
671-1047
6 x 10 x 8



CONTOUR WHEEL CHOCK WITH HOOK
671-1048
8 x 7 x 10"



WHEEL CHOCK WITH SAFETY HANDLE
671-1050
8 x 10 x 7.5"



HEAVY DUTY TRIPLE HEADER MUD FLAP
671-4093
24 x 24 / 27 / 30"
Stock one mud flap, cuts down to 2 other sizes



MUD FLAPS
671-4580
24 x 18"

671-4590
24 x 24"



CHEVRON MUD FLAPS
671-4583
24 x 30"

671-4585
24 x 36"

671-4588
24 x 24"

Fits truck bodies, tow trucks, HD trucks & trailers

PERSONALIZED MUDFLAPS WITH YOUR NAME AND LOGO!

Advertise Your Company!

Your company name and logo!



MUD FLAPS
671-8156-01
9 x 16"



Fits large cars, Pickup trucks, SUVs, Jeeps, and Vans.



TRIPLE HEADER MUD FLAP
671-8093-01
24 x 24 / 27 / 30"

Your company name and logo!





TotalEnergies Marketing Canada Inc.

TotalEnergies Marketing Canada Inc. has been a **specialist in the marketing of high-performance lubricants and greases** for the automotive and industrial markets since 2007, with 90% of our products manufactured in Canada.



PRODUCTS FOR EUROPEAN VEHICLES ADVANCED SYNTHETIC TECHNOLOGY

	Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Ineo Xtra 0W-20		226005	1L	Volkswagen Audi Porsche Ford	2.0 TSI	VW 508.00/509.00, Porsche C20, Ford WSS-M2C-956-A1
		226006	5L			
		*217884	60L			
		*214228	208L			
Quartz Ineo Xtra Dynamics 0W-20		226003	1L	Aston Martin BMW Ford	AM TT V12 BMW 2.0T, FORD 1.5L, ECOBUE	ASTON MARTIN Twin Turbo V12 engines (AE31): Service fill approved, BMW LL-17 FE+ Suitable for Ford WSS-M2C-952-A1
		226004	5L			
Quartz Ineo and Quartz 9000 0W-30		216246	1L	Volkswagen Audi Porsche BMW	2.0 TFSI, OLDER BMW 2.0 AND 3.0 ENGINE	VW 504.00/507.00, Porsche C30, BMW LL-04 MB-Approval 229.52
		214225	5L			
		*206716	208L			
		213767	1L	Mercedes Volkswagen Audi BMW Volvo	OLDER BMW 2.0 AND 3.0 ENGINE, MB M270 TO M278	MB-Approval 229.5, VW 502.00/505.00, VOLVO VCC 95200356
		213686	5L			
Quartz 9000 0W-40		213988	1L	Aston Martin Mercedes Volkswagen Audi Ford BMW Mopar	AM NA V12 AM TT V8 OLDER BMW 2.0 AND 3.0 ENGINE, MB M270 to M278, SRT ENGINE	ASTON MARTIN: Approved for 4.0L Twin Turbo V8 & 6.0L V12 Naturally aspirated engines, MB-Approval 229.5, MB-Approval 226.5, VW 502.00/505.00, Ford WSS-M2C937-A, BMW LL-01
		213989	5L			
		*195024	208L			
Quartz Ineo 5W-30		219166	1L	Volkswagen Audi BMW Mercedes Porsche	2.0 TFSI, OLDER BMW 2.0 AND 3.0 ENGINE, MB BLUETEC	VW 504.00/507.00 BMW LL-04, MB-Approval 229.51/229.52/229.31, Porsche C30
		219167	5L			
		180859	60L			
		*180858	208L			






*Special Order

PRODUCTS FOR EUROPEAN VEHICLES ADVANCED SYNTHETIC TECHNOLOGY

	Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Ineo 5W-30		228733	1L	BMW Mercedes GM (General Motors) Volkswagen Audi Kia	Various engines, MB M270 to M278, MB BLUETEC, OLDER GM DIESEL	BMW LL-04, MB-Approval 229.52, Suitable for VW 505.01, Meets the requirements of GM dexos2™ Recommended by Kia
		228735	5L			
		228736	60L			
		228734	208L			
Quartz Ineo & Quartz 9000 5W-40		*220194	1L	BMW Mercedes Volkswagen Porsche GM (General Motors)	Various engines, MB M270 to M278, MB BLUETEC, OLDER GM DIESEL	BMW LL-04, MB-Approval 229.52, VW 511.00, Porsche C40, Meets the requirements of GM dexos2™
		*220193	5L			
		218534	60L			
		*218535	208L			
		219095	1L	BMW Mercedes Volkswagen Audi Porsche	Various engines, OLDER AUDI 2.0T AND 3.0T, MB M270 to M278, OLDER BMW 2.0 AND 3.0 ENGINE	BMW LL-01, MB-Approval 229.5, VW 502.00/505.00, Porsche A40, Meets the requirements of Chrysler MS-12991
		219094	5L			
Quartz 9000 0W-30		191684	60L			
		*191681	208L			
		*227601	1L	Hyundai Kia	1.6 gdi, 2.0t	Recommended by Kia
		*227604	5L			
Quartz Ineo 10W-60		227600	60L			
		*227589	208L			
Quartz Ineo 10W-60		*218343	1L	Aston Martin BMW	AM NA V8, BMW M-series	ASTON MARTIN V8 naturally aspirated engines: service fill approved, Meets the requirements of BMW M-Series

*Available in tote format, please contact your TotalEnergies representative for more detail.

PRODUCTS FOR NORTH-AMERICAN/ASIAN VEHICLES ADVANCED SYNTHETIC TECHNOLOGY

	Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Xtra 0W-8/0W-20		228647	1L	Toyota Mazda Nissan Mitsubishi	Toyota Naturally aspirated 4-cyl from 2023	Jaso GLV-1
		228648	5L			
		*228619	208L			
		228317	1L	GM (General Motors) Jaguar Mercedes	3.0D, 2.0T	 Jaguar Land Rover STJLR 03.5006, MB-Approval 229.71, Ford WSS-M2C-952-A1
		228318	5L			
		*228342	208L			
		228553	1L	GM (General Motors) North-American, European and Asian	GM GASOLINE	 Ford WSS-M2C-962-A1
		228556	5L			

*Special Order





PRODUCTS FOR NORTH-AMERICAN/ASIAN VEHICLES






ADVANCED SYNTHETIC TECHNOLOGY

Product	Code	Format	Manufacturers	Motorizations	Manufacturers' Approvals
Quartz Xtra 0W-8/ 0W-20	Quartz 9000 Xtra Future FGC* 0W-20	228552	60L	GM (General Motors) North-American, European and Asian	GM GASOLINE dexos ³ 1 GM APPROVED CERTIFIED GEN 3 Ford WSS-M2C-962-A1
		228551	208L		
Quartz 9000 5W-20/5W-30	Quartz 9000 Future XT 5W-20	219090	1L	All Manufacturers	MULTIPLES Ford WSS-M2C960-A1
		219091	5L		
		223905	60L		
		223904	208L		
	Quartz 9000 Future FGC* 5W-30	228510	1L	GM (General Motors) North-American, European and Asian	GM GASOLINE dexos ³ 1 GM APPROVED CERTIFIED GEN 3 Ford WSS-M2C-961-A1
		228489	5L		
		228487	60L		
		228486	208L		
Quartz 9000 Xtra 0W-16	Quartz 9000 Xtra Future XT 0W-16	219207	1L	Subaru Honda Toyota Nissan Mazda Suzuki	MULTIPLES —
		219208	5L		

*Available in tote format, please contact your TotalEnergies representative for more detail.

PRODUCTS FOR HEAVY-DUTY VEHICLES

FULLY SYNTHETIC & SYNTHETIC-BLEND

Product		Code	Format	API	Advantages	Meet the requirements					
Rubia Optima 1500	Rubia Optima 1500 0W-40		219115	19L	CK-4/SN	<ul style="list-style-type: none">• Formulated with LOW-SAPS technology• Excellent shear stability• Improved oxidation stability• Exceptional aeration control• Exceptional detergent, dispersant and anti-wear additives	Cummins CES 20086				
			†217666	208L							
	Rubia Optima 1500 5W-40		209528	19L	CK-4 CJ-4 CI-4 Plus CH-4		<ul style="list-style-type: none">• Formulated with LOW-SAPS technology• Excellent shear stability• Improved oxidation stability• Exceptional aeration control• Exceptional detergent, dispersant and anti-wear additives• Save up to 3% fuel with FE technolog	Mack EOS-4.5 Volvo VDS-4.5 Renault Trucks RLD-3 Ford WSS-M2C 171-F1 Cummins CES 20086 DDC DFS 93K222			
			209434	208L							
	Rubia Optima 1500 FE 5W-30		†209529	19L					CK-4 CJ-4 CI-4 Plus CH-4	<ul style="list-style-type: none">• Formulated with LOW-SAPS technology• Excellent shear stability• Improved oxidation stability• Exceptional aeration control• Exceptional detergent, dispersant and anti-wear additives• Save up to 3% fuel with FE technolog	Mack EOS-4.5 Volvo VDS-4.5 Renault Trucks RLD-3 Cummins CES 20086 Detroit Diesel 93K222
			†209419	208L							
Rubia Optima 1300	Rubia Optima 1300 FE 10W-30		213011	19L	CK-4 CJ-4 CI-4 Plus CH-4	<ul style="list-style-type: none">• Formulated with LOW-SAPS technology• Excellent shear stability• Improved oxidation stability• Exceptional aeration control• Exceptional detergent, dispersant and anti-wear additives• Save up to 3% fuel with FE technolog	Mack EOS-4.5 Volvo VDS-4.5 Renault Trucks RLD-3 Ford WSS-M2C 171-F1 Cummins CES 20086 DTFR 15C100				
			†213012	208L							
	Rubia Optima 1300 15W-40		212994	19L	CK-4 CJ-4 CI-4 Plus CH-4	<ul style="list-style-type: none">• Formulated with LOW-SAPS technology• Excellent shear stability• Improved oxidation stability• Exceptional aeration control• Exceptional detergent, dispersant and anti-wear additives					
			212995	208L							

Discover our new
Fluidsyn ATF/CVT
Transmission fluid



- Covers **95%** of the light duty automotive fleet
- More **efficient** inventory management
- Superior **high-temperature** protection
- Optimal protection against wear

Learn more:





ULTRA® EPA COMPLIANT CONVERTERS (UNIVERSAL FIT)

PART #	BODY SHAPE	INLET INSIDE DIA.	OUTLET INSIDE DIA.	BODY LENGTH	OVERALL LENGTH
93268	Round	2.50"	2.50"	13.00"	17.50"
93253	Round	2.50"	2.50"	8.00"	11.50"
93203	Round	2.50"	2.50"	8.00"	12.00"
93267	Round	2.25"	2.25"	13.00"	17.50"
93262	Round	2.25"	2.25"	13.00"	17.50"
93266	Round	2.00"	2.00"	13.00"	17.50"
93251	Round	2.00"	2.00"	8.00"	11.50"
93238	Small Oval	2.50"	2.50"	10.00"	13.25"
93237	Small Oval	2.25"	2.25"	10.00"	13.25"
93236	Small Oval	2.00"	2.00"	10.00"	13.25"
93239	Small Oval	3.00"	3.00"	10.00"	13.25"
93303	Large Oval	2.50"	2.50"	13.00"	18.00"
93304	Large Oval	3.00"	3.00"	13.00"	18.00"



Ultra® Converter - 93239

EPA COMPLIANT STANDARD CONVERTERS

PART #	BODY SHAPE	INLET INSIDE DIA.	OUTLET INSIDE DIA.	BODY LENGTH	OVERALL LENGTH
15038	Small Oval	2.50"	2.50"	10.00"	13.25"
15037	Small Oval	2.25"	2.25"	10.00"	13.25"
15036	Small Oval	2.00"	2.00"	10.00"	13.25"
15039	Small Oval	3.00"	3.00"	10.00"	13.25"



Band Clamp (Stainless) - 33276



U-Bolt Clamp - 35775

U BOLT CLAMPS

PART #	SIZE	DIAMETER
35760	3.25"	0.38"
35424	4.50"	0.38"
33304	4.00"	0.38"
35775	5.00"	0.38"
35757	5.00"	0.38"

BAND CLAMPS (ALUMINIZED)

PART #	DIAMETER	TYPE
33978	2.00"	Band, Butt Joint
33979	2.25"	Band, Butt Joint
33310	3.00"	Band, Butt Joint
33312	4.00"	Band, Butt Joint
33974	2.00"	Band, Lap Joint
33975	2.25"	Band, Lap Joint
33976	2.50"	Band, Lap Joint
33284	3.00"	Band, Lap Joint
33967	3.00"	Band, Lap Joint
33285	3.50"	Band, Lap Joint
33968	3.50"	Band, Lap Joint
33969	4.00"	Band, Lap Joint
33286	4.00"	Band, Lap Joint
33970	5.00"	Band, Lap Joint
33288	5.00"	Band, Lap Joint
36434	2.50"	Narrow Band
35227	4.00"	Narrow Band
35228	5.00"	Narrow Band

BAND CLAMPS (STAINLESS)


PART #	DIAMETER	TYPE
33240	2.50"	Band, Butt Joint
33278	3.00"	Band, Butt Joint
33282	5.00"	Band, Butt Joint
33231	2.25"	Band, Lap Joint
33226	2.50"	Band, Lap Joint
33220	2.50"	Band, Lap Joint
33272	3.00"	Band, Lap Joint
33222	3.00"	Band, Lap Joint
33273	3.50"	Band, Lap Joint
33274	4.00"	Band, Lap Joint
33224	4.00"	Band, Lap Joint
33276	5.00"	Band, Lap Joint
33225	5.00"	Band, Lap Joint
35620	2.00"	Flat Strap
35621	2.25"	Flat Strap
35979	2.50"	Flat Strap
35622	2.75	Flat Strap
35978	3.00"	Flat Strap
35977	3.50"	Flat Strap
35976	4.00"	Flat Strap
35975	5.00"	Flat Strap
36438	2.50"	Narrow Band
36439	3.00"	Narrow Band

At Walker®, we offer world-class, engine-to-tailpipe exhaust solutions for light and commercial vehicles, leading the way with an unparalleled level of compliance and precision fit.




BRACKETS & HANGERS

PART NUMBER	MINIMUM ORDER QUANTITY
36516	50
36272	1
35103	1
35004	25
35944	50
36518	50
35957	50
36274	1
35780	1
35600	50




36516




36516




36516




35004




35944




36518




35957



36274



35780



35600



Flex Tube (Aluminized)
46915



Straight Tubing (Aluminized)
49045



Pipe Flex Connector - 52252

FLEX TUBES (ALUMINIZED)		
PART #	INSIDE DIA.	LENGTH
46915	4.00"	6.00'
46916	5.00"	6.00'

FLEX TUBES (GALVANIZED)		
PART #	INSIDE DIA.	LENGTH
46971	1.50"	6.00'
46972	1.75"	6.00'
46973	2.00"	6.00'
46974	2.25"	6.00'
46975	2.50"	6.00'
40007	2.50"	25.00'



Flex Tube (Galvanized)
40007

STRAIGHT TUBING (ALUMINIZED)			
PART #	OUTSIDE DIA.	LENGTH	GAUGE
49045	1.50"	10.00'	17
49046	1.75"	10.00'	17
49069	2.00"	10.00'	13
49047	2.00"	10.00'	16
47972	2.00"	7.50'	16
49048	2.25"	10.00'	14
47973	2.25"	7.50'	14
49049	2.50"	10.00'	14
47974	2.50"	7.50'	14
49195	2.75"	10.00'	14
49065	3.00"	10.00'	13
49159	3.00"	10.00'	14
47963	3.00"	7.50'	14
49160	3.50"	10.00'	14
49161	4.00"	10.00'	14
49099	4.00"	10.00'	16
49162	5.00"	10.00'	14
49064	5.00"	10.00'	16

PIPE FLEX CONNECTORS				
PART #	BUSHING	OVERALL LENGTH	INLET/OUTLET DIA.	FLEX LENGTH
41791	Without	4.13"	1.75"	4.13"
41792	Without	6.13"	1.75"	6.13"
41793	Without	8.25"	1.75"	8.25"
51015	Without	4.00"	2.00"	4.00"
51021	Without	6.00"	2.00"	6.00"
51022	Without	8.00"	2.00"	8.00"
51111	Without	4.00"	2.25"	4.00"
51110	Without	8.00"	2.25"	8.00"
51143	Without	4.00"	2.50"	4.00"
51109	Without	6.00"	2.50"	6.00"
51108	Without	8.00"	2.50"	8.00"
51138	Without	10.00"	2.50"	10.00"
51023	With	8.50"	1.75"	4.00"
41597	With	10.00"	1.75"	6.00"
41452	With	12.00"	1.75"	8.00"
51024	With	8.50"	2.00"	4.00"
51025	With	10.50"	2.00"	6.00"
52252	With	12.50"	2.00"	8.00"
42216	With	13.88"	2.00"	10.00"
51083	With	10.50"	2.25"	6.50"

SOUNDFX® MUFFLERS - UNIVERSAL - FIT								
PART #	INLET INSIDE DIAMETER	OUTLET INSIDE DIAMETER	INLET OFFSET	OUTLET OFFSET	BODY HEIGHT	BODY WIDTH	BODY LENGTH	OVERALL LENGTH
18144	1.75"	1.75"	Offset	Center	3.25"	7.75"	15.00"	20.00"
18102	2.00"	2.00"	Offset	Center	4.25"	8.81"	15.00"	21.50"
17851	2.00"	2.00"	Offset	Center	4.25"	8.81"	16.00"	21.75"
18101	2.00"	2.00"	Offset	Center	4.25"	8.81"	18.00"	25.00"
18105	2.00"	2.00"	Offset	Offset	4.25"	8.81"	18.00"	24.50"



SoundFX® Muffler - 17808



SOUNDFX® MUFFLERS - UNIVERSAL - FIT								
PART #	INLET INSIDE DIAMETER	OUTLET INSIDE DIAMETER	INLET OFFSET	OUTLET OFFSET	BODY HEIGHT	BODY WIDTH	BODY LENGTH	OVERALL LENGTH
18150	2.00"	2.00"	Offset	Center	4.25"	9.75"	16.00"	20.50"
17877	2.00"	2.00"	Offset	Offset	4.25"	9.75"	19.00"	23.50"
17164	2.00"	2.00"	Offset	Center	4.25"	9.75"	19.00"	23.00"
18169	2.00"	2.00"	Offset	Offset	5.00"	5.00"	18.00"	24.00"
18130	2.00"	2.00"	Offset	Offset	6.00"	6.00"	17.00"	24.50"
18129	2.00"	2.00"	Offset	Offset	6.00"	6.00"	25.00"	32.75"
17188	2.00"	2.13"	Center	Offset	4.25"	8.81"	13.00"	17.00"
18107	2.25"	2.00"	Offset	Center	4.25"	8.81"	18.00"	22.75"
18141	2.25"	2.25"	Offset	Offset	4.25"	8.81"	18.00"	23.00"
18106	2.25"	2.25"	Offset	Center	4.25"	8.81"	22.00"	30.00"
17843	2.25"	2.25"	Offset	Offset	4.25"	9.75"	18.00"	23.00"
17808	2.25"	2.25"	Offset	Center	4.25"	9.75"	19.00"	25.75"
17827	2.25"	2.25"	Offset	Center	4.25"	9.75"	25.00"	29.50"
18156	2.25"	2.25"	Offset	Offset	6.00"	6.00"	25.00"	29.25"
17837	2.25"	2.25"	Offset	Offset	7.00"	7.00"	24.00"	29.25"
18177	2.50"	2.00"	Offset	Center	4.25"	8.81"	18.00"	26.00"
18112	2.50"	2.25"	Offset	Center	4.25"	8.81"	18.00"	25.50"
18113	2.50"	2.25"	Offset	Center	4.25"	8.81"	18.00"	26.00"
18176	2.50"	2.25"	Offset	Offset	4.25"	8.81"	20.00"	25.00"
18109	2.50"	2.25"	Offset	Center	4.25"	8.81"	22.00"	30.00"
17853	2.50"	2.25"	Offset	Center	4.25"	9.75"	18.00"	23.00"
18175	2.50"	2.50"	Offset	Offset	4.25"	8.81"	18.00"	23.00"
17197	2.50"	2.50"	Offset	Center	4.25"	9.75"	28.00"	36.50 "
17165	2.50"	2.50"	Center	Offset	5.50"	11.00"	27.00"	31.00"
18138	2.75"	2.75"	Offset	Offset	7.00"	9.00"	24.00"	29.00"
17195	3.00"	2.25"	Center	Offset	4.25"	9.75"	23.00"	28.75"
18160	3.00"	3.00"	Offset	Center	4.25"	9.75"	20.00"	26.50"
18180	3.00"	3.00"	Offset	Center	4.25"	9.75"	22.00"	29.00"
17809	3.00"	3.00"	Center	Offset	4.25"	9.75"	23.00"	29.00"





WD-40® MULTI-USE PRODUCT

WD-40 Multi-Use Product protects metal from rust and corrosion, penetrates stuck parts, displaces moisture and lubricates almost anything.
WD-40® Multi -Use Product - Problem Solved. Job Done Right™



- 01301 9ml Precision Pen
- 02300 226g Smart Straw
- 01144 311g Spray with Big Blast Spray
- 01003 411g PRO Value Size
- 01110 3.785L
- 01204 18.9 Litre Pail



WATER RESISTANT SILICONE LUBRICANT SMART STRAW 02279

- Lubricates, waterproofs and protects
- Quick-drying with no messy residue
- Effective temperature range from -73° C to 260° C.



WHITE LITHIUM GREASE SMART STRAW 283G 01285

- Withstands 1.5x more pressure than the competition for less frequent re-applications and reduced downtime
- Leaves behind a rust-inhibiting barrier for protection against corrosion
- Effective in a temperature range from -18° C to 149° C



RUST RELEASE PENETRANT SPRAY SMART STRAW 02278

- Fast acting
- Helps prevent rust and corrosion from re-forming and leaves behind a lubricating layer
- Penetrates deep into tight crevices, threads and seams to break the bonds that hold stuck parts together



MACHINE AND ENGINE DEGREASER FOAMING SPRAY 01206

- Deep penetrating foaming action
- Quickly removes dirt, grease, and grime to make machine and equipments last longer and look new
- Powerful stream sprays up to 5 feet



WD-40® 408G MULTI-USE PRODUCT EZ-REACH W/SMART STRAW 02077

- 8" flexible straw bends to keep its shape
- Gets into hard-to-reach places with a precise spray
- Flip straw up for stream and down to spray
- Safety lock prevents accidental discharge



WD-40® 325G MULTI-USE PRODUCT LUBRICANT W/SMART STRAW 02272

- Never lose the straw again®
- Flip straw up for stream and down to spray
- Toolkit friendly
- Safety lock prevents accidental discharge



DRY LUBE SMART STRAW 283G 01284

- Quick drying formula is ideal for reducing friction and wear
- Resist dirt, dust and oil
- Ideal for releasing moulded parts



SPRAY & STAY GEL LUBRICANT SMART STRAW 283G 01286

- Safe for use on multiple surfaces including metals, plastic and rubber
- Great for gears, bearings, cables, chains, rollers and more without making a mess



CONTACT CLEANER SMART STRAW 155G 01288

- Blast away oil, dirt, flux residue and condensation from sensitive electronics and equipment.
- Our solvent blend is safe on most plastics and metal parts. Test on plastic before using and avoid adhesives, device screens and keyboards.



INDUSTRIAL STRENGTH CLEANER AND DEGREASER 02266

- Water-based, non-flammable, non-aerosol cleaner & degreaser with a unique bio-solvent formula engineered to be powerful yet safe for sensitive surfaces.
- Safe for use on aluminum, chrome, glass, plastic, rubber, stainless steel, granite, leather, paint, and much more



INDUSTRIAL STRENGTH DEGREASER 425G 01287

- Solvent-based, spray degreaser that helps you quickly remove stubborn oil, grease, dirt and grime without leaving any residue
- Low fumes, high flashpoint 84.4C, and low run-off



wd40.ca
3inone.ca



SLIDE OUT SILICONE 311G
02238

- Features a quick-dry, clear protective film with no messy residue that doesn't attract dirt
- Lubricates, waterproofs and protects against rust and corrosion
- Safe to use on rubber, vinyl and plastic



RUBBER SEAL CONDITIONER 311G
02290

- Contains UV inhibitors which help prevent cracking and fading
- Long lasting water resistant formula helps reduce friction and wear



WINDOW & TRACK DRY LUBE 283G
02245

- Provides long-lasting corrosion protection against the elements, helping to prevent future repairs
- Safe to use on most materials, including vinyl and plastic (except clear polycarbonate and polystyrene)
- Helps keep your RV windows and doors sliding smoothly and silently



MULTI-PURPOSE OIL WITH THE NEW MARKSMAN TWIST SPOUT
01216

Ergonomically shaped for ease of use and balance.



PRODUCT BENEFITS AND FEATURES:

3-IN-ONE GARAGE DOOR LUBE - 311g

- High performance lubrication for pulleys, bearings, springs, chains and door tracks. No oily mess. Works fast, quick drying.

3-IN-ONE SILICONE SPRAY - 311g

- Ideal for metal-to-metal applications, preventing rust and corrosion, sprays evenly as a liquid and sets dry for a thick, protective coating that won't wash off, high performance lubrication
- Quick drying, no mess formula

3-IN-ONE PENETRANT SPRAY - 311g

- Fast acting formula, loosens stuck parts, frees rusted nuts and bolts
- Ideal for use on nuts, bolts, threads, links, chains and rusted things that are stuck and won't move

3-IN-ONE WHITE LITHIUM GREASE SPRAY - 290g

- Dries fast and leaves a clear, non-staining film without stickiness or messy residue, safe for temperature ranges between - 73° C to 260° C, non drip formula, water and heat resistant
- Prevents rust and corrosion; long lasting, heavy duty lubricant

02252
01141
01140
01142



worx.ca



PROVIDING
SMART IDEAS
IN SUSTAINABLE PRODUCTS & PACKAGING

COST & SUSTAINABILITY ADVANTAGES



Easy-Fill Dispenser Code 11-9997
Biodegradable Hand Cleaner



Power Clean Waterless Hand Soap

**2X MORE
HAND
WASHES**



PART #	PRODUCT
WORX BIODEGRADABLE HAND CLEANER 950 HAND WASHES PER 3LB SIZE \$0.08 /WASH*	
11-12 24	Biodegradable Hand Cleaner 1.85 oz (5 2.5 g.)
11-1104	Biodegradable Hand Cleaner 1 lb. (454 g.)
11- 2300	Biodegradable Hand Cleaner Stand-Up Pouch 3 lb (1362 g.)
11-2450	Biodegradable Hand Cleaner Stand-Up Pouch 4.5 lb (2040 g.)
11-1650-12	Biodegradable Hand Cleaner 6.5 oz. (184 g.)
11-9965	Biodegradable Hand Cleaner - 1 lb. Dispenser
11-9997	Easy-Fill Dispenser
WORX WATERLESS HAND SOAP & DISPENSER	
36-0432	Power Clean Waterless Hand Soap 32 oz. (945 ml.)
36-0401	Power Clean Waterless Hand Soap 1 Gallon (3.78 L) 2X MORE HAND WASHES
26-9999	Walmart Dispenser (Gallon)
WORX POWER CLEAN LIQUID HAND CLEANER & DISPENSERS	
47-0613	Power Clean Liquid Hand Soap 13 oz. (384 ml.)
47-0432	Power Clean Liquid Hand Soap 32 oz. (945 ml.)
47-0401	Power Clean Liquid Hand Soap 1 Gallon (3.78 L)
47-9990	Power Clean Manual Wall Mount Liquid Dispenser (1000 ml.)
47-9995	Power Clean Automatic Countertop Liquid Dispenser (400 ml.)
WORX POWER CLEAN FOAM HAND CLEANER AND DISPENSERS THICK RICH LATHER • LIGHT FRESH SCENT • NO ANIMAL BY-PRODUCTS • NO MICROBEADS OR NUT SHELLS	
48-0613	Power Clean Foam Hand Soap 13 oz. (384 ml.)
48-0432	Power Clean Foam Hand Soap 32 oz. (945 ml.)
ATTAX PRODUCTS & DISPENSERS	
17-0401	ATTAX Light-Duty 4 bottles x 1 gal. (3.78 L.)
18-0401	ATTAX Heavy-Duty 4 bottles x 1 gal. (3.78 L.)
19-1216	ATTAX Heavy-Duty Spray Degreaser 16 oz. (450 g.)

WASH & WAX
CONCENTRATE



12022 - 20L

41205 - 4L

Description:
A super concentrated, liquid WASH & WAX formulated to quickly and effectively clean all finishes without scratching. Unique foaming action and wax lubricates surface to help prevent unwanted scratches.

GLASS CLEANER

27416 - 990ml

28416 - 4L



For use on:
Windows, mirrors, counter tops, appliances, stainless steel, chrome, fixtures, plexi glass



PRESSURE WASHER
CLEANER /DEGREASER
CONCENTRATE

TOUGH ON
Grease, Grime & Stains!



28320 -20L

28316 -4L

CLEANER / DEGREASER



Uses:
Automobiles, garages, marine, RVs, ATVs, motorcycles, household

29416 -20L

26416 -4L

25416 -990ml

ULTRASONIC SOAP
CLEANING SOLUTION

15711 -4L



PRODUCT	SUPPLIER	PAGE
A/C Chemicals.....	FMSI	24
A/C Fittings	FMSI	23
Abrasives.....	Norton.....	69-70
Adapters.....	FMSI	22
Adhesives.....	Dominion Sure Seal	16
.....	Gorilla	25
.....	Loctite.....	55
.....	NLS Products	67
.....	Norton.....	71
.....	Permatex	72
Air Conditioning & Cooling	CPS/UView/MotorVac.....	10
Air Fresheners	Little Trees.....	52
Air Purifier.....	Cliplight	6
Anti-Seize	Loctite.....	55
Antifreeze	Prestone.....	83, 85-86
Automotive fasteners	H Paulin	39
Batteries	Energizer	19
Battery Blankets.....	Phillips & Temro	79
Battery Cleaner	CRC	11
Battery connection	Grote.....	34
Bearing Mount.....	Loctite.....	53
Bedliner.....	Dominion Sure Seal.....	14
Blades	Irwin Tools	46
Body Plugs	Dominion Sure Seal.....	14
Brackets & Hangers	Walker.....	100
Brake Cleaner.....	CRC	11
Brake Fluid	Prestone.....	84
Brake Lines.....	FMSI	22
Brooms.....	M2 Professional	59-60
Brushes	M2 Professional	59-60
Bug Killer	CRC	12
Cable Ties	Pico.....	81
Carpet Stain Remover	WD-40.....	103
Ceramic Cooling System Cleaner	Ironite	40
Chain Oil	Irving Blending & Packaging.....	44
Chains	Ancra.....	1
Clamps.....	Irwin Tools	45
Cleaners	CRC	11-12
.....	WD-40.....	103
.....	Worx.....	106
Cleaning tools	Hopkins.....	38
Cloths.....	Kimberly-Clark	51
Coiled Air Products.....	Grote.....	33
Coils	FMSI	22
Compressor Oil	Milton.....	62
Converters.....	Walker.....	99
Coolants.....	Prestone.....	83
Corner Protectors.....	Ancra.....	1
Couplers	Milton.....	62
Crimp Tool.....	Pico.....	80
Cutters.....	Pico.....	80
De-icer, windshield.....	CRC	11
Degreaser.....	CRC	11
.....	Bestbuy Pro	107
.....	WD-40.....	104
.....	Worx.....	106
Detailing.....	ArmorAll	4

PRODUCT	SUPPLIER	PAGE
	Lucas Oil	57
	Permatex	74
	Bestbuy Pro	107
Disinfectant	Permatex	74
Drill Bits	Lenox	46
Dust Pan	M2 Professional	59-60
Dyes	Cliplight	6
	CPS/UView/MotorVac	9
Electrical	Grote	34
Enamel	Dupli-Color	18
Engine Cleaner	Irontite	40
Engine Repair	Rislone	88
Engine Treatment	Rislone	88
Epoxy	J-B Weld	47
	Permatex	72
Exhaust	Walker	99
Exhaust Fluid	Irving Blending & Packaging	43
Fittings	FMSI	21-24
Flashlights	Energizer	19
Floor Signs	M2 Professional	59
Fluid Film	NLS Products	66
Fuel Additives	CRC	12
	Lucas Oil	57-58
	Rislone	90
Fuel Transfer Pumps	GPI	27-28
Fuse products	Grote	33
Fuses	Docap	17
	Pico	82
Garage Floor Cleaner	Permatex	74
Gasket Maker	Loctite	54
	Permatex	73
Gasket Repair	Rislone	88
Gauges	Milton	63-64
Gear Oil	Irving Blending & Packaging	43
Glass Cleaner	CRC	11
	Permatex	74
	Bestbuy Pro	107
Gloves	Groupe BBH	35-36
Gravel Guard	Dominion Sure Seal	14
Grease	CRC	12
	Irving Blending & Packaging	43
	WD-40	105
Gun (Application)	Dominion Sure Seal	15
Hand Cleaners	Kimberly-Clark	49
	Permatex	74
	Worx	106
Hand Cream	Gorilla	25
Hand Pump	GPI	27-28
Handy Paks	H Paulin	39
Headlights	Energizer	19
	Sylvania	92-93
Heat magnet	Phillips & Temro	78
Heaters	Phillips & Temro	76-78
Hole Saw Kits	Lenox	46
Horns	Fiamm	20
Hose (fuel)	GPI	28
Hose fittings & adapters	Dayco	13

PRODUCT	SUPPLIER	PAGE
Hoses	Continental	8
	Dayco	13
Hydraliners	Phillips & Temro	77
Hydraulic Oil	Irving Blending & Packaging	43
Leak Detection	Cliplight	6
	CPS/UView/MotorVac	9
Leak Repair	Rislone	87
Lifting Slings	Ancra	2
Lighting	Cliplight	6-7
	Grote	29-32
LIT Plug Kits	Phillips & Temro	76
Load Binders	Ancra	2
Lubrication	CRC	11-12
	CRC	11-12
	WD-40	103-105
Motor Oil	Irving Blending & Packaging	41
	Mobil 1	65
	Total	95-97
Mud Flaps	Triple C	94
Nozzle	GPI	27-28
Oil Drip	WD-40	105
Pails	Bestbuy	20
Paint (caliper)	Dupli-Color	18
Paint (engine)	Dupli-Color	18
Paint Remover	Dominion Sure Seal	15
Parts Cleaner	Permatex	74
Penetrants	CRC	11-12
Penetrating Oil	NLS Products	67
Pliers	Irwin Tools	45-46
Plugs	Milton	61
	Slime	72
Power protection	Grote	34
Power Steering Fluids	Lucas Oil	57
	Prestone	84
Primers	Dominion Sure Seal	14
	Dupli-Color	18
Protective Sheeting	Norton	71
Putty	NLS Products	68
Radiator Sealant	Irontite	40
Ratchet Straps	Ancra	2
Ratchet tie downs	Ancra	2
Relays	Docap	17
Repair Fluids	Rislone	87-90
Rope	Groupe BBH	36
Rust Converter	Dominion Sure Seal	15
	Rust Check	91
Rust Paint	Rust Check	91
Rust Proofing	Rust Check	91
	Dominion Sure Seal	15
Rust Protector	Dupli-Color	18
Rust Treatment	NLS Products	67
Safety	Grote	29-32
	Hopkins	37
Safety Glasses	Groupe BBH	36
Saw Blades	Lenox	46
Sealants	Permatex	73
	Dominion Sure Seal	16

PRODUCT	SUPPLIER	PAGE
Sealant (Tire).....	NLS Products	66
Shovel.....	Hopkins.....	37
Silicone.....	Loctite.....	54
Snowbrooms.....	Hopkins.....	37
Snowbrushes.....	Hopkins.....	37
Soldering.....	Docap.....	17
.....	Pico.....	80-82
Solenoids.....	Docap.....	17
Squeegees.....	Hopkins.....	37-38
.....	M2 Professional	60
Stainless Steel Cleaner.....	Permatex	74
Stop Leak.....	Lucas Oil.....	58
Switches.....	Pico.....	80
Tape.....	Dominion Sure Seal.....	16
.....	Pico.....	80
Tees.....	FMSI.....	22
Terminals & Connectors.....	Pico.....	81
.....	Grote.....	33
Test Strips.....	NLS Products	68
Threadlocker.....	J-B Weld.....	47
.....	Loctite.....	53
.....	Permatex	73
Tie Down Straps.....	Docap.....	17
Tire Repair Kit.....	Slime.....	72
Tissue.....	Kimberly-Clark.....	49
Toilet Bowl Cleaner.....	WD-40.....	103
Torches.....	Bernzomatic.....	5
.....	Pico.....	80
Towels.....	Kimberly-Clark.....	50-51
Tractor Fluid.....	Irving Blending & Packaging.....	44
Trailer Connections.....	Grote.....	34
Transmission Fluid.....	Irving Blending & Packaging.....	42
.....	Lucas Oil.....	57
.....	Mobil 1.....	65
.....	Total.....	98
Trigger Sprayer.....	M2 Professional	59
Tubing.....	Pico.....	82
.....	Walker.....	101
Undercoating.....	CRC.....	12
.....	Dominion Sure Seal.....	14
.....	Dupli-Color	18
.....	Rust Check.....	91
Unions.....	FMSI.....	22
Urinal Screen.....	M2 Professional	59
Valve Caps.....	Milton.....	61
Wheel Chock.....	Triple C.....	94
Wheel Coating.....	Dupli-Color	18
Wheel Nuts.....	FMSI.....	21
.....	H Paulin.....	39
Winch Straps.....	Ancra.....	1
Winches.....	Ancra.....	1
Wipes.....	ArmorAll.....	3
.....	Kimberly-Clark.....	49,51
Wire & Cable.....	Grote.....	33
Worklights.....	Cliplight.....	6-7
.....	Energizer.....	19
.....	Grote.....	29-32

The background is a dark, almost black, space. A grid of thin, light blue lines is visible, receding towards a horizon line. The horizon line is a bright, glowing red band. The lines of the grid are more prominent in the foreground and fade as they approach the horizon.

www.bestbuydistributors.ca